UNIVERSITY OF HAWAII
LIBRARY
27 AM '71

CLINICA CHIMICA ACTA

INTERNATIONAL MONTHLY OF CLINICAL CHEMISTRY

CUMULATIVE AUTHOR AND SUBJECT INDEX

Volumes 16-30

ELSEVIER PUBLISHING COMPANY
AMSTERDAM

1971

ODICAL
B1
5
dex
C-30
LIBRARY

Elsevier's Nobel Publications

NOBEL, THE MAN AND HIS PRIZES

Second revised and enlarged edition
$6\frac{1}{2} \times 9\frac{1}{2}''$ x + 690 pages 3 tables 1962

NOBEL PRIZE LECTURES

CHEMISTRY 1901–1921
$6\frac{1}{2} \times 9\frac{1}{2}''$ xii + 411 pages 27 illus. 1966

CHEMISTRY 1922–1941
$6\frac{1}{2} \times 9\frac{1}{2}''$ xii + 508 pages 13 tables 128 illus. 1966

CHEMISTRY 1942–1962
$6\frac{1}{2} \times 9\frac{1}{2}''$ xxv + 710 pages 41 tables 228 illus. 481 lit. refs. 1964

PHYSIOLOGY OR MEDICINE 1901–1921
$6\frac{1}{2} \times 9\frac{1}{2}''$ xii + 563 pages 2 tables 9 plates 66 illus. 1967

PHYSIOLOGY OR MEDICINE 1922–1941
$6\frac{1}{2} \times 9\frac{1}{2}''$ xvi + 548 pages 32 tables 85 illus. 1965

PHYSIOLOGY OR MEDICINE 1942–1962
$6\frac{1}{2} \times 9\frac{1}{2}''$ xiv + 837 pages 33 tables 200 illus. 1964

PHYSICS 1901–1921
$6\frac{1}{2} \times 9\frac{1}{2}''$ xii + 500 pages 131 illus. 1966

PHYSICS 1922–1941
$6\frac{1}{2} \times 9\frac{1}{2}''$ xii + 456 pages 107 illus. 1965

PHYSICS 1942–1962
$6\frac{1}{2} \times 9\frac{1}{2}''$ xviii + 619 pages 183 illus. 1964

LITERATURE 1901–1967
edited by HORST FRENZ
$6\frac{1}{2} \times 9\frac{1}{2}''$ xxi + 640 pages 1969, 1st reprint 1969

PEACE 1901–1967
edited by FREDERICK W. HABERMAN
$6\frac{1}{2} \times 9\frac{1}{2}''$ approx. 600 pages, 1971, in preparation

---

Elsevier
Book Division, P. O. Box 3489,
Amsterdam The Netherlands

272 E

CLINICA CHIMICA ACTA

CUMULATIVE AUTHOR AND SUBJECT INDEX

Vols. 16-30

CLINICA CHIMICA ACTA

INTERNATIONAL MONTHLY OF CLINICAL CHEMISTRY

Sponsored by the following National Societies:
Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editor-in-chief: C. P. Stewart, Edinburgh
Associate Editor: S. C. Frazer, Aberdeen

Regional Editors:
for the Americas – M. Rubin, Washington, D.C.
for the British Commonwealth – R. Gaddie, Birmingham
for the other territories, including Europe – E. J. van Kampen, Groningen

Editorial Secretary:
Th. Strengers, P.O. Box 4073, Amsterdam, The Netherlands

EDITORIAL BOARD

J. G. G. Borst (Amsterdam)
P. Boulanger (Lille)
W. T. Caraway (Flint, Mich.)
L. Dzialoszynski (Poznan)
A. H. Gowenlock (Manchester)
J. C. M. Hattinga Verschure (Amsterdam)
S. H. Jackson (Toronto, Ont.)
V. Klingmüller (Mannheim)
L. Massart (Ghent)
P. Métais (Strasbourg)
V. N. Orekhovitch (Moscow)
J. A. Owen (Melbourne)
M. C. Sanz (Geneva)
D. Seligson (New Haven, Conn.)
D. D. van Slyke (Upton, Long Island, N.Y.)
S. K. Wadman (Utrecht)
E. Werle (Munich)
J. H. Wilkinson (Philadelphia)

CUMULATIVE AUTHOR AND SUBJECT INDEX

Vols. 16-30

ELSEVIER PUBLISHING COMPANY
AMSTERDAM

PUBLISHER'S NOTE

This issue collects under one cover both the author and the subject indexes of Volumes 16 to 30 inclusive of Clinica Chimica Acta. According to editorial practice of this journal, in the author index the full titles of papers are mentioned under the names of the first authors only; in the subject index the authors names, omitting initials, are given in parentheses after each reference.

Bibliographic reference in each entry consists of volume number, year of publication in parentheses, and page number(s). The correspondence between volume number and year of publication is indicated in the following table.

Vol. No.	Year of publication	Vol. No.	Year of publication
16	1967	23	1969
17	1967	24	1969
18	1967	25	1969
19	1968	26	1969
20	1968	27	1970
21	1968	28	1970
22	1968	29	1970
		30	1970

A

Abdullah, F., Pennington, R.J.
Ribonuclease activity in normal and dystrophic human muscle 20(1968)365
Abe, H. see Itoh, K.F. 30(1970)259
– see Koizumi, T. 26(1969)477
– see Miyai, K. 22(1968)341
Abernethy, M.H., Bentley, G.T., Gartelmann, D., Gray, P., Owen, J.A., Quan Sing, G.D.
An improved computer-based, multi-channel system for automatic chemical analysis 30(1970)463
Abraham, A., Radonich, Z., Jones, C.T.
Lysine absorption in the small intestine. The relevance of faecal cadaverine as an index of lysine malabsorption 22(1968)619
Abraham, R., Gütte, K.-F., Hild, E.
Fraktionierung von Harncorticosteroiden durch Dünnschichtchromatographie und direkte photometrische Chromatogramm-auswertung 27(1970)395
– – – Taubert, H.-D.
Bestimmung der Pregnandiolausscheidung durch Dünnschichtchromatographie und photodensitometrische Auswertung 28(1970)341
Abramov, A., Neufeld, E., Chayen, R.
Serum urocanase as an aid in the differential diagnosis of liver disorders 23(1969)305
Abreu de Miani, M.S. see Penalver, J.A. 30(1970)657
Acerbo, E.O. see Margni, R.A. 28(1970)451
– – 29(1970)219
Adams, J.A. see Knauff, R.E. 19(1968)19,245
Adams, J.B., Wacher, A.
Specific changes in the glycoprotein components of seromucoid in pregnancy 21(1968)155
Adams, R. see Soler, N.G. 30(1970)289
Adamson, G.L. see Nichols, A.V. 20(1968)277
Adejuwon, A.C. see McFarlane, H. 29(1970)273
Adey, G., Jeffery, J., Duncan, R.
Absence of prolonged luteal function in women after hysteroctomy 30(1970)544
Adham, N.F. see Mroueh, A.D. 28(1970)259
Adriaenssens, K., Vanheule, R., Karcher, D., Mardens, Y.
A simple screening method for the study of amino acids in tissues using frozen slices 18(1967)351
– – – –
A simple screening test for the study of lipids in blood and tissues 23(1969)449
Affonso, A.
Determination of serum haptoglobin by electrophoresis on plaster of Paris 22(1968)466
– Affonso, E.
Preparative electrophoresis of serum proteins on plaster of Paris 21(1968)315
Afonso, E.
Brief study of a myeloma protein 21(1968)283
– Evaluation of renal filter selectivity by quantitative immunoelectrophoresis 17(1967)239
–
Immunoelectrophoretic identity patterns 17(1967)131
–
On immunoelectrophoretic quantitation 17(1967)138
–
On interference of diffusion in quantitative immunoelectrophoresis 18(1967)95
– Proenca, J.S.
Electrophoretic heterogeneity of IgG 21(1968)143
– see Affonso, A. 21(1968)315
Aftimos, S. see Al-Khalidi, U.A.S. 29(1970)381
Agathopoulos, A.S. see Choremis, K.B. 17(1967)125
– see Danelatos-Athanassiadis, C.Th. 23(1969)153
– see Liakakos, D. 26(1969)197
– see Matsaniotis, N. 22(1968)195
Agostoni, A. see Stabilini, R. 20(1968)358
– Vergani, C., Stabilini, R., Marasini, B.
Determination of seven serum proteins in alcoholic cirrhosis 26(1969)351
– see Vergani, C. 16(1967)326
Akedo, H. see Nishihara, H. 30(1970)251
Akinkugbe, A.C. see McFarlane, H. 29(1970)273
Alaupovic, P. see Mills, G.L. 26(1969)239
Albano, O., Francavilla, A.
Effect of CCl_4 intoxication on the synthesis of β-lipoprotein fractions in rat liver 19(1968)363
– see Francavilla, A. 30(1970)415

Alessio, L. see Fiorelli, G. 25(1969)177
– see Pabis, A. 20(1968)449
– see Secchi, G.C. 27(1970)467
Alexandre, Y. see Rosa, R. 29(1970)209
Ali, Z., see Caygill, J.C. 26(1969)395
Alkemade, G.M. see Van der Slik, W. 27(1970)325
Al-Khalidi, U.A.S., Aftimos, S., Musharrafieh, S., Kuhri, N.N.
A method for the determination of plasma guanase on finger-tip blood 29(1970)381
Allard, C., Goulet, C.
Correlation between β-lipoprotein levels in plasma lipid concentrations 20(1968)535
Allard, D. see Schapira, F. 20(1968)439
Allegri, G. see Muggeo, M. 30(1970)779
Allen, E.A. see Gerring, E. 24(1969)437
Alonso, G.L., Tumilasci, O.R., Nikonov, J.M.
Improvement of a direct colorimetry method for calcium determination 27(1970)549
Altmann, A.E., Beeuwkes, H., Brombacher, P.J., Buytendijk, H.J., Gijzen, A.H.J., Maesen, F.P.V.
Serum levels of tetracycline after different administration forms 20(1968)185
Aly, F.W. see Braun, H.J. 26(1969)588
Amador, E. see Franey, R.J. 21(1968)255
Ambler, J., Arnold, D.F., Green, A.G.
A study of the alkaline phosphatase activity in some commercial quality control sera with p-nitrophenyl phosphate and phenyl phosphate subjects 27(1970)350
Ambrosius, H.
Eine Methode zur quantitativen Bestimmung von Immunpräzipitaten bis zu 1 μg Protein 18(1967)279
Amic, J. see Hauton, J.C. 20(1968)491
Ammon, U. see Keller, H.E. 29(1970)579
Anah, C.O. see Karoum, F. 24(1969)341
Anders, P.W. see Curtius, H.-Ch. 19(1968)469
Anderson, D.C.
A simple and clinically useful method for plasma testosterone-like substances by competitive protein binding 29(1970)513
Anderson, N.G.
The development of automated systems for clinical and research use 25(1969)321
Antar, M.A. see Buckley, G.C. 23(1969)53
Anthony-Mote, A. see Turnberg, L.A. 24(1969)253
Antonini, F.M., Bucalossi, A., D'Alessandro, A., Contini, P., Pazzagli, G.
Statistical study on the ratio between β- and α-lipoproteins, triglycerides and cholesterol 24(1969)19
Anzai, T. see Takahashi, A. 17(1967)5
Aoyama, I. see Takahashi, Y. 18(1967)21
Appelt, J. see Kulhánek, V. 20(1968)29
– see Talafant, E. 19(1968)383
Applegarth, D.A., Hardwick, D.F., Ross, P.M.
Creatinine excretion in children and the usefulness of creatinine equivalents in amino acid chromatography 22(1968)131
Arakawa, K., Minohara, A., Yamada, J., Uemura, N., Nakamura, M.
Micro-determination of human plasma renin activity with the addition of homologous substrate 22(1968)309
– see Ono, T. 19(1968)257
Arient, M. see Shejbal, J. 16(1967)324
Arisz, L. see Trip, J.A.J. 20(1968)479
Armstrong, M.J. see Welshman, S.G. 26(1969)339
Arndt, E.G. see Babson, A.L. 26(1969)419
Arnold, D.F. see Ambler, J. 27(1970)350
Aro, A. see Brunngraber, E.G. 29(1970)333
Arterberry, J.D., Conley, M.P.
Urinary excretion of serotonin (5-hydroxy-tryptamine) and related indoles in normal subjects 17(1967)431
Arvan, D.A., Blumberg, B.S., Melartin, L.
Transient "bisalbuminemia" induced by drugs 22(1968)211
– Ritz, A.
Measurement of serum albumin by the HABA-dye technique 26(1969)505
Asatoor, A.M.
Retention of pseudouridine and 4-amino-5-imidazole carboxamide in uraemia 20(1968)407
–
The occurrence of ε-*N*-methyllysine in human urine 26(1969)147
–
The origin of urinary tyramine. Formation in tissues and by intestinal microorganisms 22(1968)223
Asboe-Hansen, G. see Clausen, J. 16(1967)131
Atoba, M. see Werner, M. 29(1970)437
Audran, R. see Péjaudier, L. 30(1970)387
Aung-Than-Batu see Hla-Pe, U. 24(1969)381
Aw, S.E.
An enzymatic method for glucose estimation using the starch–iodine chromogen 26(1969)235
Axelrod, D.R. see Sass, M.D. 20(1968)105
– – 24(1969)77
Aziz, M.A., Watson, C.J.
An analysis of the porphyrins of normal and cirrhotic human liver and normal bile 26(1969)525
Azizi, E., Dror, Y., Wallis, K.
Arginase activity in erythrocytes of healthy and ill children 28(1970)391

B

Baars, J.D. see Koevoet, A.L. 25(1969)39
Babson, A.L.
The chemical differentiation of tissue lactic dehydrogenase 16(1967)121
– Arndt, E.G., Sharkey, L.J.
A revised colorimetric glutamic-oxalacetic transaminase assay 26(1969)419
Bachhawat, B.K. see George, E. 30(1970)317
– see Ittyrah, T.R. 17(1967)405
Backer, E.T.
Chloric acid digestion in the determination of trace metals (Fe, Zn and Cu) in brain and hair by atomic absorption spectrophotometry 24(1969)233
– see Wiener, J.D. 20(1968)155
Badia, J.L.S. see Izquierdo, J.M. 30(1970)343
Badin, J., Trensz, F., Rousselet, F.
Individualité d'une fraction de γ_G-glubulines non précipitables par le zinc à pH 7.3 19(1968)11
Badinand, A., Pasquier, J., Vallon, J.J., Guilluy, R., Milon, H.
Identification chromatographique en couche mince de deux mélanogènes indoliques urinaires 25(1969)357
Baer, D.M., Wood, D.C.
Artifactual lowering of the total bilirubin value 17(1967)1
Baeş, H. see Pries, C. 19(1968)181
Baginski, E.S. see Zak, B. 29(1970)77
Bahr, M., Wilkinson, J.H.
Urea as a selective inhibitor of human tissue alkaline phosphatases 17(1967)367
Baker, S.J. see Satwekar, K. 20(1968)53
– see Swaminathan, N. 30(1970)707
Bakker, H.D., Imhof, J.W., Mul, N.A.J., Ballieux, R.E.
Disbalance of immunoglobulins. The clinical importance of increased levels of immunoglobulin-A and -G in combination with normal or diminished immunoglobulin-M concentrations 16(1967)95
Ballieux, R.E., Imhof, J.W., Mul, N.A.J., Zegers, B.J.M., Stoop, J.W.
Pathology of immunoglobulins. Some aspects of monoclinal gammopathy 22(1968)7
– see Bakker, H.D. 16(1967)195
– see Zegers, B.J.M. 22(1968)399
Balsan, S. see Cartier, P. 29(1970)261
Bamji, M.S.
Glutathione reductase activity in red blood cells and riboflavin nutritional status in humans 26(1969)263
Baranyai, P., Nagy, I., Kurcz, M.
Kühlbare horizontale Stärkegel-Elektrophorese Einrichtung für die Fraktionierung der Eiweissstoffe in der Adenohypophyse 16(1967)449
Barclay, M., Dargeon, H.W., Greene, E.M., Terebus-Kekish, O., Skipski, V.P.
Serum lipoproteins in children with cancer 24(1969)225
Barker, S.A., Walton, K.W., Weston, P.D.
The specificity of the anti-hyalurodinase developed in beekeepers' serum against bee venom hyalurodinase 17(1967)119
Barlow, G.B., Wilkinson, A.W.
4-Amino-imidazole-5-carboxamide excretion and folate status in children with burns and scalds 29(1970)355
Barnard, G., Fosbrooke, A.S., Lloyd, J.K.
Neutral lipids of plasma and adipose tissue in a-betalipoproteinaemia 28(1970)417
Barnard, W.P., Logan, R.W.
An automated method for urinary oestriol determination 29(1970)401
Barron, S.S. see Best, W.R. 28(1970)127
Bartels, H., Cikes, M.
Über Chromogene der Kreatininbestimmung nach Jaffé 26(1969)1
Barth, J.G. see Bieth, J. 30(1970)621
Bartholomew, R.J. see Hinterberger, H. 18(1967)377
– 23 (1969) 169
Bartlet, A.L., Gilbert, F.M.
Estimation of 5-hydroxyindolyacetic acid in sheep urine 30(1970)559
Bastide, J., Bastide, P.
Activité xanthine-oxydasique rénale, hépatique et sanguine chez le rat au cours de l'intoxication expérimentale au nitrate d'uranyle 25(1969)127
Bastide, P. see Bastide, J. 25(1969)127
Bastos de Jorge, F.
Correlation between copper and transaminases in the blood serum in infectious hepatitis, during convalescence 20(1968)111
Batchelor, J.R.

Human histocompatibility antigens 22(1968)95
Batstone, G.F. see Pennock, C.A. 27(1970)93
Battistone, G.C., Levri, E., Lofberg, R.
A simplified ultramicro determination of copper in biological specimens by neutron activation analysis 30(1970)429
Battke, H. see Peters, J.E. 24(1969)314
Bauditz, W. von
Eine genaue Bestimmung des Magnesiums im Serum, Erythrocyten und Harn 17(1967)207
Bauke, D. see Oertel, G.W. 27(1970)197
Baylis, E.M., Fry, D.E., Marks, V.
Micro-determination of serum phenobarbitone and diphenylhydantoin by gas–liquid chromatography 30(1970)93
Beard, R.J.
The extraction of porphyrins from red cells: A modification of Rimington's method 18(1967)151
Beard, R.W. see Redstone, D. 27(1970)317
Beaumont, D. see Teasdale, P.R. 30(1970)535
Becker, W.
Single radial immunodiffusion. A method for determination of antiserum titers 23(1969)509
Becktel, J.M.
Simplified estimation of normal ranges from routine laboratory data 28(1970)119
Bednarik, T.
Quantitative analysis of immunochemically detected fractions after acrylamide gel electrophoresis 17(1967)132
Beeuwkes, H. see Altmann, A.E. 20(1968)185
Begon, F., Benhamou, J.P.
Etude cinétique du transfert hépatocytaire de la bromesulfonephtaleine 18(1967)227
Begum, A., Ittyerah, Th.R.
Arylsulfatase and β-glucuronidase activity in serum in kwashiorkor 28(1970)263
– Prathapkumar, J.
Effect of vitamin A on cholinesterase activity in normal children and in children with protein-calorie malnutrition 26(1969)343
Behal, F.J., Little, G.H.
Arylamidase of human duodenum 21(1968)347
Beier, I. see Beier, L. 24(1969)405
Beier, L., Beier, I., Haschen, R.J.
Isoenzyme der Alaninaminopeptidase als spezifische Parameter in der Diagnostik von Erkrankungen der Gallenwege und des Pankreas 24(1969)405
– see Peters, J.E. 19(1968)277
Beigelman, P.M. see Keehan, M.F. 16(1967)215
Bekaert, J. see Van Sumere, C.F. 26(1969)85
Belcher, R.V., Smith, S.G., Mahler, R.
Biliary protein-bound porphyrins in porphyria variegata 25(1969)45
– see Smith, S.G. 23(1969)241
Beliveau, M. see Margni, R.A. 29(1970)219
Bell, J.F. see Welshman, S.G. 26(1969)339
Belorit, A. see Kelly, S. 18(1967)483
Benassi, C.A., Veronese, F.M., De Antoni, A.
On the determination of small amounts of tryptophan metabolites and their occurrence in normal human urine 17(1967)383
Benhamou, J.P. see Begon, F. 18(1967)227
Bennet, A., Gartelmann, D., Mason, J.I., Owen, J.A.
Calibration, calibration drift and specimen interaction in Autoanalyzer systems 29(1970)161
Benoiton, L. see Seely, J.H. 18(1967)85
Benson, C.A. see Harrison, W.W. 23(1969)83
Bentley, G.T. see Abernethy, M.H. 30(1970)463
Berg, G. von, Grabner, W.
Immunoelectrophoretische Untersuchungen auf Acetatfolien 17(1967)265
– see Graber, W. 28(1970)299
Berger, H. see Hohenwallner, W. 18(1967)425
– see Ziegler, E. 28(1970)369
Bergman, I., Loxley, R.
The determination of hydroxyproline in urine hydrolysates 27(1970)347
Bergner, D. see Grabner, W. 28(1970)299
Berk, J.E. see Take, S. 26(1969)533
– – 27(1970)369
Berk, P.D. see Bloomer, J.R. 29(1970)463
Berlet, H.H.
Enzymatic determination of creatine in serum and cerebrospinal fluid 20(1968)149
Berlin, N.I. see Bloomer, J.R. 29(1970)463
Bernard, S. see Dubin, J.Ch. 16(1967)63
Bernier, G.M.
A method for the rapid determination of serum haptoglobin levels 18(1967)309
Bernstein, D.S. see Hattner, R.S. 28(1970)67
Berrens, L.
Inhibition of serum naphthylamidases by atopic allergens 22(1968)239
–
Levels of lysyl- and arginyl-naphthylamidase in sera of normal and allergic subjects 20(1968)170
Berry, H.K.
Comparison of fluorimetric and chromatographic procedures for determination of serum phenylalanine 20(1968)299

Berry, H.K., Poncet, I.B.
A simple test for histidinuria and histidinemia 29(1970)83
Berson, S.A., Yalow, R.S.
General principles of radioimmunoassay 22(1968)51
Bertagnolio, G. see Got, R. 22(1968)545
Bertani, L.M., Dziedzic, S.W., Clarke, D.D., Gitlow, S.E.
A gas–liquid chromatographic method for the separation and quantitation of normetanephrine and metanephrine in human urine 30(1970)227
– see Wilk, E.K. 20(1968)147
Berthillier, G. see Counitchansky, Y. 26(1969)223
– – 30(1970)83
Bertrand, M. see Warembourg, H. 18(1967)209
– – 20(1968)269
– – 22(1968)349
– – 23(1969)387
Best, W.R., Mason, C.C., Barron, S.S., Shepherd, H.G.
Validation of procedure for setting normal limits on basis of total laboratory experience 28(1970)127
Bethenod, M. see Cotte, J. 19(1968)215
Bettini, F. see Bracci, R. 29(1970)345
Betzien, G. see Müting, D. 19(1968)391
Beukers, H., Veltkamp, W.A., Hooghwinkel, G.J.M.
A method for the determination of the molecular distribution of free and esterified cholesterol in serum by thin-layer chromatography 25(1969)403
Beyermann, K. von
Infrarotspektrographie wässriger Lösungen, gezeigt am Beispiel der Bestimmung von Mikrogramm-Mengen von Proteinen 18(1967)143
–
Zur Präzisierung der Kreatininbestimmung 17(1967)47
Bhatti, T., Clamp, J.R.
Identification and estimation of monosaccharides and disaccharides in urine by gas–liquid chromatography 22(1968)563
Biale, Y., Shafrir, E.
Lipolytic activity toward tri- and monoglycerides in postheparin plasma 23(1969)413
Bickel, H. see Kekomäki, M.P. 23(1969)203
Bicknese, M.B. see Kraicer, J. 23(1969)512
Bieth, J., Barth, J.G., Metais, P.
Fractionation and properties of the protease inhibitors of effusions 30(1970)621
– Métais, P.
The simultaneous presence of trypsin and trypsin inhibitors in some pathological effusions 22(1968)639
– – Warter, J.
Activation, inhibition and protection of tryptic and α-chymotryptic activity by normal human serum 20(1968)69
– Miesch, F., Métais, P.
Etude enzymatique et immunologique des inhibiteurs de protéases du liquide céphalo-rachidien 24(1969)203
Biewenga, J., Thijs, L.G.
Lactate dehydrogenase isoenzyme(s) linked to IgA immunoglobin in a patient with a myocardial infarction 27(1970)293
Biggs, G.J. see Teulings, F.A.G. 27(1970)57
Biggs, H.G. see Doumas, B. 23(1969)75
Bihari-Varga, M., Végh, M., Lévai, J., Gerö, S.
The effect of polyunsaturated phosphatidyl choline on the correlation of serum lipid and seromucoid levels. Thermoanalytical studies of atherosclerosis 22(1968)355
– see Végh, M. 16(1967)371
Bijvoet, O.L.M., Morgan, D.B., Fourman, P.
The assessment of phosphate reabsorption 26(1969)15
Billing, B.H. see Black, M. 29(1970)27
Bingley, J.B., Dick, A.T.
The pH optimum for ceruloplasmin oxidase activity in the plasma of several species of animal 25(1969)480
– Dufty, J.H.
Distribution of copper in the blood of the bovine neonate 24(1969)316
Bir, K., Crawhall, J.C., Mauldin, D.
Reduction of disulfides with sodium and potassium borohydrides and its application to urinary disulfides 30(1970)183
Birath, K. see Ceska, M. 26(1969)437,445
Bircher, J. see Semenza, G. 25(1969)213
Bird, C.G., Owen, J.A.
Improved controls for the Auto-Analyzer Sampler II 24(1969)305
Birger Jensen, K.
Some comments on the catabolism of IgM 22(1968)27
Biserte, G. see Havez, R. 17(1967)281;463
– see Montreuil, J. 21(1968)61
– see Sezille, G. 29(1970)337
– see Warembourg, H. 18(1967)209
– – 20(1968)269
– – 22(1968)349
– – 23(1969)387
– – 28(1970)103
Björnesjö, K.B.

The distribution of amino acids between erythrocytes and plasma in fetal and maternal blood 20(1968)11
–
The erythrocyte/plasma distribution of amino acids in health and disease 20(1968)17
– Jarnulf, B., Lausing, E.
Uptake of labelled amino acids into human erythrocytes in disease 20(1968)23
Black, M., Billing, B.H., Heirwegh, K.P.M.
Determination of bilirubin UDP-glucoronyl transferase activity in needle-biopsy specimens of human liver 29(1970)27
Black, S. see Rudd, B.T. 20(1968)81
Blacker, P.A. see Green, A.G. 20(1968)189
Blankenhorn, D.H. see Chin, H.P. 20(1968)305
– – 23(1969)239
Blanquet, P. see Mathieu-Nast, C. 21(1968)91
Blatt, W.F. see Louis-Fernand, R. 16(1967)259
Blau, K.
Aromatic acid excretion in phenylketonuria. Analysis of the unconjugated aromatic acids derived from phenylalanine 27(1970)5
Blijenberg, B.G., Leijnse, B.
A simple method for the determination of EDTA in serum and urine 26(1966)577
– –
The determination of lithium in serum by atomic absorption spectroscopy and flame emission spectroscopy 19(1968)97
Bloch, K.J. see Poortmans, J.R. 17(1967)229
Block, W.D. see Oh, S.I. 21(1968)1
– see Pruden, E.L. 20(1968)173
Bloomer, J.R., Berk, P.D., Howe, R.B., Waggoner, J.G., Berlin, N.I.
Comparison of fecal urobilinogen excretion with bilirubin production in normal volunteers and patients with increased bilirubin production 29(1970)463
Blumberg, B.S. see Arvan, D.A. 22(1968)211
Bobbi, M.E. see Margni, R.A. 29(1970)219
Bobrzecka, K., Janicki, K., Konieczny, L.
Cold aggregation properties of some macroglobulins 26(1969)580
– Konieczny, L., Zak, Z.
Some properties of a cryoglobulin isolated from human serum 18(1967)117
Bochkovsky, B. see Hegesh, E. 30(1970)679
Böhme, I. see Peters, J.E. 29(1970)576
Böttiger, L.E., Lisboa, B.P.
17-Kesteroid excretion in renal carcinoma 16(1967)109
Bogdanikowa, B. see Pietruska, Z. 21(1968)139
Bogden, Arthur E. see Menninger, Jr. 27(1970)385
Boguslawska-Jaworska, J., Kaplan, J.C.
A simple screening test for glutathione peroxidase activity in red cells 26(1969)459
Bogusz, M.
Influence of insecticides on the activity of some enzymes contained in human serum 19(1968)367
Bohuon, C., Delarue, J.C., Comoy, E.
Méthode directe à la diacétylmonoxime pour le dosage de l'urée sanguine 18(1967)417
– Guerinot, F.
Dopamine β-hydroxylase humaine et bovine. Activité vis à vis de la dopamine et de la méthoxytyramine 19(1968)125
– see Comoy, E. 30(1970)191
Bojan, O., Mustea, I., Preda, N.
Modification de quelques acides aminés libres du sérum des malades cancéreux dans les conditions de l'influence exercée par la glucose sur le métabolisme tumoral 23(1969)335
Bonazzi, L.
On a rare genetic variation of plasma albumin: bisalbuminaemia 20(1968)362
Bonham, T.J., Sammons, H.G.
The effect of P_{O_2} on the determination of P_{O_2} by the interpolation technique 29(1970)507
Bonini, P.A., Ceriotti, G., Franzini, C.
Human urinary $_2$-glucosidase as an index of kidney tubular damage 27(1970)415
– see Franzini, C. 17(1967)505
– – 23(1969)368
Bonnassieux, M. see Richard, G.B. 21(1968)479
Bonomo, L., Schena, F.P.
Patterns of proteinuria in chronic pyelonephritis. The pseudo-glomerular pattern 23(1969)295
Boon, J., Broekhuyse, R.M., Schretlen, E. Van Munster, P.
Abnormal pattern of the phospholipids of plasma and erythrocytes in four children with obstructive jaundice with abnormal spontaneous hemolysis 23(1969)453
Borel, J.P., Caranjot, J.M., Jayle, M.F.
Un mode de fractionnement des peptides urinaires contenant de l'hydroxyproline 16(1967)409
Borud, O., Gjessing, L.R.
N-acetylnormetanephrine and N-acetylmetanephrine in urine from patients with neuroblastoma 27(1970)552
– see O'Gorman, L.P. 29(1970)111
Bosshard, H.-R. see Pioda, L.A.R. 29(1970)289
Botterweg-Span, Y. see Trip, J.A.J. 26(1969)371

Bottini, E., Lucarelli, P., Spennati, G.F., Businco, L., Palmarino, R.
Presence in *Vicia faba* of different substances with activity *in vitro* on Gd(−)Med red blood cell reduced glutathione 30(1970)831
– see Spennati, G.F. 27(1970)360
Bouda, J.
Determination of iron with bathophenanthroline without deproteinisation 21(1968)159
–
Simple determination of iron-binding capacity with bathophenanthroline 23(1969)511
Bouillon, R. see De Moor, P. 30(1970)627
Bourrillon, R. see Carrion, A. 25(1969)351
– – 26(1969)481
Bowie, W.C. see Thaxton, V.L. 21(1968)171
Bowkiewicz-Surma, E., Krawczyński, J.
Determination of guanase activity in serum and tissues of normal rats and of rats intoxicated with carbon tetrachloride 16(1967)29
Boyce, K., Jenner, F.A.
A modification of the Bush and Willoughby method for individual steroids in urine for clinical purposes 23(1969)23
– –
The addition of water to Zimmermann reagent to reduce the background of paper chromatograms developed mechanically 16(1967)451
Boyd, E.M., Thomas, D.R., Horton, B.F., Huisman, T.H.J.
The quantities of various minor hemoglobin components in old and young human red blood cells 16(1967)333
Boyde, T.R.C., Pryme, I.F.
α_2-Macroglobulin binding of trypsin, chymotrypsin, papain and cationic aspartate aminotransferase 21(1968)9
Boyland, E., Grover, P.L.
The relationship between hepatic glutathione conjugation and BSP excretion and the effect of therapeutic agents 16(1967)205
Brabec, V., Cejka, J., Vodrazka, Z.
The A_2 hemoglobin in hematological diseases 28(1970)489
– see Palek, J. 18(1967)39
– – 23(1969)133
Bracci, R., Calabri, G., Bettini, F., Princi, P.
Glutathione peroxidase in human leukocytes 29(1970)345
Brackman, J. see Hattner, R.S. 28(1970)67
Bradley, K.H. see Schulman, J.D. 29(1970)73
Brady, R.O. see Snyder, R.A. 25(1969)331
Braun, H.J., Aly, F.W.
Problems in the quantitative estimation of human serum haptoglobin by single radial immunodiffusion 26(1969)588
Bremer, H.J., Jaenicke, U., Leupold, D.
Urinary *p*-tyramine excretion in hypertyrosinaemia 23(1969)244
– see Hyánek, J. 25(1969)288
Brisbois, P. see Sonnet, J. 24(1969)325
Brock, D.J.H. see Spikesman, A.M. 26(1969)387
Brocklehurst, D. see Jennings, R.C. 30(1970)509
Brockmann, U., Gercken, G.
Quantitative eindimensionale Dünnschichtchromatographie der Erythrozytenphospholipide 23(1969)489
Brodehl, J., Kaas, W.P.
Tubular reabsorption of free amino acids in infants with scurvy 28(1970)409
Brody, J.L., Mobarak, M.A., Haidar, M.
Micro starch gel electrophoresis under petroleum ether 18(1967)205
– see Mobarak, M.A. 30(1970)609,635
Broechoven, Ch., Parijs, J.
Effect of storage on plasma non-esterified fatty acid concentration 20(1968)530
Broekhuyse, R.M.
Quantitative two-dimensional thin-layer chromatography of blood phospholipids 23(1969)457
– see Boon, J. 23(1969)453
Brombacher, P.J., Gijzen, A.H., Verheesen, P.E.
Simple and rapid determination of total estrogens in pregnancy urine 20(1968)360
– see Altmann, A.E. 20(1968)185
Broughton, P.M.G., Simpson, D., Mitchell, F.L., Toothill, C., Whitby, L.G.
An assessment of the SMA 12 (Hospital Model) multi-channel analyzer 19(1968)297
Broun, G. see Léric, H. 29(1970)523
Brown, B. see Ceska, M. 26(1969)437,445
Brown, B.D. see Brunngraber, E.G. 29(1970)333
Brown, M.D. see Harrison, W.W. 21(1968)55
Brown, S.S. see Smith, A.F. 30(1970)105
Brudford, A. see Williams, E.R. 27(1970)53
Brulles, A., Gras, J., Magrina, N., Torres, N., Caralps, A.
Relation between urea clearance and glomerular filtration rate according to urine flow/minute 24(1969)261
– see Gras, G. 20(1968)295
Brunngraber, E.G., Aro, A., Brown, B.D.
Differential determination of glucosamine, galactosamine and mannosamine in glycopeptides derived from brain tissue glycoproteins 29(1970)333
Brunori, C.A. see Benzini, V. 30(1970)587

Brunsting, J.R. see Rispens, P. 22(1968)261
Bruusgaard, A.
Quantitative determination of the major 3-hydroxy bile acids in biological material after thin-layer chromatographic separation 28(1970)495
Bryan, G. see Lower, Jr., G.T. 29(1970)421
Brynjolfsson, G. see Remenchik, A.P. 19(1968)227
Bucalossi, A. see Antonini, F.M. 24(1969)19
Buchfink, E. see Schievelbein, H. 18(1967)291
Buckley, G.C., Little, J.A., Antar, M.A., Csima, A.
A comparison of laboratory screening procedures for hyperlipidemia 23(1969)53
Buckley, J.A., Deegan, T., Muirhead, R.A., Williams, M.J.
The application of nephelometry in the estimation of serum and plasma glyceride levels 28(1970)133
Büchner, M. see Hubl, W. 21(1968)461
Buffe, D. see Von Kleist, S. 20(1968)89
Buist, N.R.M., Higgins, J.V.
A simple gas pressure regulator to control elution rates during liquid column chromatography at pressures below 2 lb/inch^2 28(1970)368
Bullis, B. see Perry, Th.L. 29(1970)369
Bunting, R. see Perry, T.L. 18(1967)51
Burger, H.G., see Cat, K.J. 27(1970)267
Buri, H. see Wakid, N.W. 30(1970)527
Burtin, P. see Von Kleist, S. 20(1968)89
Burzyński, S.
Bound amino acids in serum of patients with chronic renal insufficiency 25(1969)231
-- see Czerniak, Z. 24(1969)367
Businco, L. see Bottini, E. 30(1970)831
-- see Spennati, G.F. 27(1970)360
Butt, W.R., Lynch, S.S.
Radioimmunoassay of gonadotrophins with special reference to follicle-stimulating hormone 22(1968)79
Buursma, A. see Van Assendelft, O.W. 22(1968)281
Buytendijk, H.J. see Altmann, A.E. 20(1968)185
Bygdeman, M., Svanborg, K., Samuelsson, B.
A method for determination of prostaglandins in human seminal fluid 26(1969)373

C

Cabezas, J.A. see Carrion, A. 25(1969)351
– – 26(1969)481
Caen, J. see Chivot, J.J. 27(1970)241
Caggiano, V., Holden, D.
Serum immunoglobulin levels in patients with sickle cell disease 21(1968)265
Calabri, G. see Bracci, R. 29(1970)345
Calseyde, J.F. van de, Scholtis, R.J.H., Schmidt, N.A., Kuypers, A.M.J.
A rapid method for the assay of oestriol and pregnanolone in pregnancy urine 25(1969)345
Cambi, V. see Maioirca, R. 16(1967)253
Campanacci, L., Guarnieri, G.F., Siliprandi, N., Fiaschi, E.
Metabolic studies of acetoacetate, pyruvate and citrate in uremic acidosis 20(1968)341
Campbell, D.G. see Owen, J.A. 20(1968)327
– – 22(1968)611
Campbell, E.J.M. see Sinclair, M.J. 19(1968)63
Cantz, B. see Richterich, R. 29(1970)295
Cao, A., De Virgiliis, S., Lippi, C., Trabalza, N.
Creatine kinase isoenzymes in serum of children with neurological disorders 23(1969)475
Caralps, A. see Brulles, A. 24(1969)261
– see Gras, G. 20(1968)295
Caranjot, J.M. see Borel, J.P. 16(1967)409
Cariotti, G., Gazzaniga, A.
Accelerated micro and ultramicro procedure for ornithine carbamyltransferase (OCT) determination 16(1967)436
Carmack, C. see Rinderknecht, H. 29(1970)481
Carrara, G.C. see Maiorca, R. 16(1967)253
Carrion, A., Bourrillon, R., Cabezas, J.A.
Préparation et propriétés d'un sialoglycopeptide riche en acide sialique de l'urine humaine normale 25(1969)351
– – –
N-acetyl- and *N,O*-diacetylneuraminic acids in a sialoglycopeptide from normal human urine 26(1969)481
Carson, W.W., Oei, T.L., Coenegracht, J.M.
Usefulness of ^{45}Ca intestinal absorption tests in the clinical situation 30(1970)501
Cartier, P., Hamet, M.
Les activités purine-phosphoribosyl transférasiques des globules rouges humains. Techniques de dosage 20(1968)205
– Leroux, J.P., Balsan, S., Royer, P.
Etude de la glycolyse et de la perméabilité des érythrocytes aux ions orthophosphates dans le rachitisme vitamino-résistant hypophosphatémique héréditaire 29(1970)261
– Najman, A., Leroux, J.P., Temkine, H.
Les anomalies de la glycolyse au cours de l'anémie hémolytique par déficit du globule rouge en pyruvate kinase 22(1968)165
Carton, D. see Samyn, W. 28(1970)83
Carton, M., Despeyroux, T.M., Douste-Blazy, L.
Variations des lysolécithines sanguines dans la néphroanémie du nourrisson 21(1968)79
Caruso, C.J. see Sass, M.D. 20(1968)105
– – 24(1969)77
Casey, H.J., Wells, D.G.
The stability of a tetrahydrofolic acid–enzyme system for the measurement of formiminoglutamic acid and urocanic acid in urine 19(1968)165
Cassar, J., Joseph, S.
Alkaline phosphatase levels in thyroid disease 23(1969)33
Castro-Curel, Z. see Glass, G.B.J. 16(1967)91
Catsimpoolas, N.
Immunoelectrofocusing in agarose gels 23(1969)237
–
Immunoelectrofocusing electrophoresis 27(1970)365
Catt, K.J., Tregear, G.W., Burger, H.G., Skermer, C.
Antibody-coated tube method for radioimmunoassay of human growth hormone 27(1970)267
Cattell, W.R. see Dance, N. 27(1970)87
– see Price, R.G. 27(1970)65
Caucig, H. see Probst, P. 29(1970)157
Cavill, I.A.J.
Estimation of the tryptophan metabolites xanthurenic acid, 3-hydroxykynurenine and kynurenine 18(1967)285
– Jacobs, A.
Red cell riboflavin in iron deficiency anaemia 16(1967)343

Caygill, J.C., Ali, Z.
Degradation of synovial fluid and hyaluronic acid by serum and testicular hyaluronidase, and by L-ascorbic acid and the effect of inhibitors 26(1969)395
Cederquist, E. see Tibbling, G. 25(1969)189
Cehelyk, B. see Winsten, S. 25(1969)441
Cejka, J. see Brabec, V. 28(1970)489
Cerda, James J., Toskes, Phillip, P., Shopa, Nina A., Wilkinson, J. Henry
The relationship of the serum alkaline phosphatase to urinary hydroxyproline excretion in liver and bone diseases 27(1970)437
Ceriotti, G., De Nadai Frank, A.
An improved procedure for blood glucose determination with *o*-toluidine 24(1969)311
– see Bonini, P.A. 27(1970)415
Cervinková, I. see Grafnetter, D. 17(1967)493
Ceska, M., Birath, K., Brown, B.
A new and rapid method for the clinical determination of α-amylase activities in human serum and urine. Optimal conditions 26(1969)437
– Brown, B., Birath, K.
Ranges of α-amylase activities in human serum and urine and correlations with some other α-amylase methods 26(1969)445
Chahl, J.S., Kratzing, C.C.
A multisample applicator for quantitative thin-layer chromatographic analysis 26(1969)177
Chakravorty, D.P., Chaudhuri, S.K.R.
Some urinary indole metabolites of vitiliginous patients 22(1968)298
Chalvardjian, A.
An apparatus for vertical gel electrophoresis on microscope slides 26(1969)174
Chambers, R., Dos Reis Valle, A., Fotherby, K.
Method for the estimation of 11-deoxy-17-oxosteroids in urine 17(1967)135
Chamoles, N., Karcher, D.
Correlation entre l'enzymogramme classique de la lacticodéshydrogénase et son fractionnement par isoelectrofocusing en gel d'acrylamide 30(1970)337
– –
Isoelectro-focusing en acrylamide de la lacticodéshydrogénase hydrosoluble de tissus humains 30(1970)359
Chanarin, I.
Intrinsic factor 22(1968)85
Chaplin, H., Jr. see Fisher, B.D. 30(1970)842
Charmot, G. see Meiser, J. 16(1967)1
Charokopos, E. see Matsaniotis, N. 22(1968)195
Charro-Salgado, A.L. see Shackleton, C.H.L. 21(1968)105
Chattaway, F.W., Hullin, R.P., Odds, F.C.
The variability of creatinine excretion in normal subjects, mental patients and pregnant women 26(1969)567
Chaudhuri, S.K.R. see Chakravorty, D.P. 22(1968)298
Chayen, R. see Abramov, A. 23(1969)305
– see Oberman, Z, 29(1970)391
Chen, T., Dotti, L.B.
Estimation of calcium in urine and stool by a resin exchange method 18(1967)453
Cherian, M.G., Karat, A.B.A., Radhakrishnan, A.N.
Urinary excretion of hydroxyproline in leprosy 25(1969)395
Chesebro, B., Svehag, S.-E.
Precipitation of human serum proteins by polyethyleneglycol 20(1968)527
Child, V.J. see Naftalin, L. 26(1969)297
Chin, H.P., Blankenhorn, D.H.
Separation and quantitative analysis of serum lipoproteins by means of electrophoresis on cellulose acetate 20(1968)305
– –
On the precision of lipoprotein electrophoresis on cellulose acetate and its use in the diagnosis of hyperlipoproteinemia 23(1969)239
Chivot, J.J., Depernet, D., Caen, J.
Détermination radiochromatographique de l'adénosine plasmatique 27(1970)241
Chlond, H. see Kleine, T.O. 20(1968)393
Chojnacki, T. see Sawicka, T. 23(1969)463
Cholnoky, P.
Urinary ammonium and pH in children 29(1970)215
Choremis, K.B., Constantsas, N.S., Agathopoulos, A.S., Matsaniotis, N., Danelatos-Athanassiadis, C.
Metabolism of aromatic acids in collagen diseases. Urinary excretion of 3-methoxy-4-hydroxy-mandelic acid and the interference of 3-methoxy-4-hydroxy-mandelic acid and the interference of 3-methoxy-4-hydroxyphenylpyruvate 17(1967)125
Christensen Lou, H.O., Clausen, J.
Direct quantitative thin-layer chromatography of polar lipids in biological fluids and organ biopsies 18(1967)465
Christian, G.D., Feldman, F.J.

(Christian, G.D., Feldman, F.J.)
Coulometric titration of blood ammonia 17(1967)87
Christian, J.C., Kang, K.W., Poon, Y.C.
Phospholipids and cholesterol in plasma and erythrocyte membranes of adults with active malignancies 21(1968)289
Christophe, A., Matthijs, F.
New method for the determination of the fatty acid pattern of serum lipid classes 16(1967)39
Cikes, M. see Bartels, H. 26(1969)1
Cirla, A. see Secchi, G.C. 27(1970)467
Claes, J.H. see De Moor, P. 30(1970)311
– see Fevery, J. 17(1967)73
Clamp, J.R., Verrier Jones, J.
The antigenicity of the oligosaccharide units of a soluble glycoprotein 21(1968)165
– see Bhatti, T. 22(1968)563
Clark, A., Timms, B.G.
Reduced 2,6-dichlorophenol-indophenol as a replacement for *o*-tolidine in the enzymatic determination of blood glucose 20(1968)352
Clark, B.R., Rubin, R.T., Kales, A., Poland, R.
Comparison of fluorimetric method for urinary cortisol with modified Porter–Silber method for 17-OHCS 27(1970)364
Clarke, D.D. see Bertani, L.M. 30(1970)227
– see Wilk, S. 16(1967)403
Clarkson, E.M.
A rapid method for the determination of chromium sesquioxide in faecal homogenates 16(1967)186
Claude, J.R.
L'analyse des stérols des milieux biologiques par chromatographie en couche mince et par chromatographie en phase gazeuse 17(1967)371
– Corre, F., Levallois, C.
Remarques sur la méthode fluorométrique semi-automatique de Kessler et Lederer pour le dosage des triglycérides sériques 19(1968)231
Clausen, J., Asboe-Hansen, G.
Urinary sulfatase activity in mastocytosis 16(1967)131
– Dyggve, H.V., Melchior, J.C.
Chemical and enzymic studies of a family with skeletal abnormalities associated with mental retardation 29(1970)197
– see Christensen Lou, H.O. 18(1967)465
Cnossen-Groeneveld, M.L. see Hulsing-Hesseling, E. 18(1967)93
Coenegracht, J.M., Postmes, Th.
Non-iodine-containing compounds and [^{127}I] iodotyrosine-like substances by paper and thin-layer chromatography 16(1967)432
– see Carson, W.W. 30(1970)501
– see Saleh, A.E.C. 21(1968)445
Coggiola, E.L. see Nichols, A.V. 20(1968)277
Cohen, B.E. see Szeinberg, A. 23(1969)93
Cohen, L. see Spikes, J.L. 20(1968)413
Cohen, S.
Structure of immunoglobulins 22(1968)4
– see Hegesh, E. 30(1970)679
Coleman, M.K. see Kiley, R.F. 30(1970)483
Colenbrander, H.J., Geuskens, L.M., Vink, C.L.J.
On the inhibitory influences of the reaction products in the determination of lactate dehydrogenase activity, using lactate as a substrate 28(1970)329
– Vink, C.L.J.
Some aspects of the determination of serum iron and total iron-binding capacity with Teepol 28(1970)175
Colfs, B., Verheyden, J.
Electrophoresis and Sudan Black staining of lipoproteins on gelatinised cellulose acetate 18(1967)325
Collipp, P.J., Shimizu, C.S.N., Gilchrist, G.S.
[^{14}] Phenylalanine incorporation by particles from human leukemic and non-leukemic plasma 19(1968)287
Collombel, C., Kissin, C., Durand, J.P., Cotte, J.
Recherche de l'acide homogentisique par chromatographie sur couche mince 29(1970)193
– see Cotte, J. 19(1968)215
Colobert, L. see Richard, G.B. 21(1968)479
Comoy, E., Bohuon, C.
Détermination différentielle des catécholamines urinaires 30(1970)191
– see Bohuon, C. 18(1967)417
Conca, L. see Spennati, G.F. 27(1970)360
Conde, M. see Gras, G. 20(1968)295
Conley, M.P. see Arterberry, J.D. 17(1967)431
Connell, G.E., Szewczuk, A.
The properties of γ-glutamyl lactamase in man 17(1967)423
Connell, M.D., Dinwoodie, A.J.
Diagnostic use of serum alkaline phosphatase isoenzymes and 5-nucleotidase 30(1970)235
Connon, A.F. see Ovenstone, J.A. 20(1968)397
Conrad, R.G. see Kraicer, J. 23(1969)512
Conradie, J.D.
The effect of Millipore filtration on four spectrophotometric methods of bilirubin determination in amniotic fluid 25(1969)205
Constantsas, N.S. see Choremis, K.B. 17(1967)125

– see Danelatos-Athanassiadis, C.Th. 23(1969)153
– see Matsaniotis, N. 22(1968)195
Contini, P. see Antonini, F.M. 24(1969)19
Contractor, S.F., Jacoby, R.
A rapid quantitative method for the estimation of total oestrogens in human pregnancy urine 28(1970)317
– Shane, B.
Estimation of vitamin B_6 compounds in human blood and urine 21(1968)71
– –
Pyridoxal kinase in the human placenta and foetus through gestation 25(1969)465
Cooke, J.R., Roberts, L.B.
The binding of bilirubin to serum proteins 26(1969)425
Copeland, W. see Kelly, S. 18(1967)483
– – 21(1968)431
– – 26(1969)586
Cornelissen, P.J.H.C., Roelofs-Fizaan, L.E.A.M.
Electrophoretic separation of lipoproteins 29(1970)344
Cornillot, P. see Giraudet, P. 28(1970)323
– see Pré, J. 22(1968)429
Cornish, C.J., Posen, S.
Human salivary alkaline phosphatase 20(1968)387
Corns, M., James, V.H.T.
Determination of total oestrogens in non-pregnancy urine by a modification of Ittrich's fluorimetric technique 22(1968)469
Corre, F. see Claude, J.R. 19(1968)231
Corrocher, R. see Frezza, M. 21(1968)509
Corsi, G.C. see Galzigna, L. 26(1969)391
Cosci, G. see Vanzetti, G. 20(1968)215
Cosmas, F. see Stern, I.J. 21(1968)181
Costa, C. see Muggeo, M. 30(1970)779
Cottam, T.K. see Levell, M.J. 23(1969)231
Cotte, J., Mathieu, M., Nivelon, J.L., Bethenod, M., Kissin, C., Collombel, C.
Contribution à l'étude de l'hypoglycémie dans l'intolerance au fructose 19(1968)215
– see Collombel, C. 29(1970)193
Counitchansky, Y., Berthillier, G., Got, R.
Mise en évidence, dans le colostrum humain, de protéines formant des complexes avec la trypsine et la chymotrypsine 26(1969)223
– – –
Mise en évidence et caractérisation des complexes formés entre les immuno-globulines A (IgA) du colostrum humain et la trypsine ou la chymotrypsine 30(1970)83
Courboisier, B. see Zender, R. 27(1970)259
Coward, R.F., Smith, P.
Paper chromatography of some weakly basic urine constituents and the estimation of urinary tyrosine 17(1967)399
Cramp, D.G. see Rose, D.P. 29(1970)49
Crane, C.W., Gay, W.M.B., Jenner, F.A.
Urea production from labelled ammonia in argininosuccinic aciduria 24(1969)445
Crawford, N.
Serotonin absorption by normal and "carcinoid" platelets 18(1967)297
–
Some observations on the blood serotonin levels in rheumatoid arthritis with a study of platelet serotonin absorption 23(1969)139
Crawhall, J.C. see Bir, K. 30(1970)183
Creason, M.T. see Pruden, E.L. 20(1968)173
Creason, P.L. see Pruden, E.L. 20(1968)173
– – 27(1970)19
Creaven, P.J. see Roach, M.K. 21(1968)275
Creeth, J.M. see Cenborough, M.A. 30(1970)447
Crepaldi, G. see Muggeo, M. 30(1970)779
Crotte, C., Mulé, A., Planche, N.E.
Dosage simultané des acides gras, du cholestérol et des acides biliaires en chromatographie en phase gazeuse avec une température programmée 27(1970)331
Csima, A. see Buckley, G.C. 23(1969)53
Cucuianu, M., Popescu, T.A., Haragus, St.
Pseudocholinesterase in obese and hyper-lipemic subjects 22(1968)151
Culley, W. see Peters, A. 25(1969)199
Cumings, J.N., Shortman, R.C., Tooley, M.
Polyacrylamide disc electrophoresis of cerebrospinal fluid and cerebral cyst fluids 27(1970)29
– see Skrbic, T.R. 23(1969)17
Curry, A.S., Knott, A.R.
"Normal" levels of cadmium in human liver and kidney in England 30(1970)115
Curtius, H.-Ch., Martenet, A.C., Anders, P.W.
Bestimmung von freien Aminosäuren im Augenkammerwasser des Menschen bei Homocystinurie-Patienten und Kontrollfällen 19(1968)469
– see Müller, M. 24(1969)45
– see Pioda, L.A.R. 29(1970)289
Cwynarski, M.T.
Immunoglobulin levels in monoclonal protein disease 19(1968)1
Czerniak, Z.
N-substituted amino acids in serum of patients with chronic renal insufficiency 28(1970)403

Czerniak, Z., Burzyński, S.
Free amino acids in serum of patients with chronic renal insufficiency 24(1969)367
Czitober, H. see Gründig, E. 30(1970)331

D

D'Abbado, A., Dammacco, F., Schena, F.P. Dalfino, G.
Passage of human Bence Jones protein into the intestinal lumen: an isotopic and immunochemical study in the rat 21(1968)437
Dacremont, G., Kint, J.A.
G_{M1}-ganglioside accumulation and β-galactosidase deficiency in a case of G_{M1}-gangliosidosis (Landing disease) 21(1968)421
Dale, G., Latner, A.L.
Isoelectric focusing of serum proteins in acrylamide gels followed by electrophoresis 24(1969)61
D'Alessandro, A. see Antonini, F.M. 24(1969)19
Dalessi, J.J.Th. see Meijers, C.A.M. 22(1968)456
Dalfino, G. see D'Abbado, A. 21(1968)437
Dall'Aglio, P. see Maiorca, R. 16(1967)253
Dammacco, F. see D'Abbado, A. 21(1968)437
Dance, N., Price, R.G., Cattell, W.R., Lansdell, J., Richards, B.
The excretion of N-acetyl-β-glucosaminidase and β-galactosidase by patients with renal disease 27(1970)87
-- -- Robinson, D., Stirling, J.E.
β-Galactosidase, β-glucosidase and *N*-acetyl-β-glucosaminidase in human kidney 24(1969)189
– see Price, R.G. 27(1970)65
Danelatos-Athanassiadis, C.Th., Constantsas, N.S., Agathopoulos, A.S., Matsaniotis, N.S.
Urinary free proline and collagen metabolites in newborns, healthy children, and in collagen diseases 23(1969)153
– see Choremis, K.B. 17(1967)125
– see Matsaniotis, N. 22(1968)195
Dangerfield, W.G., Pratt, J.J.
An investigation of plasma lipoproteins by polyacrylamide electrophoresis 30(1970)273
– see Pratt, J.J. 23(1969)189
Darcy, D.A.
Immunodiffusion techniques after gel electrophoresis 21(1968)161
Dargeon, H.W. see Barclay, M. 24(1969)225
Dauwalder, H. see Richterich, R. 29(1970)295
Davidsen, O.
Fixation of proteins after agarose gel electrophoresis by means of picric acid 21(1968)205
Davies, T., Kelleher, J., Losowsky, M.S.
Interrelation of serum lipoprotein and tocopherol levels 24(1969)431
Davis, J.S., Flynn, F.V., Platt, H.S.
The characterisation of urine protein by gel filtration 21(1968)357
Dawson, J.B., Ellis, D.J., Newton-John, H.
Direct estimation of copper in serum and urine by atomic absorption spectroscopy 21(1968)33
– Walker, B.E.
Direct determination of zinc in whole blood, plasma and urine by atomic absorption spectroscopy 26(1969)465
Deadman, N.M., Timms, B.G.
The detection of occult blood in faeces using reduced 2,6-dichlorophenol-indophenol 26(1969)369
De Antoni, A. see Benassi, C.A. 17(1967)383
– see Muggeo, M. 30(1970)779
De Baene, J. see De Moor, P. 30(1970)311
De Bree, P.K. see Wadman, S.K. 25(1969)87
De Bruyn, J.W. see Van Stekelenburg, G.J. 28(1970)233
Deegan, T. see Buckley, J.A. 28(1970)133
– see Usher, D.J. 29(1970)361
Degand, P. see Havez, R. 17(1967)281,463
De Grazia, J.A., Fish, M.B., Pollycove, M., Ponnamperuma, M.
The determination of precursors to urinary methylmalonic acid in man. Measurement of urinary excretion and specific activity 23(1969)279
Degrelle, H. see Engler, R. 26(1969)491
De Groote, J. see Fevery, J. 17(1967)63,73
Dehan, M. see Smith, R. 21(1968)491
Delarue, J.C. see Bohuon, C. 18(1967)417
Del Campo, G.B.
New simple technique for the multi-fractionation of serum proteins (18–21 fractions) on Cellogel RS cellulose acetate strips 22(1968)475
De Leeuw, R.J.M. see Maas, A.H.J. 29(1970)303
Dellebarre, C.W. see Rispens, P. 22(1968)627
De Luserna, E. see Rosenbusch, C.A. 24(1969)479
Deminatti, M. see Havez, R. 17(1967)463

De Moor, P., Bouillon, R., Van Mieghem, W.
Transcortin activity as related to the age at discovery of diabetes mellitus 30(1970)627
– Stein, F., Claes, J.H., De Baene, J., Joossens, J.V.J.
Factors related to the between-person variation in the transcortin activity of normal adults 30(1970)311
– see Heyns, W. 18(1967)361
De Nadai Frank, A. see Ceriotti, G. 24(1969)311
Denborough, M.A., Creeth, J.M.
Density gradient studies of A, B, H, and Le^a blood group specific glycoproteins 30(1970)447
De Neef, J.
Quantitative determination of mixtures of monosaccharides, disaccharides and alditols as their trimethylsilyl ether derivatives by gas–liquid chromatography 26(1969)485
Depernet, D. see Chivot, J.J. 27(1970)241
DeQuattro, V.L., Sjoerdsma, A.
Origin of urinary tyramine and tryptamine 16(1967)227
De Sandre, G. see Frezza, M. 21(1968)509
Despeyroux, T.M. see Carton, M. 21(1968)79
Desplanque, J. see Van der Heiden, C. 22(1968)409
De Vijlder, M.M.A. see Van Eyk, H.G. 16(1967)429
De Virgiliis, S. see Cao, A. 23(1969)475
De Vries-Lequin, I. see Van Neerbos, B.R. 26(1969)271
De Wael, J. see Hoeke, J.O.O. 16(1967)171
De Waele, G.
An effective method to improve the adherence of agar films to microscope slides 17(1967)312
Dewar, J.H., Latner, A.L.
Immunological technique for identifying protein areas in gel slabs 28(1970)149
Diamond, S. see Perry, Th.L. 29(1970)369
Diamant, Y.Z. see Thilo, E. 29(1970)395
Dick, A.T. see Bingley, J.B. 25(1969)480
Dick, T.B.S. see Stone, M.C. 30(1970)809
Dickson, R.C., Tomlinson, R.H.
Selenium in blood and human tissues 16(1967)311
Diessner, H., Schmidt, R.M.
Zur Polyacrylamidelektrophorese in der neurologisch-psychiatrischen Diagnostik 25(1969)153
Dietz, A.A., Lubrano, T., Rubinstein, H.M.
Disc electrophoresis of lactate dehydrogenase isoenzymes 27(1970)225
– see Rubinstein, H.M. 23(1969)1
Dieu, J.P.
Adaption of Logsdon's method for the determination of urinary ammonia in the N Methodology of the Technicon Auto-Analyzer 28(1970)209
Di Ferrante, N., Lipscomb, H.S.
Urinary glycosaminoglycans *versus* creatinine excretion: a used and abused parameter 30(1970)69
Dimov, D.M.
The influence of sulfonamides on the estimation of γ-glutamyltranspeptidase activity 21(1968)427
– Kulhánek, V.
Comparison of four methods for the estimation of γ-glutamyl transpeptidase activity in biological fluids 16(1967)271
Dinwoodie, A.J. see Connell, M.D. 30(1970)235
– see Wolf, M. 24(1969)131
Dixon, K., Northam, B.E.
Quality control using daily mean 30(1970)453
Dixon, P.F.
Rapid plasma cortisol method using micro-columns 23(1969)374
Dolly, J.O., Fottrell, P.F.
Multiple forms of dipeptidases in normal human intestinal mucosa and in mucosa from children with coeliac disease 26(1969)555
Djordjevich, J. see Spikes, J.L. 20(1968)413
Dmochowska, M. see Leyko, W. 28(1970)161
Domicz, U. see Zachara, B. 18(1967)127
Domingo, M. see Engler, R. 26(1969)491
Dorche, J. see Nyssen, M. 22(1968)363
Dormandy, T.L. see Stocks, J. 27(1970)117
Dorn, M. see Platt, D. 21(1968)333
Dos Reis Valle, A. see Chambers, R. 17(1967)135
Dotti, L.B. see Chen, T. 18(1967)453
Douglas, K.S. see Oreskes, I. 21(1968)303
Doumas, B., Biggs, H.G.
A colorimetric method for assaying serum aspartate aminotransferase activities 23(1969)75
Douste-Blazy, L. see Carton, M. 21(1968)79
Dowding, B. see Tárnoky, A.L. 26(1969)455
Dreux, C.
Etudes sur la biochimie des méthoxyindols. Dosage spectrofluorimétrique de la méthoxy-5-*N*-acétyltryptamine (mélatonine) 23(1969)177
–
Etudes sur la biochimie des méthoxyindols. Dosage spectrofluorimétrique de la méthoxy-5-tryptamine 30(1970)519
– see Genefke, I.K. 24(1969)239
Dreyfus, J.C. see Rosa, R. 24(1969)199

– – 29(1970)209
– see Schapira, F. 20(1968)439
Drezga, Z., Mikac-Devic, D.
Evaluation of some methods for serum total cholesterol 26(1969)317
Droll, K. see Meyer, J. 18(1967)69
Dror, Y., Sassoon, H.F., Watson, J.J., Johnson, C.
Glucose 6-phosphate dehydrogenase assay in liver and blood 28(1970)291
– see Azizi, E. 28(1970)391
Drozd, J. see Pietruska, Z. 21(1968)139
Drożdż, H.
The influence of corticotherapy on serum leucyl- and cystinylnaphthylamido-hydrolase activities in the course of viral hepatitis in children 28(1970)141
Dubach, U.C., Jösch-Locher, M.
Serum β-Glucuronidase Aktivität in Abhängigkeit von Geschlecht und Alter bei Diabetes mellitus 21(1968)453
Dubin, J.Ch., Bernard, S.
Purification de la pyruvate-kinase du globule rouge humain 16(1967)63
Dubois, J. see Fondu, P. 28(1970)111
Dubovská, E. see Dubovský, J. 19(1968)387
Dubovský, J., Dubovská, E., Pacovský, V., Hrba, J.
Free and peptide hydroxyproline in chronic uremia 19(1968)387
–, Hrba, J., Pacovský, V.
Acute effects of calcium infusion on hydroxyproline 17(1967)107
Duchon, J., Matous, B.
Identification of two new metabolites in melanoma urine: 5-hydroxy-6-methoxyindole-2-carboxylic and 5-methoxy-6-hydroxyindole-2-carboxylic acids 16(1967)397
– – Procházková, B.
Vanillactic acid in the urine of melanoma patients 18(1967)318,487
Duck, H.-J., Wagner, J.
Untersuchungen zur Aktivität der Arylamidase (Leucinaminopeptidase) im Verlauf einer akuten tierexperimentellen Entzündung 25(1969)65
– see Wagner, J. 18(1967)11
– – 28(1970)5
Duda, W. see Lewandowski, J. 21(1968)175
– see Leyko, W. 28(1970)161
Dufau, M., Weinstein, R., Kliman, B.
Biochemical studies in a patient with chromatin-negative Klinefelter's syndrome 25(1969)389
Dufty, J.H. see Bingley, J.B. 24(1969)316
Dumm, M.E. see Ittyerah, T.R. 17(1967)405
Duncan, R. see Adey, G. 30(1970)544
Dupont, A.
On the determination of hydroxyproline in urine 18(1967)59
Durand, J.P. see Collombel, C. 29(1970)193
Dyerberg, J., Hjørne, N.
Quantitative plasma lipoprotein electrophoresis. Correction for the difference in dye uptake by the lipoprotein fractions 30(1970)407
– –
Quantitative plasma lipoprotein estimation by agarose gel electrophoresis 28(1970)203
Dyggve, H.V. see Clausen, ˚. 29(1970)197
Dymond, L.C., Russell, D.W.
Rapid determination of isonicotinic acid hydrazide in whole blood with 2,4,6-trinitrobenzenesulphonic acid 27(1970)513
Dziedzic, S.W. see Bertani, L.M. 30(1970)227
Dzúrik, R., Valovicová, E.
Glucose utilization in muscle during uremia; *in vitro* study 30(1970)137

E

Ebeling, J., Meijers, C.A.M., Spijkers, J.B.F.
A control serum for U.V. spectrophotometric assay of GOT and GPT 27(1970)214
– – –
The use of Tris buffer for u.v. spectrophotometric assay of GOT and GPT 25(1969)174
Eberhard, R. see Petek, F. 21(1968)293
Edwards, J.C. see Taylor, K.W. 22(1968)71
Ehrengruber, H. see Richterich, R. 22(1968)417
Eijkenboom, W.H.M. see Hülsmann, W.C. 30(1970)775
Elder, G.H.
Interference by nalidixic acid with the estimation of 4-hydroxy-3-methoxy-mandelic acid in urine 19(1968)507
Eleveld, D. see Rispens, P. 22(1968)627
Elhilali, M.M. see Sherwin, A.L. 17(1967)245
Elliot, T.G. see Jackson, S.H. 23(1969)97
Ellis, D.J. see Dawson, J.B. 21(1968)33
Emanuelli, G., Satta, G., Perpignano, G.
Lysosomal damage and its possible relationship with mitochondrial lesion in rat kidney under obstructive jaundice 25(1969)167
Emery, A.E.H., Moores, G.E., Hodson, V.
The determination of lactate dehydrogenase (LDH) isoenzymes with urea 19(1968)159
Endo, M. see Matsushiro, T. 30(1970)645
Eng, L.I.L.
Binding of glucose-6-phosphate dehydrogenase to a serum component 28(1970)365
Engelhard, W.E. see Uffelman, J.A. 28(1970)185
Engler, R., Degrelle, H., Janiaud, P., Domingo, M., Jayle, M.F.
Inhibition of haptoglobin binding with hemoglobin in the rat at the onset of an inflammatory reaction 26(1969)491
Englert, E.
The proteins of human gallbladder bile with and without gallstones 29(1970)319
Engstrom, G.W. see Greenberg, E. 16(1967)79
Epstein, E., Houvras, Y., Zak, B.
Use of pore size concentration gradient in polyacrylamide electrophoresis 20(1968)335
– see Zak, B. 29(1970)77
Eriksson, Ö. see Öckerman, P.A. 25(1969)97
Ersser, R.S., Oakley, S.E., Seakins, J.W.T.
Urinary phenolic acids by thin-layer chromatography 30(1970)243
Esber, H.J. see Menninger Jr., F.F. 27(1970)385
Estas, A. see Walravens, Ph. 18(1967)82,335
Eto, K. see Ono, T. 19(1968)257
Evrard, E. see Roovers, J. 19(1968)449
Eze, L.C., Price Evans, D.A.
Plasma trehalase activity in diabetes mellitus 28(1970)153

F

Fabery de Jonge, H. see Wadman, S.K. 25(1969)87
Fabjanowska, Z. see Konopka, K. 24(1969)359
– see Lewandowski, J. 21(1968)175
Fagerhol, M.K., Laurell, C.-B.
The polymorphism of "prealbumins" and α_1-antitrypsin in human sera 16(1967)199
Faivre, M. see Paysant, P. 23(1969)507
Falbriard, A. see Zender, R. 20(1968)85
Falkenberg, F., Lehmann, F.-G., Pfleiderer, G.
Die LDH-Isoenzyme als Ursache für unspezifische Tetrazoliumsalz-Anfärbungen in Gelzymogrammen ("Nothing-dehydrogenase") 23(1969)265
Fallat, R.J. see Kueppers, F. 24(1969)401
Familusi, J.B. see Kennedy, J.F. 29(1970)37
Farrelly, R.O., Watkins, W.B.
Screening for disorders of amino acid metabolism by thin-layer high voltage electrophoresis 20(1968)291
Farriaux, J.-P. see Montreuil, J. 21(1968)61
Fassati, M., Stepán, J., Schön, E., Hacker, J.
Alkaline phosphatase, lactate dehydrogenase and aspartate aminotransferase and their isoenzymes as indicators of the development of experimental virus hepatitis in mice 26(1969)497
Fehér, T.
Correlation between epiandrosterone excretion and the etiochoalanolone/androsterone ratio in man 16(1967)183
Feldman, F.J. see Christian, G.D. 17(1967)87
Felgenhauer, K.
Quantitation and specific detection methods after disc electrophoresis of serum proteins 27(1970)305
Felt, V., Husek, P.
Fatty acid composition of serum lipid fractions in thyroid disease 23(1969)331
Fenton, B.H. see Piper, D.W. 24(1969)215
Férard, G., Métais, P.
L'épreuve d'hyperxylosémie provoquée par voie orale: résultats et essai d'interprétation 30(1970)279
Ferdinand, W., Gordon, R.R., Owen, G.
Nonketonic hyperglycinaemia. Clinical findings and amino acid analyses on the plasma of a new case 30(1970)745
Fernandes, J. see Hülsmann, W.C. 30(1970)775
Ferrero, J. see Izquierdo, J.M. 30(1970)343
Fevery, J., Claes, J., Heirwegh, K., Groote, J. de
Hyperbilirubinaemia: Significance of the ratio between direct-reacting and total bilirubin 17(1967)73
– Heirwegh, K., Groote, J. de
Renal bilirubin clearance in liver patients 17(1967)63
– Jansen, F.H., Meuwissen, J.A.T.P., Heirwegh, K.P.M.
Bilirubin-like material in urine of normal adults 21(1968)401
Fiaschi, E. see Campanacci, L. 20(1968)341
Fielding, J. see Ryall, R. 28(1970)193
Fielding, J., Ryall, R.
The action of reducing agents on the dissociation of iron–transferrin with special reference to thioglycollate 28(1970)423
Fiorelli, G., Idéo, G., Alessio, L.
Electrophoretic characterization of glucose-6-phosphate dehydrogenase (G6PD) in granulocytes and lymphocytes of normal and fava bean-sensitive subjects 25(1969)177
Fish, M.B. see De Grazia, J.A. 23(1969)279
Fischer, M. see Götz, H. 30(1970)53
Fischl, J. see Machtey, I. 28(1970)507
Fisher, B.D., Parker, C.W., Haynes, C.R., Chaplin, Jr., H.
Inhibition of erythrocyte antibody binding by a dialysate of hemolyzed red blood cells 30(1970)842
Fisher, E.W. see McEwan, A.D. 27(1970)155
Fisher-Herman, M. see Jergovic, I. 30(1970)765
Fishman, W.H., Inglis, N.R., Ghosh, N.K.
Distinctions between intestinal and placental isoenzymes of alkaline phosphatase 19(1968)71
– Sie, H.G.
L-Homoarginine; and inhibitor of serum "bone and liver" alkaline phosphatase 29(1970)339
Fitzpatrick, K., Pennington, R.J.
Metabolism of acetoacetate by normal and dystrophic mouse muscle 19(1968)157
Fleck, A., Morrison, B.A.
The determination of bromsulphthalein in serum 30(1970)751
Fleisher, G.A. see Greenberg, E. 16(1967)79

Fletcher, M.J.
A colorimetric method for estimating serum triglycerides 22(1968)393
Flynn, F.V., Garcia-Webb-Sharp, P., Piper, K.A., Healy, M.J.R., Troop, J.
Some immediate effects of a blood donation on plasma chemistry 24(1969)51
– Platt, H.S.
The origin of the proteins excreted in tubular proteinuria 21(1968)377
– see Davis, J.S. 21(1968)357
Foà, P.P. see Shima, K. 22(1969)511
Fodor, J. see Grafnetter, D. 16(1967)33
Fondu, P., Mandelbaum, I.M., Dubois, J.
L'excrétion de l'acide formiminoglutamique dans la carence ascorbique de l'enfant 28(1970)111
Fontaine, G. see Montreuil, J. 21(1968)61
Ford, W.J. see Rudolph, G.G. 18(1967)187
Foreman, J.A. see Klein, B. 26(1969)77
Fosbrooke, A.S., Pringle, G.A.
Improved precision for the Autoanalyser determination of serum cholesterol 30(1970)47
– Tamir, I.
A modified method for the preparation of methyl esters of a mixture of medium-chain and long-chain fatty acids 20(1968)517
– see Barnard, G. 27(1970)417
Fotherby, K. see Chambers, R. 17(1967)135
Fottrell, P.F., Spellman, C.M., O'Dwyer, E.O.
Lactate deshydrogenase isoenzymes in human endometrium 26(1969)584
– see Dolly, J.O. 26(1969)555
Fourman, P. see Bijvoet, O.L.M. 26(1969)15
Foz, M.
Study on glucose-6-phosphatase activity in human serum 17(1967)13
Francavilla, A., Albano, O., Meduri, B., Panella, C.
Effect of CCl_4 on mitochondrial oxidation and ATP levels in rat liver 30(1970)415
– see Albano, O. 19(1968)363
Franey, R.J., Amador, E.
Serum cholesterol measurement based on ethanol extraction and ferric chloride–sulfuric acid 21(1968)255
Franzini, C., Bonini, P.A.
Alpha-glucosidases in human urine 17(1967)505
– – Zappata, A.
"Macro-amylase" in human saliva? 23(1969)368
Franzini, C. see Bonini, P.A. 27(1970)415
– see Vanzetti, G. 24(1969)417
Freedman, A. see Hinterberger, H. 18(1967)377
Freeman, T., Pearson, J.D.
The use of quantitative immunoelectrophoresis to investigate thyroxine-binding human serum proteins 26(1969)365
– see Minchin Clarke, H.G. 30(1970)65
Frendo, J.
The role of elementary sulphur and erythrocyte glutathione in the formation of sulphaemoglobin 24(1969)1
Frensdorf, E.L., Van Kampen, E.J., Hoek, W.
Urinary gas-chromatographic steroid spectra and testicular tumours 28(1970)77
Frezza, M., De Sandre, G., Perona, G., Corrocher, R.
Bilirubin inhibition of 4-methylumbelliferone glucuro-conjugation *in vitro* by the human liver 21(1968)509
Fridhandler, L. see Take, S. 26(1969)533
– – 27(1970)369
Friedel, R., Mattenheimer, H.
Release of metabolic enzymes from platelets during blood clotting of man, dog, rabbit and rat 30(1970)37
Friedland, J., Schneck, L., Saifer, A., Pourfar, M., Volk, B.W.
Identification of Tay–Sachs disease carriers by acrylamide gel electrophoresis 28(1970)397
Friedman, B. see Palek, J. 18(1967)39
Friedman, H.S.
Further notes on gravimetric serum total lipid determinations 25(1969)173
–
Quantitative determination of total lipids in serum 19(1968)291
Friedner, S., Josephson, B., Levin, K.
Vitamin B_{12} determination by means of radioisotope dilution and ultrafiltration 24(1969)171
– Moberg, S.
Determination of total faecal lipids including medium-chain triglycerides 18(1967)345
Friemel, H., Haase, G., Meyer-Rienecker, H.
Immunchemischer Nachweis von Carboxyl-esterase-isoenzymen im Liquor cerebro-spinalis des Menschen 18(1967)215
Frizel, D.E., Malleson, A.G., Marks, V.
Measurement of plasma ionised calcium and magnesium by ion exchange strip 16(1967)45
Fröhlich, H. see Probst, P. 29(1970)157
Frosch, B., Wagener, H., Immich, H.
Serum conjugated bile acids in various liver diseases 22(1968)294
Frot-Coutaz, J. see Got, R. 22(1968)545

Fry, D.E. see Baylis, E.M. 30(1970)93
Fukala, E. see Peters, J.E. 29(1970)576
Fukuda, T. see Hirayama, C. 27(1970)409
Fukuda, Y. see Hosoyama, Y. 18(1967)141

G

Gabrieli, E.R. see Sinha, S.N. 19(1968)313
Gaddie, R.
Immunology in clinical chemistry 22(1968)3
Gaist, L. see Menache, R. 19(1968)33
– – 26(1969)591
Galli, J. see German, A. 22(1968)551
Galzigna, L., Corsi, G.C., Saia, B., Rizzoli, A.A.
Inhibitory effect of triethyl lead on serum cholinesterase *in vitro* 26(1969)391
– Rizzoli, A.A.
Short circuit theory on the onset of mental illness 30(1970)5
Ganguly, P.
Effect of protolytic activity on the isolation and stability of platelet proteins 25(1969)371
–
The relation between serum and platelet albumins 23(1969)514
– Moore, R.
Studies on human platelet proteins 17(1967)153
Ganrot, P.O.
Inhibition of plasmin activity by α_2-macroglobulin 16(1967)328
– Nilehn, J.-E.
Competition between plasmin and thrombin for α_2-macroglobulin 17(1967)511
– –
Immunochemical determination of human plasminogen 22(1968)335
Gans, H., Tan, B.H.
α_1-Antitrypsin, an inhibitor for thrombin and plasmin 17(1967)111
Garcia-Webb-Sharp, P. see Flynn, F.V. 24(1969)51
Garel, A. see Genefke, I.K. 20(1968)61
Gartelmann, D. see Abernethy, M.H. 30(1970)464
– see Bennet, A. 29(1970)161
Gay, W.M.B. see Crane, C.W. 24(1969)445
Gazzaniga, A. see Ceriotti, G. 16(1967)436
Geissbühler, F.
Dosage fluorométrique de l'acide homovanillique dans le lequide céphalorachidien, l'urine et le sang 26(1969)231
–
Dosage fluorométrique de la normétanéphrine, de la métanéphrine et de la 3-méthoxytyramine dans l'urine hydrolysée 30(1970)143
Genefke, I.K., Garel, A., Mandel, P.
Factors influencing free serotonin in human plasma 20(1968)61
– Halter, D., Dreux, C.
Effets du cortisol sur l'élimination urinaire des hydroxy indols et de la cynurénine 24(1969)239
– Mandel, P.
Variations diurnes de la sérotonine libre chez des subjects normaux 19(1968)131
Genetet, F. see Paysant, P. 23(1969)507
Gentz, J., Johansson, S., Lindblad, B., Lindstedt, S., Zetterström, R.
Excretion of δ-aminoevulinic acid in hereditary tyrosinemia 23(1969)257
Geokas, M.C. see Rinderknecht, H. 19(1968)89,327
– – 21(1968)197
– – 28(1970)239
– – 29(1970)481
George, E., Bachhawat, B.K.
Brain glycosaminoglycans and glycosaminoglycan sulphotransferase in Sanfilippo syndrome 30(1970)317
Georges, R.J., Politzer, W.M.
A comparison of methods for the colorimetric estimation of total neutral 17-ketosteroids in urine 18(1967)447
– –
pH Dependency of the cyanide–nitroprusside colour reaction of cystine 30(1970)737
Gercken, G. see Brockmann, U. 23(1969)489
Gergely, J. see Medgyesi, G.A. 17(1967)308
Gerike, U. see Gödicke W. 30(1970)727
Gerlach, W. see Peters, J.E. 29(1970)576
German, A., Galli, A., Maison, C., Galli, J.
Dosage colorimétrique de la phosphohexose isomérase par la réaction à l'acide thiobarbiturique 22(1968)551
Gerö, S. see Bihari-Varga, M. 22(1968)355
Gerolami, A. see Sarles, H. 19(1968)147
Gerolami Santandrea, A. see Hauton, J.C. 17(1967)171
Gerring, E., Allen, E.A.
A nephelometric pepsin method 24(1969)437
Geuskens, L.M. see Colenbrander, H.J. 28(1970)329

Geyer, G. see Templ, H. 16(1967)179
Ghazali Bin Abdul Rahman, M., Hähnel, R.
Identification of 16-epi-oestriol-16(17?)-glucosiduronate and 16-epi-oestriol-3-glucosiduronate in human pregnancy urine 17(1967)59
Ghosh, N.K. see Fishman, W.H. 19(1968)71
Gibhard, S., Watkins, P.J.
A micromethod for the enzymatic determination of D-β-hydroxybutyrate and acetoacetate 19(1968)511
Gibbs, C.C.J., Saunders, S.J., Sweeney, G.D.
Quantitative estimation of tryptophan in plasma and urine using thin-layer chromatography and induced fluorescence 17(1967)317
Gijzen, A.H.J. see Altmann, A.E. 20(1968)185
– see Brombacher, P.J. 20(1968)360
Gilbert, F.M. see Bartlet, A.L. 30(1970)559
Gilchrist, G.S. see Collipp, P.J. 19(1968)287
Gilmour, D.G. see Manowitz, P. 28(1970)269
Gil-Vernet, J.M. see Gras, G. 20(1968)295
Giorgi, A.L.
A direct method of hemoglobin electrophoresis using capillary blood 27(1970)362
Gips, C.H., Reitsema, A., Wibbens-Alberts, M.
Preservation of urine for ammonia determination with a direct method 29(1970)501
– Wibbens-Alberts, M.
Ammonia determination in blood using the TCA direct method 22(1968)183
Girard, M.L.
Problème du dosage du cuivre et du zinc par absorption atomique 20(1968)243
Giraudet, P., Pré, J., Cornillot, P.
Ultramicrodétermination directe automatique et manuelle du chlore dans les liquides biologiques 28(1970)323
– see Pré, J. 22(1968)429
Giterson, A.L., Slooff, P.A.M., Schouten, H.
Oxalate in urine 29(1970)342
Gitlow, S.E. see Bertani, L.M. 30(1970)227
– see Wilk, S. 16(1967)403
– see Wilk, E.K. 20(1968)147
Gitzelmann, R.
Estimation of galactose-1-phosphate in erythrocytes: a rapid and simple enzymatic method 26(1969)313
Gjessing, L.R. see Borud, O. 27(1970)552
– see O'Gorman, L.P. 29(1970)111
Glaser, B.E.A. see Lancee, F.J. 25(1969)239
Glasius, E. see Van Haeringen, N.J. 29(1970)55
Glass, G.B.J., Castro-Curel, Z., Pamer, T.
Separation of proteolytic enzymes, vitamin B_{12} binders and intrinsic factor from human gastric mucosa on DEAE cellulose column 16(1967)91
Glatz, C., Rose, G.A.
The rapid semi-automatic estimation of plasma calcium 21(1968)327
Gmünder, U. see Semenza, G. 25(1969)213
Godse, D.D., Lyall, W.A.L., Stancer, H.C.
Continuous *in vivo* monitoring of human plasma cholesterol 26(1969)89
Goebelsmann, U.
A reliable method for the determination of urinary estriol in pregnancy 23(1969)469
Gödicke, W., Gerike, U.
Eine Ultramikromethode zur fluorimetrischen Bestimmung der Serum-Triglyceride 30(1970)721
Göschke, H.
Estimation of ketone bodies in blood, cerebrospinal fluid and urine 28(1970)359
Götz, H., Fischer, M.
Verhalten der elektrophoretisch, biochemisch und immunologisch definierbaren Proteine des Sputums unter Sekretolyse 30(1970)53
– Grottke, M., Scheiffarth, F.
Vergleichende biochemische Untersuchungen an unterschiedlich aufbereiteten Gehirnextrakten 23(1969)39
– Scheiffarth, F., Victor, F.
Studien über das Enzymmuster esteraseaktiver Komponenten in pathologischen Seren 21(1968)119
– Wüst, H., Raies, F.
Agarelektrophoretische Studien zur Frage von Isoenzymen der Amylase 19(1968)235
– see Scheiffarth, F. 20(1968)455
Golder, S. see López, V. 21(1968)517
Goldschmid, A. see Schen, R.J. 16(1967)445
Goldsmith, M.W., Parry, D.J.
An investigation into the mechanism of the *in vitro* fall in rabbit plasma calcium which follows intravenous heparin injection 19(1968)429
Golikov, P.P.
A rapid method for estimating transcortin on biogels 26(1969)41
Gompertz, D.
Methylmalonyl CoA as an abnormal substrate for δ-aminolevulinic acid synthetase 25(1969)459
–
The measurement of urinary methylmalonic acid by a combination of thin-layer and gas chromatography 19(1968)477
– Hywel Jones, J., Knowles, J.P.

Metabolic precursors of methylmalonic acid in Vitamin B_{12} deficiency 18(1967)197
Gondko, R. see Konopka, K. 24(1969)359
Goodger, B.V.
Polymeric binding of haemoglobin in cattle 29(1970)429
Goodman, I., Olenczak, A.P., Hiatt, R.B.
4-Hydroxy-3-methoxymandelic acid (HMMA) in the urine of normal and fasting subjects and in patients with colitis 16(1967)245
Goodwin, J.F.
On the measurement of urinary amino nitrogen with 1-fluoro-2,4-dinitrobenzene 21(1968)231
Gordon, G.G. see Southren, A.L. 30(1970)538
Gordon, R.R. see Ferdinand, W. 30(1970)745
Gorodezki, W.K. see Rosenfeld, E.L. 24(1969)469
Gorton, S. see Krieg, A.F. 17(1967)363
Got, R., Bertagnolio, G., Pradal, M.B., Frot-Coutaz, J.
Les isoamylases du colostrum humain 22(1968)545
– see Counitchansky, Y. 26(1969)223
– – 30(1970)83
Goto, I., Katsuki, S.
Creatine phosphokinase isozymes in pathological human serum 30(1970)795
Grabner, G. see Probst, P. 29(1970)157
Goulet, C. see Allard, C. 20(1968)534
Grabner, W., Gronauer, W., Berg, G., Bergner, D.
Mikrolipidelektrophoresen auf Celluloseacetatfolien 28(1970)299
– see Berg, G. von 17(1967)265
Grässlin, D., Weicker, H.
Untersuchungen über die gebundenen Kohlenhydrate in Glykoproteiden 21(1968)15
Grafnetter, D., Fodor, J., Teplý, V., Zácek, K.
The effect of storage on levels of cholesterol in serum as measured by a simple, direct method 16(1967)33
– Janosová, Z., Cervinková, I.
Note on Slot's method for the specific determination of creatinine 17(1967)493
Grant, G.
Serological analysis in diagnosis 22(1968)31
Gras, G., Tuset, N., Caralps, A., Gil-Vernet, J.M., Magrina, N., Brulles, A., Conde, M.
β-Alaninuria following human renal allotransplantation 20(1968)295
Gras, J. see Brulles, A. 24(1969)261
Gravina, E., Gravina-Sanvitale, G.
Effect of carnitine on blood acetoacetate in fasting children 23(1969)376
Gravina-Sanvitale, G. see Gravina, E. 23(1969)376
Gray, P., Owen, J.A.
Experience with on-line computer processing of data from an Auto-Analyser complex 24(1969)389
– see Abernethy, M.H. 30(1970)463
Green, A.G., Hallaways, I., Blacker, P.A.
An improved method of estimating tetrahydrocortisol and tetrahydrocortisone in urine 20(1968)189
– see Ambler, J. 27(1970)350
Green, M., Walker, G.
Dietary vanillin does not affect the VMA method of Pisano *et al.* 29(1970)189
Greenberg, E., Wollaeger, E.E., Fleisher, G.A., Engstrom, G.W.
Demonstration of γ-glutamyl transpeptidase activity in human jejunal mucosa 16(1967)79
Greene, E.M. see Barclay, M. 24(1969)225
Greenwood, F.C.
Radioimmunoassay of ACTH and growth hormone 22(1968)77
Greer, M., Hutcheson, C.E., Williams, C.M.
Abnormal urinary excretion of *p*-hydroxyphenyllactic acid in Wilms' tumor 22(1968)460
– Sprinkle, T.J., Williams, C.M.
Determination of urinary 3-methoxytyramine, normetanephrine and metanephrine in pheochromocytoma and neuroblastoma by gas chromatography 21(1968)247
– see Sprinkle, T. 23(1969)27
– – 24(1969)476
– – 25(1969)409
Gregor, J., Leyko, W.
Nucleotide content of erythrocytes in pulmonary tuberculosis 20(1968)531
Greiner, A.C. see Jones, R.L. 26(1969)281
Greten, H. see Seidel, D. 30(1970)31
Greusard, C. see Hauton, J.C. 17(1967)171
Griepink, B. see Krijgsman, W. 29(1970)575
Griffiths, J.C., Leung, F.Y.T., McDonald, T.J.
Fluorimetric determination of plasma catecholamines, normal human epinephrine and norepinephrine levels 30(1970)395
Griffiths, P.D.
The activity of ATP:creatine phosphotransferase in umbilical cord blood 20(1968)465
Grinstein, M. see Nacht, S. 27(1970)445
– see San Martin de Viale, L.C. 28(1970)13
Groc, W.
Die zentripetal-radiale Immunodiffusion 30(1970)365
Groen, J.J. see Zweers, A. 19(1968)267
Gronauer, W. see Grabner, W. 28(1970)299

Gros, M., Smrekar, M.
An anilin–acetic acid method for body fluid glucose determination 17(1967)518
Grottke, M. see Götz, H. 23(1969)39
– see Scheiffarth, F. 20(1968)455
Grove, J., Toseland, P.A.
The gas–liquid chromatography of hydroxyamylobarbitone in plasma and urine 29(1970)253
Grover, P.L. see Boyland, E. 16(1967)205
Gründig, E., Czitober, H., Maruna, R.F.L.
Primärer Hyperparathyreoidismus. I. Vergleichende biochemische Untersuchungen der "sauren" und "alkalischen" Phosphatasen bei Hyperparathyreoidismus 30(1970)331
Gruener, N. see Hegesh, E. 30(1970)679
Gruenig, D. see Trainer, T.D. 21(1968)151
Guarnieri, G.F. see Campanacci, L. 20(1968)341
Guerinot, F. see Bohuon, C. 19(1968)125
Gütte, K.-F. see Abraham, R. 27(1970)395
– – 28(1970)341
Guidi, G. see Lippi, U. 28(1970)431
– – 30(1970)845
Guidollet, J., Louisot, P.
Biosynthèse de la transcortine. Localisation des sites fixateurs de cortisol et de corticosterone dans les fractions subcytoplasmiques des cellules hépatiques du rat 23(1969)121
– –
Biosynthèse de la transcortine. Role de la thyroxine dans les mécanismes cellulaires de biosynthèse 27(1970)133
– Oziol, S. Louisot, P.
Biosynthèse de la transcortine. Role du 3′,5′-adénosine-monophosphate cyclique dans les mécanismes cellulaires de biosynthèse 30(1970)689
Guilluy, R. see Badinand, A. 25(1969)357
Gullberg, R.
Effect of heat on the binding of vitamin B_{12} to serum transcobalamins 29(1970)97
–
Unsaturated vitamin B_{12} binding capacity of human serum studied by gel filtrations 27(1970)251
Gupta, D.
Steroid excretion patterns in children with gonadal dysgenesis 27(1970)281
–
Urinary steroids in children with lipodystrophy 26(1969)357
Gutman, N. see Lebreton de Vonne, T. 30(1970)603
Gutteridge, J.M.C.
A partially automated method for the quantitative determination of urinary 4-hydroxy-3-methoxymandelic acid 28(1970)311
–
Thin-layer chromatographic techniques for the investigation of abnormal urinary catecholamine metabolic patterns 21(1968)211
– Wright, E.B.
A simple and rapid thin-layer chromatographic technique for the detection of methylmalonic acid in urine 27(1970)289

H

Haase, G. see Friemel, H. 18(1967)215
Habets, L. see Mink, C.J.K. 24(1969)183
Hacker, J. see Fassati, M. 26(1969)497
Hadjivassiliou, A.G., Rieder, S.V.
The enzymatic assay of pyruvic and lactic acids – A definitive procedure 19(1968)357
Haeberle, P. see Skramovský, P. 22(1968)161
Hähnel, R., Jones, H.
Dichloro-ethane for the extraction of the colour in the Kober reaction according to Bradshaw 16(1967)185
– see Ghazali Bin Abdul Rahman, M. 17(1967)59
Haemmerli, U.P. see Semenza, G. 25(1969)213
Härtel, G., Harjanne, A.
Comparison of two methods for quinidine determination and chromatographic analysis of the difference 23(1969)289
Hafkenscheid, J.C.M., Jansen, A.P.
Malonamide as a standard substance for protein determination 30(1970)541
Hagenfeldt, L.
A simplified procedure for the measurement of $^{14}CO_2$ in blood 18(1967)320
Hahn, L. see Hamfelt, A. 25(1969)91
Haidar, M. see Brody, J.L. 18(1967)205
Hajos, S.E. see Margni, R.A. 28(1970)451
– – 29(1970)219
Hallaways, I. see Green, A.G. 20(1968)189
Halter, D. see Genefke, I.K. 24(1969)239
Haltrich, E. see Peters, J.E. 29(1970)576
Ham, J.M., Slack, W.W.
Lipoprotein lipase activity in patients before and after minor surgical operation 25(1969)417
Hambleton, J. see Robertson, W.G. 25(1969)247
Hamelink, M.L. see Maas, A.H.J. 29(1970)303
Hamet, M. see Cartier, P. 20(1968)205
Hamfelt, A.
Pyridoxal kinase activity in blood cells 16(1967)7
–
Pyridoxal phosphate concentration and aminotransferase activity in human blood cells 16(1967)19
– Hahn, L.
Pyridoxal phosphate concentration in plasma and tryptophan load test during pregnancy 25(1969)91
Hammel, E.C. see Lubash, G.D. 18(1967)439
Hammelmann, Ch. see Weippl, G. 29(1970)338
Hammer, C.H. see Prellwitz, W. 20(1968)505
Hammer, D.K. see Thoenes, G.H. 18(1967)253
Hammond, K.B. see Leach, H. 21(1968)23
Hannuksela, M. see Laitinen, O. 21(1968)321
Hansen, S. see Perry, T.L. 18(1967)51
– – 25(1969)53
– – 29(1970)369
– – 30(1970)721
Hanson, A. see Studnitz, W. von 16(1967)180
Hanson, H., Wiederanders, B.
Fraktionierung Hydroxyprolin-haltiger Harnpeptide mittels Sephadex-Gelfiltration 25(1969)255
Hanss, M. see Rey, A. 30(1970)207
Haragus, St. see Cucuianu, M. 22(1968)151
Haralambie, G.
Changes of serum glycoprotein levels after long-lasting physical exercise 27(1970)475
–
Serum glycoproteins and physical exercise 26(1969)287
Hardwick, D.F. see Applegarth, D.A. 22(1968)131
Hardwicke, J.
Renal clearance of serum proteins 22(1968)45
Hargreaves, T.
Neonatal serum bilirubin estimation 26(1969)331
Harjanne, A. see Härtel, G. 23(1969)289
Harkness, R.A., Torrance, A.M.
A simple device for the automatic introduction of solid samples in gas–liquid chromatography 18(1967)489
Harrison, W.W., Netsky, M.G., Brown, M.D.
Trace elements in human brain: copper, zinc, iron and magnesium 21(1968)55
– Yuracheck, J.P., Benson, C.A.
The determination of trace elements in human hair by atomic absorption spectroscopy 23(1969)83
Hart, P.L. de V. see Lie-Injo, L.E. 29(1970)541
Hart, R.A. see Sinclair, M.J. 19(1968)63
Harvengt, C. see Jeanjean, M. 25(1969)103
– – 26(1969)179
Harvey, A. see Housley, J. 21(1968)79
Haschen, R.J. see Beier, L. 24(1969)405
– see Peters, J.R. 17(1967)516

– – 19(1968)277
– – 24(1969)314
– – 29(1970)576
Hashimoto, I. see Ishitoya, Y. 27(1970)233
Hashimoto, N. see Yamamoto, T. 21(1968)521
Hassan, Z. see Parveen, B. 30(1970)497
Hattner, R.S., Johnson, J.W., Bernstein, D.S., Wachman, A., Brackman, J.
Electrochemical determination of apparent ionized serum calcium using a calcium-selective electrode: the method and values in normal humans and a comparison to total serum calcium 28(1970)67
Hattori, M. see Kanazawa, Y. 19(1968)524
Hattori, S. see Nishihara, H. 30(1970)251
Hauton, J.C., Lafont, H., Teissier, N., Montet, J.C., Amic, J., Sarles, H.
Effet chez l'homme de l'interruption partielle du cycle entero-hépatique sur les concentrations biliaires du cholestérol et des sels biliaires 20(1968)491
– Laurent, B., Gerolami Santandrea, A., Greusard, C., Lafont, H., Tessier, N., Sarles, H.
Etude préliminaire d'une fraction peptidique extraite avec les lipides biliaires et des lipides neutres du plasma 17(1967)171
– see Sarles, H. 19(1968)147
Haverback, B.J. see Rinderknecht, H. 19(1968)89,327
– – 21(1968)197
– – 28(1970)239
– – 29(1970)481
Havez, R., Deminatti, M., Roussel, P., Degand, P., Randoux, A., Biserte, G.
Etude des glucoprotéines carboxyliques et sulfatées de la sécrétion bronchique humaine 17(1967)463
– Roussel, P., Degand, P., Biserte, G.
Etude des structures fibrillaires de la sécrétion bronchique humaine 17(1967)281
Haynes, C.R. see Fisher, B.D. 30(1970)842
Healy, M.J.R. see Flynn, F.V. 24(1969)51
Healy, P.J.
Colorimetric determination of serum glutamic-oxalacetic transaminase activity 20(1968)165
–
Serum ornithine carbamyl transferase activity in sheep and cattle 22(1968)603
Healy, P.J. see Smith, J.B. 21(1968)295
Heaton, F.W. see Murdoch, J.A. 28(1970)505
Heer, E.E. see Margni, R.A. 28(1970)451
– – 29(1970)219
Heerspink, W., Op de Weegh, G.J.
The control of interference filters 29(1970)191
Hegesh, E., Gruener, N., Cohen, S., Bochkovsky, B., Shuval, H.I.
A sensitive micromethod for the determination of methemoglobin in blood 30(1970)679
Heilbron, D.C. see Werner, M. 29(1970)437
Heinze, J. see Müting, D. 19(1968)391
Heirwegh, K.P.M. see Black, M. 29(1970)27
– see Fevery, J. 17(1967)63,73
– – 21(1968)401
Helder, W. see Rispens, P. 22(1968)627
Hellendoorn, H.B.A. see Tavenier, P. 23(1969)47
Hemmingsen, L., Skov, F.
The protein and LDH isoenzyme pattern of normal human urine determined by polyacrylamide gel disc electrophoresis 19(1968)81
– see Rotbøl, L. 25(1969)147
Henry, J.B. see Krieg, A.F. 17(1967)363
Heremans, J.F. see Scolari, L. 19(1968)25
– see Walravens, Ph. 18(1967)335
– – 19(1968)107
Herrmann, J., Krüskemper, H.L., Müller, H.
Zur Methodik der Bestimmung von freiem, dialysablem Thyroxin im Serum 24(1969)457
Hertenstein, Ch. see Wetter, O. 19(1968)421
Herzberg, M. see Oberman, Z. 29(1970)391
Heydorn, K.
Environmental variation of arsenic levels in human blood determined by neutron activation analysis 28(1970)349
Heyns, W., Van Baelen, H., De Moor, P.
Study of steroid–protein binding by means of competitive adsorption application to cortisol binding in plasma 18(1967)361
Hiatt, R.B. see Goodman, I. 16(1967)245
Hidaka, H., Nagatsu, T., Nagasaka, A., Ishizuki, Y.
Monoamine oxidase activity of the thyroid glands in thyroid disease 23(1969)383
Higgins, J.V. see Buist, N.R.M. 28(1970)368
Hild, E. see Abraham, R. 27(1970)395
– – 28(1970)341
Hine, N. see Ichida, T. 23(1969)378
Hines, M. see Potgieter, G.M. 18(1967)107
Hinterberger, H., Bartholomew, R.J.
Catecholamines and their acidic metabolites in urine and in tumour tissue in neuroblastoma, ganglioneuroma and phaechromocytoma 23(1969)169
– Freedman, A., Bartholomew, R.J.
Precursors of melanin in the urine in malignant melanoma 18(1967)377
Hirayama, Ch., Fukuda, T., Toda, T.
Metabolism of [^{131}I] gamma-globulins in patients with chronic liver disease

(Hirayama, Ch., Fukuda, T., Toda, T.)
27(1970)409
– Kimura, N., Irisa, T., Masuya, T.
Hepatic collagen and non-collagen protein synthesis in man with and without liver disease 11(1968)49
– Tominaga, K., Koga, S., Toda, T., Murai, N.
Properties of anti-liver antibody in sera from patients with liver diseases 19(1968)37
Hirsch, C., Kupfer, S., Oreskes, I.
Automated phosphate analysis of samples containing low concentrations of inorganic phosphate 18(1967)322
– see Oreskes, I. 21(1968)303
– – 26(1969)185
Hirsch-Marie, H.
Dosage immunochimique du pepsinogène et de la pepsine gastrique et urinaire par la méthode de Laurell 24(1969)411
Hirst, M. see Jennings, R.C. 30(1970)509
Hirthe, D. see Lindenhayn, K. von 17(1967)149
Hjørne, N. see Dyerberg, J. 28(1970)203
– – 30(1970)407
Hla-Pe, U., Aung-Than-Batu
A fluorometric method for urinary folic acid determination in folic acid absorption and load tests 24(1969)381
Ho, M.W., O'Brien, J.S.
Stimulation of acid β-galactosidase activity by chloride ions 30(1970)531
Hobbs, J.R. see Seitanidis, B.A. 29(1970)93
Hodgkinson, A. see Robertson, W.G. 25(1969)247
– see Zarembski, P.M. 24(1969)139
– – 25(1969)1
Hodson, V. see Emery, A.E.H. 19(1968)159
Höfer, R., Schatz, H., Thumb, N.
[^{51}Cr] Albumin. Biochemical and metabolic studies 22(1968)135
Hoek, W., Van Kampen, E.J.
Urinary steroid spectra by gas chromatography 19(1968)371
– see Frensdorf, E.L. 28(1970)77
– see Rispens, P. 22(1968)291
– see Van Assendelft, O.W. 22(1968)281
– see Van Kampen, E.J. 16(1967)442
Hoeke, J.O.O. see Van Riet, H.G. 19(1968)459
– Voorrips, C., De Wael, J.
Isoamylase pitfalls 16(1967)171
Hoenig, H. see Hoenigová, J. 18(1967)313
Hoenigová, J., Hoenig, H.
Unusual band on starch gel electrophoresis of sera from patients with cirrhosis of the liver 18(1967)313
Hohenegger, M., Raab, W.
Das Verhalten der Enzymaktivitäten im Harn bei Veränderungen der Wasser- und Ionenausscheidung 28(1970)61
– see Raab, W. 20(1968)95
Hohenwallner, W.
Der Einfluss von Kortikoiden auf die Aktivität der Glukose-6-Phosphat-Dehydrogenase in Erythrocyten 16(1967)353
–
Hemmung der 4-Methylumbelliferon Glukuronokonjugierung *in vitro* im Rattenleberhomogenat bzw. menschlichem Leberhomogenat durch Menthol und Bilirubin 28(1970)225
–
In vitro Untersuchungen der Glutathion synthese unter der Einwirkung von menschlichem Wachstumshormon in menschlichen Erythrocyten 30(1970)573
– Berger, H.
Untersuchungen über Methämoglobinbildung durch Menthol 18(1967)425
– Ludescher, E.
Ergänzende Versuche zur Wirkung von menschlichem Wachstumshormon auf die Glykolyse menschlicher Erythrocyten *in vitro* und auf die Aktivität der Phosphofruktokinase 28(1970)255
– see Ludescher, E. 24(1969)423
Holden, D. see Caggiano, V. 21(1968)265
Holeysovská, H. see Malasková, V. 24(1969)39
Hollemans, H.J.G.
Proposition for an international angiotensin standard for renin measurement in human plasma 27(1970)99
– Meer, J. van der, Kloosterziel, W.
Identification of the incubation product of Boucher's renin activity assay, by means of radioimmunoassays for angiotensin I and angiotensin II, and a converting enzyme preparation from lung tissue 23(1969)7
– – –
Measurement of renin activity in plasma by a radioimmunoassay for angiotensin I 24(1969)353
Holler, Jr., J.J. see Rudolph, G.G. 18(1967)187
Holt, P.R. see Mezey, E. 25(1969)11
Holton, J.B.
The effect of a histidine load on plasma levels and renal clearances of other amino acids 21(1968)241
– see Small, N.A. 27(1970)171
Holtz, A.H., Van Dreumel, H.J.
Stabilization of azobilirubin solution by EDTA 20(1968)355
– see Van Assendelft, O.W. 18(1967)78
Hom, B.L.
Demonstration of transcobalamin II complex

formation and binding to Sephadex G-200 at low ionic strength 18(1967)315
Homolka, J., Sousek, O.
Die Serumkathepsinaktivität und ihre klinische Bedeutung 18(1967)33
Hooft, C. see Samyn, W. 28(1970)83
Hooghwinkel, G.J.M. see Beukers, H. 25(1969)403
Hooton, B.T., Watts, D.C.
Levels of protein and non-protein sulphydryl groups in the skeletal muscle of normal and dystrophic Bar Harbor mice 16(1967)173
Hoover, C.R. see Remenchik, A.P. 19(1968)227
Hopsu-Havu, V.K., Jansén, C.T., Järvinen, M.
A human serum aminopeptidase capable of splitting juxtaterminal bonds involving proline. Basic characteristics, normal values and clinical variations 28(1970)25
Hørder, K., Hørder, M.
Plasma haptoglobin and physical exercise: changes in healthy individuals concomitant with a strenuous march 30(1970)369
Hørder, M. see Hørder, K. 30(1970)369
Horký, J., Placer, Z., Sousek, O.
Some clinical and experimental observations on serum peptidase activity in hepatic disorders 16(1967)279
Horn, D.B., Squire, C.R.
An improved method for the estimation of ammonia in blood plasma 17(1967)99
Horton, B.F. see Boyd, E.M. 16(1967)333
Hosain, F., McIntyre, P.A., Poulose, K., Stern, H.S., Wagner, Jr., H.N.
Binding of trace amounts of ionic indium-113m to plasma transferrin 24(1969)69
Hosoyama, Y., Fukuda, Y., Shimadate, T.
Paper chromatography of alkaline phosphatase isoenzymes 18(1967)141
Housley, J., Jones, L., Harvey, A.
Serum α-macroglobulins in rat amino-nucleoside nephrosis 21(1968)85
Houvras, Y. see Epstein, E. 20(1968)335
How, M.J., Long, V.J.W.
Separation and fractionation of hyaluronic acid from human synovial fluid on agarose gels 23(1969)251
Howard, S.M. see Keehan, M.F. 16(1967)215
Howe, R.B. see Bloomer, J.R. 29(1970)463
Howell, S.L. see Taylor, K.W. 22(1968)69
Hrba, J. see Dubovský, J. 17(1967)107
– – 19(1968)387
Hruska, K.J.
Interference of pyrophosphate in the determination of orthophosphate 22(1968)454
Hsia, D.Y.Y. see Inouye, T. 19(1968)169
Huberman, A., Soberon, G.
Albumin synthesis in liver slices of cirrhotic rats 29(1970)121
Hubl, W., Büchner, M.
Getrennte fluorometrische Bestimmung von freiem Cortisol und Corticosteron im Harn nach Dünnschichtchromatographie 21(1968)461
Hubmann, B., Monnier, D., Roth, M.
Une méthode de dosage rapide et précise de l'acide ascorbique: Application à la mesure des taux plasmatiques 25(1969)161
Hudson, A.J., Strickland, K.P., Wilensky, A.J.
Serum enzyme studies in familial hyperkalemic periodic paralysis 17(1967)331
Hülsmann, W.C., Eijkenboom, W.H.M., Koster, J.F., Fernandes, J.
Glucose-6-phosphatase deficiency and hyperlipaemia 30(1970)775
Hüttl, S. see Markovic, O. 16(1967)105
Hughes, B.P.
Serum creatine phosphokinase and haemolysis 21(1968)287
Hughes, R.D. see Rees, E.D. 21(1968)515
Huhnstock, K. see Meiser, J. 16(1967)1
Huijng, F.
A rapid enzymic method for glycogen estimation in very small tissue samples 30(1970)567
Huisman, T.H.J. see Boyd, E.M. 16(1967)333
– see Kitchens, J. 30(1970)839
– see Wrightstone, R.N. 22(1968)593
Hule, V.
Lactate dehydrogenase patterns of human lymphatic and myeloid leukocytes 17(1967)349
Hullin, R.P. see Chattaway, F.W. 26(1969)567
Hulsing-Hesseling, E., Cnossen-Groeneveld, M.L., Klein, F.
Detection of paraproteins in agar gel electrophoresis 18(1967)93
Hulsman, H.A.M. see Pries, C. 19(1968)181
Hultberg, B., Öckerman, P.A.
β-Glucosidase activities in human tissues. Findings in Gaucher's disease 28(1970)169
– see Öckerman, P.A. 25(1969)97
Humbel, R. see Kutter, D. 24(1969)211
Hunt, S.E., McCosker, P.J.
Bromsulphthaline fractional clearance in normal beef cattle 18(1967)133
Hunziker, K. see Yoshizaki, H. 23(1969)147
Hurley, P.J. see Scott, P.J. 21(1968)411
Husek, P. see Felt, V. 23(1969)331

Hutcheson, C.E. see Greer, M. 22(1968)460
Hyánek, J., Bremer, H.J., Slavik, M.
'Homocystinuria' and urinary excretion of β-amino acids in patients treated with 6-azauridine 25(1969)288
Hyldgaard-Jensen, J., Valenta, M., Jensen, S.E., Moustgaard, J.
A study of the determination of lactic dehydrogenase isoenzymes by means of agar gel and starch–agar gel zymograms 22(1968)4
Hywel Jones, J. see Gompertz, D. 18(1967)197

I

Ibbott, F.A. see Winkelman, J. 26(1969)25,33
– – 27(1970)181
Ichida, T., Hine, N.
Improvement of Baginski's method for phosphorus determination 23(1969)378
Ichida, T., Nobuoka, M.
Determination of serum copper with atomic absorption spectrophotometry 24(1969)299
– –
Measurement of total and direct bilirubin in low concentration of normal human serum with improved alkaline azobilirubin blue method 20(1968)532
– –
Ultramicro method for determination of total and direct bilirubin in serum by modified "alkaline azobilirubin blue" reaction 19(1968)249
– Osaka, T., Kojima, K.
A simple method for the determination of serum iron 22(1968)271
Idéo, G. see Fiorelli, G. 25(1969)177
Iivanainen, M. see Laitinen, O. 21(1968)321
Imai, T. see Kobayashi, K. 25(1969)59
Imhof, J.W. see Bakker, H.D. 16(1967)195
– see Ballieux, R.E. 22(1968)7
Immich, H. see Frosch, B. 22(1968)294
Inglis, N.R. see Fishman, W.H. 19(1968)71
Inouye, T., Nadler, H.L., Hsia, D.Y.Y.
Galactose-1-phosphate uridyl transferase in red and white blood cells 19(1968)169
Irisa, T. see Hirayama, Ch. 21(1968)49
Ishikawa, T. see Murata, K. 28(1970)213
Ishitoya, Y., Itoh, Ch., Osawa, N., Hashimoto, I., Iwanaga, T., Nambara, T.
Gas chromatographic separation of tricarboxylic acid cycle components 27(1970)233
Ishizuki, Y. see Hidaka, H. 23(1969)383
Iskrić, S., Stancić, L., Kveder, S.
A new method for separation and quantitative determination of metabolites of tryptamines in biological material 25(1969)435
Israel-Budnick, S. see Morales-Malva, J.A. 17(1967)393
– – 18(1967)175
Itaya, K., Kadowaki, T.
An improved method for the colorimetric determination of free fatty acids 26(1969)401
It-Koon, T., Moss, D.W.
The estimation of intestinal alkaline phosphatase in human blood serum 25(1969)117
Ito, F. see Takahashi, Y. 18(1967)21
Itoh, Ch. see Ishitoya, Y. 27(1970)233
Itoh, K.F., Miyai, K., Kimura, K., Abe, H., Kumahara, Y.
Radio-immuno- and paper-electrophoretic analysis of 3,5,3′-L-triiodothyronine-binding proteins in normal human sera 30(1970)259
– see Miyai, K. 22(1968)341
Ittyerah, T.R.
Urinary excretion and serum levels of *N*-acetylneuraminic acid in kwashiorkor 29(1970)145
–
Urinary excretion of sulfate in kwashiorkor 25(1969)365
Ittyerah, Th.R. see Begum, A. 28(1970)263
– Dumm, M.E., Bachhawat, B.K.
Urinary excretion of lysosomal arylsulfates in kwashiorkor 17(1967)405
Iuchi, I. see Miyaji, T. 16(1967)347
Iverius, P.H.
Solubility of low density (β-)lipoproteins in the presence of dextran 20(1968)261
Iwabori, N. see Nakamura, N. 27(1970)47
Iwanaga, T. see Ishitoya, Y. 27(1970)233
Izquierdo, J.M., Ferrero, J., Romeo, D., Badia, J.L.S., Vigil, E.R.
Capillary blood potassium, chloride, sodium, calcium, phosphorus and alkaline phosphatase in the newborn 30(1970)343

J

Jackson, S.H.
Urinary sulfur excretion and whole-body protein catabolism. The effects of burns, age and protein restriction 22(1968)443
– Elliot, T.G.
The origin of the urinary peptide hydroxyproline in burns 23(1969)97
Jacobs, A., Miles, P.M.
The iron-binding properties of gastric juice 24(1969)87
– see Cavill, I.A.J. 16(1967)343
Jacobs, W.L.W., Zondag, H.A.
Radioisotope assay of vitamin B_{12} in human blood serum 24(1969)93
– –
Simple screening test for the evaluation of thyroid function 20(1968)113
Jacoby, R. see Contractor, S.F. 28(1970)317
Jacyszyn, K. and Laursen, T.
A method for determination of the heterogeneity of γ-glutamyltranspeptidase 19(1968)345
– see Laursen, T. 21(1968)497
Jänne, O.
Quantitative determination of neutral steroid mono- and disulphates in human urine 29(1970)529
Jänne, O., Vihko, R., Sjövall, J., Sjövall, K.
Determination of steroid mono- and disulfates in human plasma 23(1969)405
Jaenicke, U. see Bremer, H.J. 23(1969)244
Järvinen, M. see Hopsu-Havu, V.K. 28(1970)25
Jaillard, J. see Sezille, G. 29(1970)337
– see Warembourg, H. 18(1967)209
– – 20(1968)269
– – 22(1968)349
– – 23(1969)387
– – 28(1970)103
James, K.
Anti-lymphocyte serum 22(1968)101
James, V.H.T. see Corns, M. 22(1968)469
Janecki, J. see Krawczyński, J. 29(1970)43
Janiaud, P. see Engler, R. 26(1969)491
Janic, V. see Sloviter, H.A. 20(1968)423
Janicki, K. see Bobrzecka, K. 26(1969)580
Janosová, Z. see Grafnetter, D. 17(1967)493
Jansen, A.P., Peters, K.A., Zelders, T.
Modifications and improvements of a continuous flow system for colorimetric analysis 27(1970)125
– see Hafkenscheid, J.C.M. 30(1970)541
Jansén, C.T. see Hopsu-Havu, V.K. 28(1970)25
Jansen, F.H. see Fevery, J. 21(1968)401
Jarnulf, B. see Björnesjö, K.B. 20(1968)23
Jayle, M.F. see Borel, J.P. 16(1967)409
– see Engler, R. 26(1969)491
Jeanjean, M., Rousseau, M., Harvengt, C.
Nalidixic acid and urinary steroids 26(1969)179
– – –
Pénicillines et stéroides urinaires 25(1969)103
Jeanloz, R.W. see Poortmans, J.R. 17(1967)229,305
Jeffery, J. see Adey, G. 30(1970)544
Jenkins, F.P. see Wilkinson, J.H. 19(1968)397
Jenner, F.A. see Boyce, K. 16(1967)451
– – 23(1969)23
– see Crane, C.W. 24(1969)445
– see Pollitt, R.J. 25(1969)413
Jennings, R.C., Brocklehurst, D., Hirst, M.
A comparative study of alkaline phosphatase enzymes using starch-gel electrophoresis and Sephadex gel-filtration with special reference to high molecular weight enzymes 30(1970)509
Jensen, K.
Studies on two urinary Bence Jones proteins from a macroglobulinaemia patient 22(1968)29
Jensen, K.A.
Comments on quantitative estimation of immunoglobulins and other serum proteins by immunological methods 22(1968)47
Jensen, S.E. see Hyldgaard-Jensen, J. 22(1968)497
Jensen, W.E. see Lubran, M. 22(1968)125
Jergovic, I., Zuzić, I., Fisher-Herman, M., Straus, B.
A simple method for serum arginase determination 30(1970)765
Jevons, F.R. see McGale, E.F.F. 17(1967)441
Jösch-Locher, M. see Dubach, U.C. 21(1968)453
Johansson, S. see Gentz, J. 23(1969)257
Johansson, S.V., Plantin, L.O., Strandberg, P.O., Uusma, K.
Estimation of iron in human bone marrow with histological, chemical and neutron activation analysis 30(1970)549

Johnson, C. see Dror, Y. 28(1970)291
Johnson, J.W. see Hattner, R.S. 28(1970)67
Jolliff, C.R. see Uffelman, J.A. 28(1970)185
Jones, C.T. see Abraham, A. 22(1968)619
Jones, D.
Low molecular weight IgM as a pitfall in immunoglobulin quantitation by radial diffusion 29(1970)551
Jones, D.D.
Individual quantitative estimation of bile acid conjugates in normal and lithogenic bile 19(1968)57
Jones, H. see Hähnel, R. 16(1967)185
Jones, L. see Housley, J. 21(1968)85
Jones, R.L., McGeer, P.L., Greiner, A.C.
Metabolism of exogenous melatonin in schizophrenic and non-schizophrenic volunteers 26(1969)281
Joossens, J.V.J. see De Moor, P. 30(1970)311
Joseph, S. see Cassar, J. 23(1969)33
Josephson, B. see Friedner, S. 24(1969)171
Jóźwiak, W. see Snigurowicz, J. 22(1968)187
Jung, D.H. see Parekh, A.C. 27(1970)373
Jungfer, H. see Roelcke, D. 27(1970)211
Justice, P. see Monteleone, P.L. 18(1967)275
Juul, P.
Human plasma cholinesterase isoenzymes 19(1968)205

K

Kaas, W.P. see Brodehl, J. 28(1970)409
Kadowaki, T. see Itaya, K. 26(1969)401
Kärkkäinen, J. see Seppälä, P. 16(1967)115
Käser, H., Thomke, E.
Quantitative fluorimetric determination of urinary 3-methoxytyramine 27(1970)203
Kahane, Z., Mowat, J.H., Vestergaard, P.
Gas-chromatographic estimation of 3-methoxy-4-hydroxy phenylglycol after transformation to vanillin methoxime trimethylsilyl ether 30(1970)683
– – –
Gas-chromatographic estimation of urinary vanillylmandelic acid after transformation to vanillin methoxime trimethylsilyl ether 26(1969)307
– Vestergaard, P.
Column chromatographic separation and fluorimetric estimation of metanephrine and normetanephrine in urine 25(1969)453
Kahlke, W. see Rapp, W. 19(1968)493
– see Wollenweber, J. 29(1970)411
Kaldor, J.
Aldolases as liver function tests. Fructose-1-phosphatase and fructose-1,6-diphosphatase 28(1970)145
Kales, A. see Clark, B.R. 27(1970)364
Kalff, M.W.
A population study on serum immunoglobulin levels 28(1970)277
Kalima, T., Kivirikko, K.I., Laitinen, O., Uitto, J.
Urinary free and total hydroxyproline in hyperparathyroidism and the effect of removal of parathyroid adenoma 19(1968)443
Kalinowsky, W. see Schröter, W. 25(1969)283
Kanazawa, Y., Hattori, M., Hosaka, K., Nakao, K.
The relationship of NADH-dependent diaphorase activity and methemoglobin reduction in human erythrocytes 19(1968)524
Kang, K.W. see Christian, J.C. 21(1968)289
Kański, M. see Zachara, B. 18(1967)127
Kanter, S.L.
Acetone as a source of error in the colorimetric determination of meprobamate 17(1967)147
Mannitol as a primary standard in the determination of triglycerides 16(1967)177
Kaplan, J.C. see Boguslawska-Jaworska, J. 26(1969)459
– see Léric, H. 29(1970)523
– see Rosa, R. 29(1970)209
Karat, A.B.A. see Cherian, M.G. 25(1969)395
Karcher, D. see Adriaenssens, K. 18(1967)351
– – 23(1969)449
– see Chamoles, N. 30(1970)337,359
Karoum, F., Anah, C.O., Ruthven, C.R.J., Sandler, M.
Further observations on the gas-chromatographic measurement of urinary phenolic and indolic metabolites 24(1969)341
– Ruthven, C.R.J., Sandler, M.
Gas-chromatographic measurement of phenolic acids and alcohols in human urine 20(1968)427
Karpouzas, J. see Liakakos, D. 26(1969)197
Kato, K. see Kobayashi, K. 25(1969)59
Katsuki, S. see Goto, I. 30(1970)795
Kawamoto, H. see Usui, T. 30(1970)595,663
Kawamura, S. see Nakayama, F. 17(1967)53
Kay, H.L., Warren, F.L.
Determination of 17-oxosteroid sulphates in human plasma 18(1967)249
Keehan, M.F., Smith, M.J., Howard, S.M., Mehl, J.W., Beigelman, P.M.
Absence of insulin-like or insulin-binding action of α_2-macroglobulin 16(1967)215
Keiser, H.R., Sjoerdsma, A.
Direct measurement of the rate of collagen synthesis in skin 23(1969)341
Kekki, M. see Koskelo, P. 17(1967)339
– see Miettinen, T.A. 18(1967)395
Kekomäki, M.P., Räihä, N.C.R., Bickel, H.
Ornithine-ketoacid aminotransferase in human liver with reference to patients with hyperornithinaemia and familial protein intolerance 23(1969)203
– see Rahiala, E.L. 30(1970)761
Keler-Bacoka, M.
A specific property of the plasmocytoma serum paraprotein lipids with respect to lipid precipitation by heparin 16(1967)365

– Die papierelektrophoretische Beweglichkeit des Haptoglobins im Bereiche der α_1- und α_2-Globuline 25(1969)225
– Pucar, Z. Two-dimensional electrochromatography of human haptoglobin and plasma protein–hemoglobin complexes 23(1969)431
– see Stojanovski-Bubanj, A. 25(1969)478
Kelleher, J., Walker, B.E., Losowsky, M.S. An assessment of the Van de Kamer method for estimation of faecal fat 30(1970)267
– see Davies, T. 24(1969)431
Keller, H.E., Weidler, K., Ammon, U. A semiautomated method for the determination of serum thyroxine (T_4) without incineration 29(1970)579
– see Müting, D. 27(1970)177
Kelly, S., Belorit, A., Copeland, W. Factors affecting LDH isoenzyme patterns of muscle 18(1967)483
– Copeland, W., Leikhim, E. Aminoaciduria in a homocystinuric family 26(1969)586
– – Smith, R.O. A fluorescent spot test for creatine kinase 21(1968)431
Kelman, G.R. Nomogram for calculation of buffer line shift due to reduction of haemoglobin at constant P_{CO_2} 22(1968)277
Kench, J.E. see Potgieter, G.M. 18(1967)107
Kennedy, J.F., Sinnette, C.H., Familusi, J.B. A new method for the chemical identification of a mucopolysaccharidosis Hurler's syndrome with giant hydrocephalus 29(1970)37
Kenworthy, R. see Porter, P. 23(1969)397
Kerkhoff, J.F. A rapid serum screening test for increased osteoblastic activity 22(1968)231
– Peters, H.J. A reproducible estimation of the urobilin concentration in urine by means of a modified Schlesinger test 21(1968)133
Khan, I.A. see O'Gorman, L.P. 29(1970)111
Khuri, N.N. see Al-Khalidi, U.A.S. 29(1970)381
Kiley, R.F., Coleman, M.K. Isolation of C-reactive proteins of man, monkey, rabbit and dog by affinity chromatography on phosphorylated cellulose 30(1970)483
Kilgariff, M., Owen, J.A. An assessment of the "average of normals" quality control method 19(1968)175
Kimura, K. see Itoh, K.F. 30(1970)259
Kimura, N. see Hirayama, Ch. 21(1968)49
Kindmark, C.-O. Quantitative measurement of C-reactive protein in serum 26(1969)95
Kint, J.A. see Dacremont, G. 21(1968)421
Kissin, C. see Collombel, C. 29(1970)193
– see Cotte, J. 19(1968)215
Kitamura, M. see Nakayama, T. 30(1970)546
Kitchens, J., Huisman, T.H.J. The effect of pH on the uptake of methylene by human red cells 30(1970)839
Kivirikko, K.I. see Kalima, T. 19(1968)443
– see Laitinen, O. 21(1968)321
– see Uitto, J. 22(1968)583
Klein, B., Lucas, L.B., Searcy, R.L. Application of Fe(II)-5-pyridyl benzodiazepin-2-ones to the determination of serum iron and iron-binding capacity 26(1969)517
– Weber, B.K., Lucas, L., Foreman, J.A., Searcy, R.L. A new procedure for the determination of hemoglobin 26(1969)77
Klein, F. see Hulsing-Hesseling, E. 18(1967)93
Klein, U.E. Dünnschichtelektrophorese in Acrylamid- und Stärkegel auf mikroskopischen Objektträgern 16(1967)163
Kleine, T.O. Evidence for the release of enzymes from different organs in Duchenne's muscular dystrophy 29(1970)227
– Chlond, H. A method for testing heart involvement in progressive muscular dystrophy Erb 20(1968)393
Kleine, U. Gaschromatographische Untersuchungen der Fettsäuren der Neutralfette, Phospholipide und Cholesterinester reifer menschlicher Placentazotten *in vitro* 17(1967)479
– Studies on the lipid metabolism of villi of mature human placentas 17(1967)95
Klembala, M. see Széhács, I. 19(1968)523
Kliman, B. see Dufau, M. 25(1969)389
Klimek, R. Clinical studies on the balance between isooxytocinases in the blood of pregnant women 20(1968)233
– Małolepszy, E. Blood levels of cystine aminopeptidase (oxytocinase) in patients with toxic and simple goiter 22(1968)491
– – Evaluation of a rapid enzymatic method for determining placental function

(Klimek, R., Małolepszy, E.)
24(1969)349
Klingmüller, V., Nuglisch, W.
Rationelle Reinigung und Behandlung von Widmark-Kolben. Ein Beitrag zur Technisierung der Alkoholbestimmung 22(1968)463
– – Weyss, N.
Adaptation der Aethanol-Bestimmung von Widmark an die photometrische Auswertung und ein neues Nomogramm zur Auswertung von Rücktitrationen 22(1968)317
– see Kruse-Jarres, J.D. 29(1970)139
– see Meyer, J. 18(1967)69
Klokke, A.H., Thijssen, J.H.H.
Determination of unconjugated etiocholanolone in human plasma using gas–liquid chromatography 20(1968)167
Kloosterziel, W. see Hollemans, H.J.G. 23(1969)7
– – 24(1969)353
Knapp, G., Spitzy, H.
Ein neues System zur automatischen PBI-Bestimmung 30(1970)119
Knauff, R.E.
Sodium–potassium measurement interferences in various biological fluids 20(1968)135
– Adams, J.A.
Determination of the major proteins and mucoproteins in the duodenal fluid of cystic fibrosis and control subjects 19(1968)19
– –
Proteins and mucoproteins in the duodenal fluids of cystic fibrosis and control subjects 19(1968)245
Knedel, M. see Schwandt, P. 24(1969)267
– see Würz, H. 22(1968)458
Knott, A.R. see Curry, A.S. 30(1970)115
Knott, L. see Rubin, M. 18(1967)409
Knowles, J.P. see Gompertz, D. 18(1967)197
Kobayashi, K., Kato, K., Maeda, K., Imai, T.
Studies on LDH isozyme in human contracted kidney and in rabbit kidney after renal arterial stenosis 25(1969)59
Kocent, A. see Tobiska, J. 29(1970)385
Koedam, J.C.
Creatine phosphokinase, modified fluorometric method 23(1969)63
Koeppen, A.H.
A modified assay procedure for carboxylic ester hydrolases 26(1969)71
Koestner, A. see Nagode, L.A. 26(1969)45,55
Koevoet, A.L., Baars, J.D.
The determination of urinary hydroxyproline 25(1969)39
– see Van der Slik, W. 27(1970)325
Koga, S. see Hirayama, C. 19(1968)37
Kohn, J.
A multi-sample applicator for zone electrophoresis 18(1967)65
Koide, T. see Semenza, G. 25(1969)213
Koizumi, T., Mukuda, T., Nakamura, N., Abe, H.
Urinary and tissue acid mucopolysaccharides in rat with connective tissue proliferation 26(1969)477
– see Nakamura, N. 27(1970)47
Kojima, K. see Ichida, T. 22(1968)271
Kolar, Z. see Lancee, F.J. 25(1969)239
Konieczny, L. see Bobrzecka, K. 18(1967)117
– – 26(1969)580
Konopka, K., Leyko, W., Gondko, R., Sidorczyk, Z., Fabjanowska, Z., Swedowska, M.
Studies on the compounds of ATP and iron, isolated from human erythrocytes 24(1969)359
Konttinen, A.
A further simplified method of ornithine carbamoyltransferase measurement 21(1968)29
–
Simple method for determination of ornithine transcarbamylase activity in serum 18(1967)147
– Lindy, S.
Lactate dehydrogenase activity in high pyruvate concentrations modified by urea 16(1967)377
– Viherkoski, M.
Blood transketolase and erythrocyte glucose-6-phosphate dehydrogenase activities in thyrotoxicosis 22(1968)145
– see Lindy, S. 17(1967)223
Kopitar, M. see Lebez, D. 16(1967)267
Korf, J.
The determination of 5-hydroxytryptamine in human urine 23(1969)483
– Sebens, J.B.
Determination of O-conjugates of 5-hydroxytryptamine in human urine 27(1970)149
– Valkenburgh-Sikkema, T.
Fluorimetric determination of 5-hydroxyindoleacetic acid in human urine and cerebrospinal fluid 26(1969)301
– see Van Woudenberg, F. 27(1970)313
Kosaka, K. see Kanazawa, Y. 19(1968)524
Kosin, D. see Kunz, F. 27(1970)185
Koskelo, P., Kekki, M., Wager, O.
Kinetic behaviour of ^{131}I-labelled myoglobin in human beings 17(1967)339
– Toivonen, I.

Isomer type of free coproporphyrin in normal human erythrocytes 21(1968)291
– – Rintola, P.
The binding of ^{14}C-labelled porphyrins by plasma proteins 29(1970)559
Koster, J.F. see Hülsmann, W.C. 30(1970)775
Kotanová, E. see Odavić, R. 25(1969)291
Koutras, D.A. see Levis, G.M. 20(1968)127
Kovariková, H. see Shejbal, J. 16(1967)324
Kraicer, J., Conrad, R.G., Bicknese, M.B.
Abnormally high plasma corticosterone values using the acid fluorescence method 23(1969)512
Kraj, M. see Snigurowicz, J. 22(1968)187
Krasner, J., Spencer, R.A., Yaffe, S.J.
Isolation of biliverdin from amniotic fluid 23(1969)437
Kratzing, C.C. see Chahl, J.S. 26(1969)177
Kraus, W. see Müting, D. 27(1970)177
Krause, U., Raunio, V.
Micro gel electrophoresis 17(1967)251
Krawczyńska, H.
Quantitative Bestimmung der IgG mittels Rivanol im Verlauf der primär chronischen Polyarthritis bei Kindern 25(1969)423
– Janecki, J., Wiatrak, W.
Verteilung der 1-Alanyl-peptidhydrolase Aktivität im menschlichen Serum und in Organ-Homogenate mit Hilfe der Sephadex G-200 Gel-Chromatographie 29(1970)43
– see Bowkiewicz-Surma, E. 16(1967)29
– see Rosnowska, M. 20(1968)7
Kreutzer, H.J.H., Meulendijk, P.N.
A method for the determination of estriol in urine during pregnancy 22(1968)481
Krieg, A.F., Gorton, S., Henry, J.B.
Effect of temperature on activity and lactate optima of LDH isoenzymes 17(1967)363
Krijgsman, W., Mansveld, J.F., Griepink, B.
A simple and rapid semi-automatic micro-method for the determination of chloride in serum and urine 29(1970)575
Krishnaswamy, K., Ramana Murthy, P.S.V.
Mental changes and platelet serotonin in pellagrins 27(1970)301
Krüskemper, H.L. see Herrmann, J. 24(1969)457
Kruse-Jarres, J.D., Klingmüller, V.
Discontinuous enzymatic analysis of galactose by means of an Autoanalyzer 29(1970)139
Kuchmak, M. see Williams, J.H. 25(1969)447
– – 28(1970)247
Kueppers, F., Fallat, R.J.
α_1-Antitrypsin deficiency: A defect in protein synthesis 24(1969)401
Kuijlman, F.F. see Zurcher, C. 25(1969)139
Kulhánek, V., Appelt, J.
A new simple and rapid method for the determination of total serum bilirubin 20(1968)29
– see Dimov, D.M. 16(1967)271
Kullander, S. see Laurell, C.-B. 25(1969)294
Kumahara, Y. see Itoh, K.F. 30(1970)259
– see Miyai, K. 22(1968)341
Kunz, F., Kosin, D.
Plasma phospholipids in cirrhosis of liver and fatty liver 27(1970)185
Kunze, D., Olthoff, D.
Der Lipidgehalt menschlicher Skelet-muskulatur bei primären und sekundären Myopathien 29(1970)455
Kupfer, S. see Hirsch, C. 18(1967)322
– see Oreskes, I. 21(1968)303
– – 26(1969)185
Kupferberg, H.J.
Quantitative estimation of diphenylhydantoin, primidone and phenobarbital in plasma by gas–liquid chromatography 29(1970)283
Kurcz, M. see Baranyai, P. 16(1967)449
Kutayli, F. see Wakid, N.W. 30(1970)527
Kutter, D., Humbel, R.
Screening for sulfite oxidase deficiency 24(1969)211
Kuypers, A.M.J. see Van de Calseyde, J.F. 25(1969)345
– – 27(1970)139
Kveder, S. see Iskrić, S. 25(1969)435

L

Labrosse, E.H. see Shimizu, H. 22(1968)623
Lafargue, P. see Lemontey, Y. 30(1970)713
Lafont, H. see Hauton, J.C. 17(1967)171
– – 20(1968)491
– see Sarles, H. 19(1968)147
Laitinen, O., Uitto, J., Iivanainen, M., Hannuksela, M., Kivirikko, K.I.
Collagen metabolism of the skin in Marfan's syndrome 21(1968)321
– see Kalima, T. 19(1968)443
– see Uitto, J. 22(1968)583
Lamberg, B.-A. see Uitto, J. 22(1968)583
Lancee, F.J., Glaser, B.E.A., Kolar, Z., Liem, T.L., Leijnse, B.
A simple automatic colorimeter with digital results adapted to computer processing 25(1969)239
Lange, C.F.
A method for enhancing visualization of precipitin lines in agar analysis 18(1967)91
–
A simplified batch method for the isolation of α_1-glycoproteins from normal and pathological serums and urines 18(1967)459
Langelaan, D.E., Losowsky, M.S., Toothill, C.
Haem synthetase activity of human blood cells 27(1970)453
– – –
Heam synthetase in human blood 26(1969)245
Langley, T.J., Weiss, J.B.
Failure to detect α_1-acid glycoprotein by normal staining methods after zone electrophoresis 18(1967)241
Lansdell, J. see Dance, N. 27(1970)87
La Porte-Wijsman, L.W. see Statius van Eps, L.W. 17(1967)449
La Porte-Wijsman, L.W. see Statius van Eps, L.W. 27(1970)501
Laterre, E.C. see Walravens, Ph. 19(1967)335
– – 19(1968)107
Latner, A.L. see Dale, G. 24(1969)61
– see Dewar, J.H. 28(1970)149
Laurell, C.-B., Kullander, S., Thorell, J.
Plasma protein changes induced by sequential type of contraceptive steroid pills 25(1969)294
– see Fagerhol, M.K. 16(1967)199
Laurell, S., Tibbling, G.
Colorimetric micro-determination of free fatty acids in plasma 16(1967)57
– –
The use of blood glycerol determination in the diagnosis of hyperthyroidism 21(1968)127
Laurent, B. see Hauton, J.C. 17(1967)171
Laursen, T., Jacyszyn, K.
Fluorimetric determination of the electrophoretic heterogeneity of γ-glutamyl-transpeptidase 21(1968)497
– see Jacyszyn, K. 19(1968)345
Lausing, E. see Björnesjö, K.B. 20(1968)23
Lavery, T.D.
A simplified method for estimating plasma uric acid 21(1968)415
Leach, H., Hammond, K.B.
Gas chromatography of some reduction products of urinary steroids 21(1968)23
– Toseland, P.A.
The determination of barbiturates and some related drugs by gas chromatography 20(1968)195
Leathwood, P.D., Plummer, D.T.
Starch block electrophoresis of lactate dehydrogenase isoenzymes in phosphate buffer 27(1970)219
Lebez, D., Kopitar, M.
A micro method for the determination of cathepsin activity using paper chromatography 16(1967)267
Lebreton de Vonne, T., Gutman, N., Mouray, H.
Les α-macroglobulines du lapin au cours de la réaction inflammatoire 30(1970)603
Lechi, A. see Lechi, C. 24(1969)181
Lechi, C., Lechi, A., Lo Cascio, V.
Impaired ammonia metabolism in severe hepatic disease 24(1969)181
Lee, Poh Chun, Wood, P.J.
Gas–liquid chromatographic determination of oestriol and oestetrol in late pregnancy urine 30(1970)221
Lefèvre, M. see Schuller, E. 30(1970)73
Lehmann, F.-G,
Molekulargewichtsbestimmungen durch Gelchromatographie an Sepharose-6B 28(1970)335
– see Falkenberg, F. 23(1969)265
Lehmann, V.

Direct determination of lithium in serum by atomic absorption spectroscopy 20(1968)523
Lehtonen, A. see Seppälä, P. 16(1967)115
Leijnse, B. see Blijenberg, B.G. 19(1968)97
– – 26(1969)577
– see Lancee, F.J. 25(1969)239
Leikhim, E. see Kelly, S. 26(1969)586
Lemontey, Y., Meunier, J., Lafargue, P.
Recherche, identification et dosage en toxicologie d'urgence des 5-H-dibenzo-(b,f)-azépines dans les milieux biologiques 30(1970)713
Léric, H., Kaplan, J.-C., Broun, G.
Dosage enzymatique de l'alcool sanguin par microméthode colorimétrique 29(1970)523
Leroux, J.P. see Cartier, P. 22(1968)165
– – 29(1970)261
Lesch, P.
The development of the neutral lipids and fatty acids in the brain of man, whales and dolphins 25(1969)269
Lesk, D. see Perry, T.L. 30(1970)721
Leung, F.Y.T. see Griffiths, J.C. 30(1970)395
Leupold, D. see Bremer, H.J. 23(1969)244
Lev, M. see Machtey, I. 28(1970)507
Lévai, J. see Bihari-Varga, M. 22(1968)355
Levallois, C. see Claude, J.R. 19(1968)231
Levell, M.J., Cottam, T.K.
The rapid estimation of pregnanediol in urine 23(1969)231
Levin, K. see Friedner, S. 24(1969)171
Levis, G.M., Koutras, D.A., Vagenakis, A., Messaris, G., Miras, C., Malamos, B.
Thyroidal iodinated compounds in nodular goitre 20(1968)127
Levitt, J.I.
Acetoacetate and D-β-hydroxybutyrate concentrations in chronic renal insufficiency 24(1969)13
Levri, E. see Battistone, G.C. 30(1970)429
Lewandowski, J., Duda, W., Fabjanowska, Z., Leyko, W.
Erythrocyte metabolism of umbilical cord blood and venous blood during delivery 21(1968)175
Leyko, W.
Adenine nucleotides content of human blood hemolysates subjected to the action of $K_3Fe(CN)_6$ 16(1967)169
– Duda, W., Dmochowska, M., Politowska, R.
Erythrocyte metabolism of sideropoenic and haemolytic anaemia patients 28(1970)161
– see Gregor, J. 20(1968)531
– see Konopka, K. 24(1969)359
– see Lewandowski, J. 21(1968)175
– see Milewska, Z. 18(1967)485
– see Zachara, B. 18(1967)127
Liakakos, D., Matsaniotis, N., Karpouzas, J., Morphis, L., Agathopoulos, A.
Ascorbic acid malabsorption in thalassaemia 26(1969)197
Lie-Injo, L.E., Lopez, C.G., Hart, P.L. de V.
Erythrocyte carbonic anhydrase activity in health and disease 29(1970)541
Liem, T.L. see Lancee, F.J. 25(1969)239
Lightstone, P.J. see Smith, I. 19(1968)499
– – 25(1969)17
Lillard, Y. see Rinderknecht, H. 19(1968)327
Lindblad, B. see Gentz, J. 23(1969)257
Lindenhayn, K. von, Hirthe, D.
Ein Beitrag zur Bestimmung von Citronensäure in biologischem Material, insbesondere im Knochen 17(1967)149
Lindgren, F.T. see Nichols, A.V. 20(1968)277
Lindlbauer, R. see Schwandt, P. 24(1969)267
Lindstedt, S. see Gentz, J. 23(1969)257
Lindy, S., Konttinen, A.
Clinical applicability of urea–LDH test in various pyruvate concentrations 17(1967)223
– see Konttinen, A. 16(1967)377
– see Uitto, J. 30(1970)741
Lippi, C. see Cao, A. 23(1969)475
Lippi, U., Guidi, G.
A new colorimetric ultramicromethod for serum glutamic–oxalacetic and glutamic–pyruvic transaminase determination 28(1970)431
– – Pavan, R.
Improvement of a new SGOT and SGPT ultramicro method. Calibration procedure 30(1970)845
Lipscomb, H.S. see Di Ferrante, N. 30(1970)69
Lisboa, B.P. see Böttiger, L.E. 16(1967)109
Little, J.A. see Buckley, G.C. 23(1969)53
Little, J.H. see Behal, F.J. 21(1968)347
Lloyd, J.K. see Barnard, G. 28(1970)417
Lo Cascio, V. see Lechi, C. 24(1969)181
Loeven, W.A.
Elastolipoproteinase: an eserine-resistant esterase? Further purification and characterization of this pancreatic enzyme 30(1970)165
–
Susceptibility of various kinds of elastin to elastolytic enzymes, trypsin and chymotrypsin 27(1970)521
Lofberg, R. see Battistone, G.C. 30(1970)429
Logan, R.W. see Barnard, W.P. 29(1970)401
Lok, L.S.U. see Ma, L. 25(1969)263

Long, V.J.W. see How, M.J. 23(1969)251
Longe, O. see McFarlane, H. 29(1970)273
Loos, J.A. see Zurcher, C. 25(1969)139
Lopez, C.G. see Lie-Injo, L.E. 29(1970)541
López, V., Golder, S.
A new immunodiffusion method for quantitative determination of proteins in biological fluids based on a separate application of antibody and antigen to small agar discs 21(1968)517
Losowsky, M.S. see Davies, T. 24(1969)431
– see Keilleher, J. 30(1970)267
– see Langelaan, D.E. 26(1969)245
– – 27(1970)453
Louis-Fernand, R., Blatt, W.F.
Quantitative immunoassay by disc electrophoresis 16(1967)259
Louisot, P. see Guidollet, J. 23(1969)121
– – 27(1970)133
– – 30(1970)689
Lower, Jr., G.M., Murphy, S.B., Bryan, G.T.
Utilization of ion-exchange chromatography in the isolation and colorimetric assay of *p*-aminophenyl glucuronide derivatives in human urine 29(1970)421
Loxley, R. see Bergman, I. 27(1970)347
Lubash, G.D., Hammel, E.C., Mearles, R.J.
Serum angiotensinase activity in hypertension 18(1967)439
– –
Determination of serum and plasma angiotensinase activity 17(1967)445
Lubran, M., Jensen, W.E.
Determination of LDH isoenzymes in serum: a urea inhibition method compared with an electrophoretic method 22(1968)125
Lubrano, T. see Dietz, A.A. 27(1970)225
Lucarelli, P. see Bottini, E. 30(1970)831
Lucas, L.B. see Klein, B. 26(1969)77,517
Ludescher, E., Hohenwallner, W.
Der Einfluss von menschlichem Wachstumshormon auf die Glykolyse im menschlichen Erythrocyten *in vitro* 24(1969)423
– see Hohenwallner, W. 28(1970)255
Lundh, B.
A macromolecular serum lactate dehydrogenase activity in a case of leukemia 16(1967)305
Lundquist, A. see Tibbling, G. 25(1969)189
Lutz, P. see Nützenadel, W. 29(1970)151
Luzzatto, L. see McFarlane, H. 17(1967)325
Lyall, W.A.L. see Godse, D.D. 26(1969)89
Lynch, S.S. see Butt, W.R. 22(1968)79

M

Ma, L.
The formation of biliary mud in Chinese liver fluke infections 19(1968)7
– Lok, L.S.U.
Some properties of lactate dehydrogenase in hydatidiform mole and normal placenta 25(1969)263
Maas, A.H.J.
A titrimetric method for the determination of actual bicarbonate in cerebrospinal fluid and plasma or serum 29(1970)567
–
pH determination of body fluids with a micro glass electrode and a saturated KCl bridge in the cell 28(1970)373
– Hamelink, M.L., De Leeuw, R.J.M.
An evaluation of the spectrophotometric determination of HbO_2 HbCO and Hb in blood with the CO-Oximeter IL 182 29(1970)303
– Mertens, P.J.
The measurement of the P_{CO_2} and P_{O_2} of blood with electrodes in an open cuvette system 28(1970)443
McCosker, P.J. see Hunt, S.E. 18(1967)133
McCraw, A., Sim, A.K.
A technique for the preparation of a "buffy layer" using Dextran 500 25(1969)286
McCullough, H.
A simple micro technique for the determination of blood ammonia and a note on the effect of excercise 19(1968)101
–
The determination of ammonia in whole blood by a direct colorimetric method 17(1967)297
McDonald, T.J. see Griffiths, J.C. 30(1970)395
McEwan, A.D., Fisher, E.W., Selman, I.E., Penhale, W.J.
A turbidity test for the estimation of immune globulin levels in neonatal calf serum 27(1970)155
McFarlane, H., Akinkugbe, O.O., Adejuwon, A.C., Oforofuo, I.A.O., Onayemi, O.A., Longe, O,, Ojo, O.A., Reddy, S.
Biochemical normals in Nigerians with particular reference to electrolytes and urea 29(1970)273
– Ngu, V.A., Udeozo, I.O.K., Osunkoya, B.O., Luzzatto, L., Mottram, F.C.
Some acute phase proteins in Burkitt lymphoma in Nigerians 17(1967)325
McGale, E.F.F., Jevons, F.R.
Isolation of two new glycopeptide fractions from human urine 17(1967)441
McGeer, P.L. see Jones, R.L. 26(1969)281
McGeown, M.G. see Oreopoulos, D.G. 20(1968)349
McGlashan, D.A.K., Pilkington, T.R.E.
A method of lipoprotein electrophoresis using agarose gel 22(1968)646
McGowan, G.K. see Walker, W.H.C. 27(1970)421
McGregor, R.F.
A gas-powered automated sample system for gas chromatography 21(1968)191
McGuinness, R., Saunders, R.A.
Erythrocyte galactose-1-phosphate uridyl transferase and glucose-6-phosphate dehydrogenase activity in the population of the Rhondda Fach 16(1967)221
Machtey, I., Lev, M., Fischl, J.
High urinary pyrophosphate excretion in the acute phase of pseudogout 28(1970)507
McIntyre, P.A. see Hosain, F. 24(1969)69
McLennan, W.J., Parker Lewis, G.
Iron binding by tissue proteins 18(1967)371
MacWilliam, K.M., Moody, A.H., Silk, J.
Variation in alkaline phosphatase results using the method of Bessey, Lowry and Brock 17(1967)514
Madigan, P.M. see Shih, V.E. 24(1969)481
Maeda, K. see Kobayashi, K. 25(1969)59
Maesen, F.P.V. see Altmann, A.E. 20(1968)185
Magrina, N. see Brulles, A. 24(1969)261
– see Gras, G. 20(1968)295
Maharaj, K. see Quash, G. 30(1970)13
Mahler, R. see Belcher, R.V. 25(1969)45
– see Smith, S.G. 23(1969)241
Maier, K.-P., Pette, D.
Eine Mikromethode zur fraktionierten Extraktion extra- und intramitochondrialer Enzyme der Leber 29(1970)61
Maiorca, R., Scarpioni, L., Cambi, V., Carrara, G.C., Dall'Aglio, P.
Urinary protein clearances in chronic renal diseases with and without uremia 16(1967)253

Maison, C. see German, A. 22(1968)551
Makin, H.L.J., Warren, P.J.
A rapid and simple method for the specific estimation of glucose in blood 29(1970)493
Malamos, B. see Levis, G.M. 20(1968)127
– see Mantzos, J.D. 21(1968)501
Malasková, V., Holeysovská, H.
Lactic dehydrogenase isoenzymes of human leukocytes 24(1969)39
Malleson, A.G. see Frizel, D.E. 16(1967)45
Małolepszy, E. see Klimek, R. 22(1968)491
– – 24(1969)349
Mancini, M., Mills, G.L.
The distribution and composition of serum lipoproteins in hypocholesterolaemic men 17(1967)163
Mandel, P. see Genefke, I.K. 19(1968)131
– – 20(1968)61
Mandelbaum, I.M. see Fondu, P. 28(1970)111
Mandema, E. see Ruinen, L. 19(1968)49
– see Trip, J.A.J. 20(1968)479
– – 26(1969)371
Manowitz, P., Racevskis, J., Gilmour, D.G.
A modified assay for cystathionine synthase 28(1970)269
Mansfeld, V. see Rybák, M. 19(1968)405
Mansveld, J.F. see Krijgsman, W. 29(1970)575
Mantzos, J.D., Malamos, B.
A direct method for the chemical determination of serum inorganic iodine 21(1968)501
Manucci, P.M. see Pabis, A. 20(1968)449
Marasini, B. see Agostoni, A. 26(1969)351
Marbach, P. see Rinderknecht, H. 29(1970)107
Mardens, Y. see Adriaenssens, K. 18(1967)351
– – 23(1969)449
Margni, R.A., Acerbo, E.O., Heer, E., Hajos, S.E.
The importance of immunochemical analyses in the differential diagnosis of micro-globulinic myelomas 28(1970)451
– Heer, E.E., Acerbo, E., Hajós, S., Beliveau, M., Bobbi, M.E.
Immunochemical and genetic studies in two bisalbuminemic families 29(1970)219
Markovic, O., Hüttl, S.
Contribution to the estimation of aminotripeptidase activity in synovial fluid 16(1967)105
Marks, V. see Baylis, E.M. 30(1970)93
– see Frizel, D.E. 16(1967)45
Marlow, C.G., Sheppard, G.
[^{51}Cr]EDTA, [hydroxymethyl-^{14}C]inulin and inulin-T for the determination of glomerular filtration rate 28(1970)479
Labelled tracers of inulin for physiological measurements 28(1970)469
Marsh, N.A., Vere, D.W.
A comparative account of standard and urinary urokinase 16(1967)389
Martenet, A.C. see Curtius, H.-Ch. 19(1968)469
Marthaler, Th. see Semenza, G. 25(1969)213
Martin, H. see Scheffner, D. 16(1967)297
Martin, N.H.
Macroglobulinaemia 22(1968)15
Maruhn, D. see Werner, M. 29(1970)437
Maruna, R.F.L.
Isoenzyme von Phosphomonoesterasen in Körperflüssigkeiten und Geweben. Untersuchungen von "sauren" und "alkalischen" Phosphatasen im Harn 25(1969)133
– see Gründig, E. 30(1970)331
Marziuk, I. see Menache, R. 19(1968)33
Mason, C.C. see Best, W.R. 28(1970)127
Mason, J.I. see Bennet, A. 29(1970)161
Masszi, J. see Mecher, T. 24(1969)111
Masuya, T. see Hirayama, Ch. 21(1968)49
Mathan, V.I. see Swaminathan, N. 30(1970)707
Mathieu, H.P. see Mathieu-Nast, G. 21(1968)91
Mathieu, M. see Cotte, J. 19(1968)215
Mathieu-Nast, C., Mathieu, H.P., Blanquet, P.
Application de la méthode de Few à la mesure de la sécrétion du cortisol 21(1968)91
Matous, B. see Duchon, J. 16(1967)397
– – 18(1967)318,487
Matsaniotis, N., Danelatos-Athanassiadis, C., Agathopoulos, A., Charokopos, E., Constantsas, N.
Urinary excretion of catecholamines by children with collagen diseases 22(1968)195
– see Choremis, K.B. 17(1967)125
– see Danelatos-Athanassiadis, C.Th. 23(1969)153
– see Liakakos, D. 26(1969)197
Matsubara, T., Shibata, S.
Evaluation of the internationally standardized method for hemoglobinometry 23(1969)427
Matsuda, I., Shida, N.
Renal reabsorption and excretion of bicarbonate in normal children 24(1969)471
– Takeda, T., Shida, N.
Urinary acidification in children 20(1968)37
– see Yamada, M. 30(1970)757
– see Yamamoto, K. 22(1968)648
Matsushiro, T., Nemoto, T., Endo, M., Yosizawa, Z.
Glycoproteins and sulfated glycoproteins

isolated from human bile 30(1970)645
Mattenheimer, H. see Friedel, R. 30(1970)37
Matthijs, F. see Christophe, A. 16(1967)39
Mauldin, D. see Bir, K. 30(1970)183
Mearles, R.J. see Lubash, G.D. 18(1967)439
Mecher, T., Masszi, J.
Presence of L-amino-acid oxidase in the blood in pemphigus, dermatitis herpetiformis Duhring and herpes zoster 24(1969)111
Medgyesi, G.A., Gergely, J.
Rapid testing of γ_G-globulins for papain sensitivity 17(1967)308
Meduri, B. see Francavilla, A. 30(1970)415
Mehl, J.W. see Keehan, M.F. 16(1967)215
Meijers, C.A.M., Dalessi, J.J.Th.
The measurement of radioactivity in liquid samples with a modified Marinelli beaker 22(1968)456
– Rutten, J.C.J.M.
A simple rapid method for the determination of total nitrogen in urine 24(1969)308
– see Ebeling, J. 25(1969)174
– – 27(1970)214
Meiser, J., Huhnstock, K., Weicker, H., Charmot, G.
Studies on macroglobulinemia in tropical splenomegaly and in trypanosomiasis 16(1967)1
Melancon, S.B. see Perry, Th.L. 29(1970)369
– – 30(1970)721
Melartin, L. see Arvan, D.A. 22(1968)211
Melchior, J.C. see Clausen, J. 29(1970)197
Menache, R., Gaist, L.
An improved small-scale procedure for CPK determination 26(1969)591
– Rubinstein, I., Gaist, L., Marziuk, I.
Creatine kinase isoenzymes in normal and pathological sera 19(1968)33
Menninger, Jr., F.F., Esber, H.J., Bogden, A.E.
Isolation of α_2-glycoprotein from rat inflammatory serum 27(1970)385
Menzel, P., Oertel, W.
Inhibition of glucose-6-phosphate dehydrogenase by dehydroepiandrosterone 29(1970)195
– see Oertel, G.W. 27(1970)197
Mertens, P.J. see Maas, A.H.J. 28(1970)443
Messaris, G. see Levis, G.M. 20(1968)127
Métais, P. see Bieth, J. 20(1968)69
– – 22(1968)639
– – 24(1969)203
– – 30(1970)621
– see Férard, G. 30(1970)279
Metz, M., Pinsky, A., Wilkinson, J.H.
The inhibitory effect of the urea–urease system on human tissue alkaline phosphatases 30(1970)325
Meulendijk, P.N. see Kreutzer, H.J.H. 22(1968)481
Meunier, J. see Lemontey, Y. 30(1970)713
Meuwissen, F.H. see Fevery, J. 21(1968)401
Meyer, J., Droll, K., Klingmüller, V.
Ein Suchtest zur Erkennung der Phenylketonurie und eine semiquantitative Bestimmung des Phenylalanins im Blutplasma mit der Dünnschichtchromatographie 18(1967)69
Meyer-Rienecker, H. see Ftiemel, H. 18(1967)215
Mezey, E., Slater, K.C., Holt, P.R.
The source of the nothing dehydrogenase activity in normal serum 25(1969)11
Michalec, C. see Palek, J. 23(1969)133
Middleton, J.E.
Preparation and investigation of a stabilized glucose oxidase, peroxidase reagent for estimating glucose, using *o*-tolidine with an alkylaryl sulphonate and polyethylene glycol 22(1968)433
Mier, P.D., Wood, M.
A simplified technique for the analysis of tissue acid mucopolysaccharides 24(1969)105
Miesch, F. see Bieth, J. 24(1969)203
Miettinen, T.A.
Effect of nicotinic acid on catabolism and synthesis of cholesterol in man 20(1968)43
–
Fecal steroid excretion during weight reduction in obese patients with hyperlipidemia 19(1968)341
– Kekki, M.
Effect of impaired hepatic and renal function of [^{131}I] Bence Jones protein catabolism in human subjects 18(1967)395
Miholić, M., Vecerek, B.
Die Änderungen in den Serum- und Urinisoamylasen bei der Unterbindung des Ductus choledochus der weissen Ratte 16(1967)383
Mikac-Dević, D.
A new spectrophotometric method for determination of zinc in serum and urine 23(1969)499
–
A new method for the determination of serum iron 24(1969)293
–
Micromethod for copper determination in serum and urine with 1,5-diphenylcarbohydrazide 26(1969)127
– see Drezga, Z. 26(1969)317

Mikulecký, M.
Detailed study of the kinetics of plasma bromsulphthalein: new experimental findings and theoretical considerations 21(1968)43
Miles, P.M. see Jacobs, A. 24(1969)87
Miletić, D. see Stanulovic, M. 17(1967)353
Milewska, Z., Leyko, W.
Erythrocyte metabolism in hypoalbuminaemia 18(1967)485
Miller, R.L., Ressler, N.
The activity of serum deoxycytidylate deaminase in various diseases 26(1969)405
Mills, G.L., Seidel, D., Alaupovic, P.
Ultracentrifugal characterization of a lipoprotein characterizing obstructive jaundice 26(1969)239
– Taylaur, C.E.
The distribution of cholesterol in the low-density lipoproteins of human serum 22(1968)251
– – Wilkinson, P.A.
An analysis of the distribution of lipoprotein patterns in healthy men and in patients with myocardial infarction 26(1969)67
– see Mancini, M. 17(1967)163
– see Slack, J. 29(1970)15
– see Stone, M.C. 30(1970)809
Milon, H. see Badinand, A. 25(1969)357
Minchin Clarke, H.G., Freeman, T., Pryse-Phillips, W.E.M.
Serum protein values among patients with multiple sclerosis 30(1970)65
Mink, C.J.K., Schefman-Van Neer, R.H.G.C., Habets, L.
Die Bestimmung von Chromoxyd (Cr_2O_3) im Stuhl mittels trockener Veraschung 24(1969)183
Minohara, A. see Arakawa, K. 22(1968)309
Miras, C. see Levis, G.M. 20(1968)127
Mircevová, L. see Palek, J. 18(1967)39
– – 23(1969)133
Mitchell, F.L. see Broughton, P.M.G. 19(1968)297
– see Shackleton, C.H.L. 21(1968)105
Miyai, K., Itoh, K.F., Abe, H., Kumahara, Y.
Radioimmunoelectrophoretic analysis of thyroxine-binding proteins in normal human sera 22(1968)341
– see Itoh, K.F. 30(1970)259
Miyaji, T., Iuchi, I., Yamamoto, K., Ohba, Y., Shibata, S.
Amino acid substitution of hemoglobin Ube$_2$ (α_2 68Asp β_2): an example of successful application of partial hydrolysis of peptide with 5% acetic acid 16(1967)347
Mobarak, M.A., Brody, J.I.
Natural evolution and pathological alterations of lymphoid cell proteins. Electrophoretic patterns of soluble and insoluble components 30(1970)635
– –
Natural evolution and pathological alterations of lymphoid cell proteins. Immunochemical characteristics of soluble antigens 30(1970)609
– see Brody, J.L. 18(1967)205
Moberg, S. see Friedner, S. 18(1967)345
Moerkerk, C. see Van Munster, P.J.J. 29(1970)243
Mojzis, A., Ninger, E.
Relation of the activity of urinary dehydrogenase to the activity of glomerulonephritis 27(1970)145
Mok, C. see Perry, Th.L. 29(1970)369
Molnar, Gy.
A simple thin-layer chromatography method for the study of amino acids in cerebral tumors using frozen tissue slices 27(1970)535
Monnier, D. see Hubmann, B. 25(1969)161
Montague, W. see Taylor, K.W. 22(1968)71
Monteleone, P.L., Nadler, H.L., Justice, P., Yi-Ung Hsia, D.
Electrophoretic mobility of glucose-6-phosphate dehydrogenase in lymphocytes and granulocytes 18(1967)275
Montet, J.C. see Hauton, J.C. 20(1968)491
Montgomery, A. see Rosalki, S.B. 16(1967)440
Montreuil, J., Biserte, G., Strecker, G., Spik, G., Fontaine, G., Farriaux, J.-P.
Description d'un nouveau type de méliturie: la sialurie 21(1968)61
Moody, A.H. see MacWilliam, K.M. 17(1967)514
Mook, G.A., Van Assendelft, O.W., Zijlstra, W.G.
Wavelength dependency of the spectrophotometric determination of blood oxygen saturation 26(1969)170
Moore, R. see Ganguly, P. 17(1967)153
Moores, G.E. see Emery, A.E.H. 19(1968)159
Morales-Malva, J.A., Israel-Budnick, S., Sapag-Hagar, M.
Paralbuminura: Paper electrophoretic diagnosis of two albumins in the urine 17(1967)393
– – – Vallega-Magasich, A.
Chromatographic and electrophoretic studies on PAS-positive components of serum macroglobulins 18(1967)175
Morell, D.B. see Nichol, A.W. 22(1968)157
Moreno, P. see Schuller, E. 30(1970)73
Morgan, C.D., Ruthven, C.R.J., Sandler, M.

The quantitative assessment of isoprenaline metabolism in man 26(1969)381
Morgan, D.B. see Bijvoet, O.L.M. 26(1969)15
Morley, D.A. see Naftalin, L. 26(1969)297
Morphis, L. see Liakakos, D. 26(1969)197
Morrison, B.A. see Fleck, A. 30(1970)751
Morselli, P.L.
An improved technique for routine determinations of diphenylhydantoin in plasma and tissues 28(1970)37
Moskovtchenko, J.F. see Vincent, D. 28(1970)97
Moss, D.W., Thomas, D.M.
Modification of the electrophoretic mobility of serum alkaline phosphatase by acetylation 30(1970)835
– see It-Koon, T. 25(1969)117
– see Seitanidis, B. 25(1969)183
Mott, M.G. see Pennock, C.A. 27(1970)93
Mottram, F.C. see McFarlane, H. 17(1967)325
Mouray, H. see Lebreton de Vonne, T. 30(1970)603
Moustgaard, J. see Hyldgaard-Jensen, J. 22(1968)497
Mowatt, J.H. see Kahane, Z. 26(1969)307
– – 30(1970)683
Moxham, A., Nabarro, J.D.N.
Urinary testosterone excretion 22(1968)385
Mroueh, A.D., Adham, N.F.
α-Macroglobulin in human semen 28(1970)259
Mülhaupt, E. see Semenza, G. 25(1969)213
Müller, H. see Herrmann, J. 24(1969)457
Müller, G., Pfordte, K.
Ultrafiltrables und proteingebundenes Magnesium im Serum von Patienten mit Hyperlipidaemien 30(1970)583
Müller, K. von
Über eine einfache Sephadex-Trenntechnik zur Betsimmung der ^{131}Jod Verteilung im Blutserum 17(1967)21
Müller, M., Walker-Smith, J., Shmerling, D.H., Curtius, H.-Ch., Prader, A.
Lactulose: A gas–liquid chromatography method of determination and evaluation of its use to assess intestinal mucosal damage 24(1969)45
Müting, D., Heinze, J., Reikowski, J., Betzien, G., Schwarcz, M., Schmidt, F.H.
Enzymatic ammonia determination in the blood and cerebrospinal fluid of healthy persons 19(1968)391
– Keller, H.E., Kraus, W.
Quantitative colorimetric determination of free phenols in serum and urine of healthy adults using modified diazoreactions 27(1970)177
Muggeo, M., De Antoni, A., Allegri, G., Crepaldi, G., Costa, C.
The influence of nicotinamide on the urinary excretion of tryptophan metabolites in Hodgkin's disease 30(1970)779
Muir, J.R.
A rapid method for the assay of plasma lipoprotein lipase using "Intralipid" 17(1967)312
Muirhead, R.A. see Buckley, J.A. 28(1970)133
Mukuda, T. see Koizumi, T. 26(1969)477
Mul, N.A.J. see Bakker, H.D. 16(1967)195
– see Ballieux, R.E. 22(1968)7
Mulé, A. see Crotte, C. 27(1970)331
Muller, Ch.J. see Van Tilburg, A.M.J. 29(1970)5
Murai, N. see Hirayama, C. 19(1968)37
Murata, K., Ishikawa, T., Oshima, Y.
Enzymatic studies of urinary chondroitin sulfates in normal and systemic connective tissue disease states 28(1970)213
Murawski, K. see Snigurowicz, J. 22(1968)187
Murdoch, J.A., Heaton, F.W.
Enhancement of calcium absorption in the nitrous oxide–acetylene flame by sodium and potassium 28(1970)505
Murfin, P.A.
Estimation of creatine in jaundiced urine 21(1968)158
Murphy, S.B. see Lower, Jr., G.M. 29(1970)421
Musharrafieh, S. see Al-Khalidi, U.A.S. 29(1970)381
Mustea, I.
Modifications de l'activité de la cholinestérase sérique dans le diagnostic différentiel des processus néoplastiques 24(1969)453
–
Modifications de l'activité de la transaminase glutamique-oxalacétique sérique dans le diagnostic différentiel des processus néoplastiques 22(1968)201
–
Modifications de la cholestérolémie dans le diagnostic différentiel des processus néoplastiques 20(1968)285
–
Modifications de la glycémie dans le diagnostic différentiel des processus néoplastiques 18(1967)477
– see Bojan, O. 23(1969)335
Muto, Y. see Takagi, A. 20(1968)41
Myszkowska, K. see Van Eyk, H.G. 18(1967)101

N

Nabarro, J.D.N. see Moxham, A. 22(1968)385
Nabet, P. see Paysant, P. 23(1969)507
Nacht, S., San Martin de Viale, L.C., Grinstein, M.
Human porphyria cutanea tarda. Isolation and properties of the urinary porphyrins 27(1970)445
– see San Martin de Viale, L.C. 28(1970)13
Nadler, H.L. see Inouye, T. 19(1968)169
– see Monteleone, P.L. 18(1967)275
Näntö, V. see Seppälä, P. 16(1967)115
Naftalin, L., Child, V.J., Morley, D.A., Smith, D.A.
Observations on the site of origin of serum γ-glutamyltranspeptidase 26(1969)297
– Sexton, M., Whitaker, J.F., Tracey, D.
A routine procedure for estimating serum γ-glutamyltranspeptidase activity 26(1969)293
Naganna, B., Rajamma, M., Vasudeva Rao, K.
On the failure of enzyme paper strips to detect glucose in certain abnormal urines 17(1967)219
Nagasaka, A. see Hidaka, H. 23(1969)383
Nagatsu, T. see Hidaka, H. 23(1969)383
Nagode, L.A., Koestner, A., Steinmeyer, C.L.
Organ-identifying properties of alkaline phosphatases from canine tissues 26(1969)45
– – –
The effects of purification and serum proteins on the organ-identifying properties of alkaline phosphatases from canine tissues 26(1969)55
Nagy, I. see Baranyai, P. 16(1967)449
Naiman, J.L. see Sloviter, H.A. 20(1968)423
Najman, A. see Cartier, P. 22(1968)165
Nakamura, M. see Arawaka, K. 22(1968)309
Nakamura, N., Iwabori, N., Koizumi, T.
Serum hyaluronidase activity in chronic liver damage 27(1970)47
– see Koizumi, T. 26(1969)477
Nakao, K., Wada, O., Yano, Y.
δ-Aminoevulinic acid dehydratase activity in erythrocytes for the evaluation of lead poisoning 19(1968)319
– see Kanazawa, Y. 19(1968)524
– see Takagi, A. 20(1968)41
Nakayama, F., Kawamura, S.
Composition of lecithins 17(1967)53
Nakayama, T., Yoshida, M., Kitamura, M.
L-Leucine-sensitive, heat-stable alkaline phosphatase isoenzyme detected in a patient with pleuritis carcinomatosa 30(1970)546
Nambara, T. see Ishitoya, Y. 27(1970)233
Nanba, I. see Taniguchi, N. 29(1970)375
Neff, B.J. see Oh, S.I. 21(1968)1
Nemoto, T. see Matsushiro, T. 30(1970)645
Netsky, M.G. see Harrison, W.W. 21(1968)55
Neufeld, E. see Abramov, A. 23(1969)305
Neumann, H., Vreedendaal, M. van
An improved alkaline phosphatase determination with ρ-nitrophenyl phosphate 17(1967)183
Newton-John, H. see Dawson, J.B. 21(1968)33
Ngu, V.A. see McFarlane, H. 17(1967)325
Nichol, A.W., Morell, D.B.
Spectrophotometric determination of mixtures of sulphhaemoglobin and methaemoglobin in blood 22(1968)157
Nichols, A.V., Strisower, E.H., Lindgren, F.T., Adamson, G.L., Coggiola, E.L.
Analysis of change in ultracentrifugal lipoprotein profiles following heparin and ethyl-*p*-chlorophenoxyisobutyrate administration 20(1968)277
Nichols, R.B., Clamp, J.R.
Investigation of glycoprotein material associated with hepatic amyloid 17(1967)415
Nikkari, T., Viikari, J.
Anomalous mobilities of lipoproteins in cellulose acetate microelectrophoresis 24(1969)473
Nikkilä, E.A. see Raivio, K. 17(1967)275
Nikonov, J.M. see Alonso, G.L. 27(1970)549
Nilehn, J.-E.
Competition between plasmin and thrombin for α_2-macroglobulin 17(1967)511
– see Ganrot, P.O. 22(1968)335
Ninger, E. see Mojzis, A. 27(1970)145
Nishihara, H., Akedo, H., Okada, H., Hattori, S.
Multienzyme patterns of serum adenosine deaminase by agar gel electrophoresis: an evaluation of the diagnostic value in lung cancer 30(1970)251
Nivelon, J.L. see Cotte, J. 19(1968)215
Nixon, D.A.

The determination of fructose in biological fluids using anthrone 26(1969)167
Nixon, J.V. see Warburton, F.G. 18(1967)75
Nobuoka, M. see Ichida, T. 19(1968)249
– – 20(1968)532
– – 24(1969)299
Nordmann, Y. see Schapira, F. 26(1969)189
Nordschow, C.D.
Galactose measurement in human fluids using a generalized substrate–oxidase–ternary conjugate system 28(1970)89
Nordström, C.G.
A rapid method for estrogen determination in pregnancy urine 20(1968)239
Northam, B.E. see Dixon, K. 30(1970)453
Novák, K.
Coulometrische Bestimmung der unveresterten Fettsäuren in Serum und Plasma 30(1970)439
Nützenadel, W., Lutz, P.
Elution und dünnschichtchromatographische Auftrennung von Plasma-Aminosäuren aus mit Blut getränkten Filterscheibchen 29(1970)151
Nuglisch, W. see Klingmüller, V. 22(1968)317,463
Nusselt, L. see Rieder, H.P. 24(1969)159
Nuttall, F.Q.
Lack of seasonal variation in protein-bound iodine 28(1970)439
Nyssen, M., Dorche, J.
Application de l'automation à la détermination de l'activité guanasique du sérum humain 22(1968)363

O

Oakley, S.E. see Ersser, R.S. 30(1970)243
Oberman, Z., Chayen, R., Herzberg, M.
A rapid fluorimetric method for the determination of dopamine in urine 29(1970)391
O'Brien, J.S. see Ho, M.W. 30(1970)531
Ockerman, P.A.
Acid hydrolase in skin and plasma in gargoylism. Deficiency of β-galactosidase in skin 20(1968)1
–
Fluorimetric estimation of 4-methyl-umbelliferyl-α-mannosidase activity in blood plasma 23(1969)479
–
4-Methyl-umbelliferyl-β-glucosidase activity in human blood plasma 21(1968)279
–
Glucose-6-phosphatase assay on microgram amounts of liver tissue 17(1967)201
– Hultberg, B., Eriksson, Ö.
Enzyme patterns in tissues and body fluids in mucopolysaccharidoses 25(1969)97
– see Hultberg, B. 28(1970)169
Odavić, R., Kotanová, E.
The extraction of Congo Red by acetone in the performance of Bennhold's test 25(1969)291
Odds, F.C. see Chattaway, F.W. 26(1969)567
O'Dwyer, E.O. see Fottrell, P.F. 26(1969)584
Oei, T.L. see Carson, W.W. 30(1970)501
Oertel, G.W., Menzel, P., Bauke, D.
Effects of dehydroepiandrosterone and its conjugates upon the activity of glucose-6-phosphate dehydrogenase 27(1970)197
Oertel, G.W. see Menzel, P. 29(1970)195
– see Treiber, L. 17(1967)81
Oeser, R.-M. see Würz, H. 22(1968)458
Oforofuo, I.A.O. see McFarlane, H. 29(1970)273
Ognianov, M. see Tinterova, Z. 26(1969)583
– see Tsvetanova, E. 18(1967)87
O'Gorman, L.P.
Improved technique for the estimation of VMA in serum 23(1969)247
–
The estimation of vanilmandelic acid (VMA) in serum and urine by a radioactive ^{14}C labelling technique 19(1968)485
– Borud, O., Khan, I.A., Gjessing, L.R.
The metabolism of L-3,4-dihydroxyphenyl-alanine in man 29(1970)111
Oh, S.I., Neff, B.J., Block, W.D.
Soluble collagen in human serum 21(1968)1
O'Halloran, M.W., Studley-Ruxton, J., Wellby, M.L.
A comparison of conventionally derived normal ranges with those obtained from patients results 27(1970)35
Ohara, H., Watanabe, K., Wada, T.
Turnover rate of serum haptoglobin in malignant neoplastic diseases 19(1968)41
Ohba, Y. see Miyayi, T. 16(1967)347
Ohlsson, K.
A sensitive method for the determination of proteolytic activity *in vitro* by immunochemical quantitation of fibrinogen fragments 26(1969)131
–
Preparation of human fibrinogen free from plasminogen by an immunochemical technique 25(1969)221
Ojo, O.A. see McFarlane, H. 29(1970)273
Okada, H. see Nishihara, H. 30(1970)251
Okada, M. see Watanabe, M. 27(1970)461
Okuda, J.
A rapid polarographic microdetermination of glucose with glucose oxidase 23(1969)365
Olenczak, A.P. see Goodman, I. 16(1967)245
Olivo, J. see Southren, A.L. 30(1970)538
Olthoff, D. see Kunze, D. 29(1970)455
Onayemi, O.A. see McFarlane, H. 29(1970)273
Ono, T., Eto, K., Arakawa, K.
Origin of urinary enzymes hydrolysing β-naphthylamides of L-leucine and L-glutamic acid 19(1968)257
Op de Weegh, G.J. see Heerspink, W. 29(1970)191
Opferkuch, W. see Prellwitz, W. 20(1968)505
Oreopoulos, D.G., Soyannwo, M.A.O., McGeown, M.G.
The influence of gluconate and glucogalacto-gluconate on the fluorometric estimation of magnesium with *o,o*-dihydroxyazo-benzene 20(1968)349
Oreskes, I., Hirsch, C., Douglas, K.S., Kupfer, S.
Measurement of ionized calcium in human plasma with a calcium selective electrode 21(1968)303

– – Kupfer, S.
Application of an enzymatic technique for measurement of ammonia in whole blood 26(1969)185
– see Hirsch, C. 18(1967)322
Ortner, H.M. see Schreiber, B.E. 30(1970)129
Osaka, T. see Ichida, T. 22(1968)271
Osawa, N. see Ishitoya, Y. 27(1970)233
Oshima, Y. see Murata, K. 28(1970)213
Osunkoya, L. see McFarlane, H. 17(1967)325
Ott, H., Pirrwitz, D.
A new method for the determination of sulfobromophthalein in serum 22(1968)439
Ovenstone, J.A., Connon, A.F.
Optical density differencing: a new method for the direct measurement of bilirubin in liquor amnii 20(1968)397
Owen, G., see Ferdinand, W. 30(1970)745
Owen, J.A.
Automatic recording of pH-dependent reactions using linear pH-programming 17(1967)310
–
Range expansion in Auto-Analyzer recorders 29(1970)89
– Campbell, D.G.
A comparison of plasma electrolyte and urea values in healthy persons and in hospital patients 22(1968)611
– –
Laboratory quality control using patients' results 20(1968)327
– see Abernethy, M.H. 30(1970)463
– see Bennet, A. 29(1970)161
– see Bird, C.G. 24(1969)305
– see Gray, P. 24(1969)389
– see Kilgariff, M. 19(1968)175
Oziol, S. see Guidollet, J. 30(1970)689

P

Pabis, A., Sulis, E., Alessio, L., Manucci, P.M.
Cellogel electrophoresis of haemoglobins 20(1968)449
Pacovský, V. see Dubovský, J. 17(1967)107
– – 19(1968)387
Pal, S.B.
The secretion rate of cortisol in patients with rheumatoid arthritis 29(1970)129
Palatucci, F. see Vanzetti, G. 20(1968)215
Palek, J., Brabec, V., Mircevová, L., Volek, V., Friedman, B.
Red cell carbohydrate metabolism in primary refractory anemias 18(1967)39
– – Vopatová, M., Michalec, C., Mircevová, L.
The composition of red cell lipids and the activity of two enzymes of the erythrocyte membrane (ATPase and acetylcholinesterase) in primary refractory anemias 23(1969)133
Paletta, B., Panzenbeck, K.
Elektrometrische Jodbestimmung in organischem Material 26(1969)11
Paley, D.H. see Wilk, S. 16(1967)403
Palmarino, R. see Bottini, E. 30(1970)831
Palo, J., Saifer, A.
Free amino acids in Tay–Sachs and normal human brain gray matter 22(1968)327
– –
The amino acid composition of gray matter ganglioside-peptides of normal human and Tay–Sachs brains 27(1970)481
Pamer, T. see Glass, G.B.J. 16(1967)91
Panella, C. see Francavilla, A, 30(1970)415
Pannali, P., Rossi, A.
Potassium levels in serum and plasma 30(1970)218
Pantlitschko, M., Weippl, G.
A new method for quantitative haptoglobin determination 19(1968)439
– see Weippl, G. 29(1970)338
Panzenbeck, K. see Paletta, B. 26(1969)11
Parekh, A.C., Jung, D.H.
Serum inorganic phosphorus determination using *p*-phenylenediamine as reducing agent 27(1970)373
Parijs, J. see Broechoven, Ch. 20(1968)530
Parker, C.W. see Fisher, B.D. 30(1970)842
Parker Lewis, G. see McLennan, W.J. 18(1967)371
Parkes, J. see Teasdale, P.R. 30(1970)535
Parry, D.J. see Goldsmith, M.W. 19(1968)429
Parsons, F.M. see Young, G.A. 27(1970)491
Parveen, B., Rahman, M.A., Hassan, Z.
Serum pseudocholinesterase activity in schizophrenia 30(1970)497
Pashev, I.G.
Effects of some inhibitors and acetylation on the electrophoretic pattern of glutamate dehydrogenase 18(1967)355
–
Electrophoretic behaviour of glutamate dehydrogenase from rat organs 16(1967)127
–
Tetrazolium salt staining method and identification of glutamate dehydrogenase 30(1970)25
Pasquier, J. see Badinand, A. 25(1969)357
Paterson, N.
Relative constancy of 24-hour urine volume and 24-hour creatinine output 18(1967)57
Paumgartner, G. see Probst, P. 29(1970)157
Pavan, R. see Lippi, U. 30(1970)845
Paysant, P., Nabet, P., Genetet, F., Faivre, M.
L'acide acétyl-acétique, source d'erreur possible dans la détermination automatique au SMA 12 de l'activité transaminasique GO du serum 23(1969)507
Pazzagli, G. see Antonini, F.M. 24(1969)19
Pé, H. see Van Sumere, C.F. 26(1969)85
Peacock, M. see Robertson, W.G. 20(1968)315
Pearson, J.D. see Freeman, T. 26(1969)365
Peart, W.S.
Aspects of cadaveric transplantation 22(1968)91
– see Lubash, G.D. 17(1967)445
Péjaudier, L., Audran, R., Steinbuch, M.
Caprylic acid as an aid for the rapid isolation of human ceruloplasmin 30(1970)387
Penalver, J.A., Abreu de Miani, M.S.
Quantitation of hemoglobin A_2 by cellulose acetate gel electrophoresis 30(1970)657
Penhale, W.J. see McEwan, A.D. 27(1970)155
Pennington, R.J. see Abdullah, F. 20(1968)365
– see Fitzpatrick, K. 19(1968)157
Pennock, C.A., Mott, M.G., Batstone, G.F.
Screening for mucopolysaccharidoses

27(1970)93
– see Soppitt, G.D. 26(1969)165
– see W.H.C. Walker 27(1970)421
Perheentupa, J. see Raivio, K. 17(1967)275
Perona, G. see Frezza, M. 21(1968)509
Perpignano, G. see Emanuelli, G. 25(1969)167
Perry, J.D. see Smith, I. 19(1968)499
– – 25(1969)17
Perry, T.L., Hansen, S.
Technical pitfalls leading to errors in the quantitation of plasma amino acids 25(1969)53
– – Diamond, S., Bullis, B., Mok, C., Melancon, S.B.
Volatile fatty acids in normal human physiological fluids 29(1970)369
– – Tischler, B., Bunting, R.
Determination of heterozygosity for phenylketonuria on the Amino Acid Analyzer 18(1967)51
– Melancon, S.B., Lesk, D., Hansen, S.
Failure to detect *trans*-3-methyl-2-hexenoic acid in the sweat of schizophrenic patients 30(1970)721
Perry, W.F.
Heparin-activated lipase in diabetic, atherosclerotic and healthy subjects 16(1967)189
Persijn, J.P., Van der Slik, W., Timmer, C.J., Riethorst, A.
Kinetic measurement of serum glutamate dehydrogenase activity in the presence of oxamic acid and L-leucine 30(1970)377
Petáková, M. see Rybák, M. 19(1968)405
Petek, F., Eberhard, R.
Identification simple et rapide des sucres urinaires par chromatographie sur couche mince 21(1968)293
Peters, A., Culley, W.
Urinary levels of testosterone and epitestosterone in Down's syndrome (mongolism) 25(1969)199
Peters, H.J. see Kerkhoff, J.F. 21(1968)133
Peters, J.E., Rehfeld, N., Beier, L., Haschen, R.J.
Immunologische Charakterisierung der Isoenzyme der Alanin-aminopeptidase 19(1968)277
– – Haschen, R.J.
Verhalten der Aminosäurearylamidase-Isoenzyme bei der Immundiffusion 17(1967)516
– – Schneider, I., Battke, H., Haschen, R.J.
Abgrenzung von Nieren- und Serumfraktion der Alaninaminopeptidase (Aminosäure-arylamidase) im Urin unter pathologischen Bedingungen 24(1969)314
– Schneider, I., Unger, G., Fukala, E., Gerlach, W., Böhme, I., Haltrich, E., Haschen, R.J.
Alaninaminopeptidase (Aminosäure-arylamidase) im Harn bei De Toni–Debré–Fanconi-Syndrom 29(1970)576
Peters, K.A. see Jansen, A.P. 27(1970)125
Petitclerc, J.C. see Seely, J.H. 18(1967)85
Pette, D. see Maier, K.P. 29(1970)61
Peyer, Ch., Rieder, H.P.
Technische und nomenklatorische Probleme der Lipoproteid-Elektrophorese und Normalbereiche der Glyko- und Lipoproteide im Serum 30(1970)295
– see Rieder, H.P. 30(1970)305
Pfenninger, E. see Semenza, G. 25(1969)213
Pfleiderer, G. see Falkenberg, F. 23(1969)265
Pfordte, K. see Müller, G. 30(1970)583
Picard, J.J. see Scolari, L. 19(1968)25
Picard, J., Veissière, D.
Abnormal serum lipoprotein in cholestasis: identification and isolation 30(1970)149
Pichler, E.
Zur Bestimmung der Plasma-11-Hydro-corticosteroide mit der fluorometrischen Kurzmethode von Mattingly 24(1969)283
Pieterse, E.W.M.G., Scholtis, R.J.H., Schmidt, N.A.
Photometric assay of differentiated oestrogens in urine following enzyme hydrolysis and gel filtration 26(1969)111
– – –
A simple method for separate determination of the main 17,21-dihydroxy-20-ketosteroids 25(1969)243
Pietruska, Z., Drozd, J., Bogdanikowa, B.
An application of immunodiffusion to quantitative properdin estimation in human serum 21(1968)139
Pileggi, V.J. see Wybenga, D. 16(1967)147
Pilkington, T.R.E. see McGlashan, D.A.K. 22(1968)646
Pinsky, A. see Metz, M. 30(1970)325
Pioda, L.A.R., Simon, W., Bosshard, H.-R., Curtius, H.Ch.
Determination of potassium ion concentration in serum using a highly selective liquid–membrane electrode 29(1970)289
Piper, D.W., Fenton, B.H.
β-Glucuronidase of gastric mucosal and carcinomatous origin 24(1969)215
Piper, K.A. see Flynn, F.V. 24(1969)51
Pirrwitz, D. see Ott, H. 22(1968)439
Placer, Z. see Horký, J. 16(1967)279
Planche, N.E. see Crotte, C. 27(1970)331
– see Sarles, H. 19(1968)147
Plantin, L.O. see Johansson, S.V. 30(1970)549

Platt, D., Dorn, M.
Nachweis, Reinigung und Eigenschaften der Glycosaminoglycano-Hydrolasen im menschlichen hyalinen Knorpel 21(1968)333
Platt, H.S. see Davis, J.S. 21(1968)357
– see Flynn, F.V. 21(1968)377
Plöchl, E.
Dünnschichtchromatographische Auftrennung von Blutaminosäuren aus mit Blut beschickten Filterpapierplättchen 21(1968)271
Plummer, D.T. see Leathwood, P.D. 27(1970)219
Podhradská, O. see Zelnicek, E. 25(1969)179
Poen, H. see Zegers, B.J.M. 22(1968)399
Poland, R. see Clark, B.R. 27(1970)364
Polano, M.K. see Pries, C. 19(1968)181
Polishuk, W.Z. see Thilo, E. 29(1970)395
Politowska, R. see Leyko, W. 28(1970)161
Politzer, W.M. see Georges, R.J. 18(1967)447
– – 30(1970)737
Pollard, A.C. see Walker, A.W. 23(1969)370
Pollitt, R.J., Jenner, F.A.
Enzymatic cleavage of 2-acetamido-1-(β′-L-aspartamido)-1,2-dideoxy-β-D-glucose by human plasma and seminal fluid. Failure to detect the heterozygous state for aspartylglycosaminuria 25(1969)413
Pollycove, M. see De Grazia, J.A. 23(1969)279
Poncet, I.B. see Berry, H.K. 29(1970)83
Ponnamperuma, M. see De Grazia, J.A. 23(1969)279
Poon, Y.C. see Christian, J.C. 21(1968)289
Poortmans, J.R.
Further studies on thermosoluble proteins in serum and urine 30(1970)671
– Bloch, K.J., Jeanloz, R.W.
Aggregation of immunoglobulin fragments in concentrated urine 17(1967)229
– Jeanloz, R.W., Schmid, K.
α_2HS-Glycoprotein levels of normal human plasma and urine 17(1967)305
Pope, H.M. see Sinclair, M.J. 19(1968)63
Popescu, T.A. see Cucuianu, M. 22(1968)151
Porter, A.H. see Sprinkle, T.J. 24(1969)476
– – 25(1969)409
Porter, M.C. see Porter, P. 17(1967)189
– – 19(1968)411
Porter, P., Kenworthy, R.
Antigenic cross reactivity of bacterial endotoxins with antibodies to an intestinal polysaccharide antigen in *Escherichia coli* associated enteritis in the pig 23(1969)397
– Porter, M.C., Shanberge, J.N.
Heparin cofactor and plasma antithrombin in relation to the mechanism of inactivation of thrombin by heparin 17(1967)189
– – –
Protamine, polybrene and the antithrombin action of heparin 19(1968)411
Posen, S. see Cornish, C.J. 20(1968)387
Postma, T., Stroes, J.A.P.
Lipid screening in clinical chemistry 22(1968)569
Postmes, Th. see Coenegracht, J. 16(1967)432
Potgieter, G.M., Hines, M., Kench, J.E.
The amino acid composition of serum albumin in patients suffering from kwashiorkor 18(1967)107
Poulose, K. see Hosain, F. 24(1969)69
Pourfar, M. see Friedland, J. 28(1970)397
Pradal, M.B. see Got, R. 22(1968)545
Prader, A. see Müller, M. 24(1969)45
Prathapkumar, J. see Begum, A. 26(1969)343
Pratt, J.J., Dangerfield, W.G.
Polyacrylamide gels of increasing concentration gradient for the electrophoresis of lipoproteins 23(1969)189
– see Dangerfield, W.G. 30(1970)273
Pré, J., Giraudet, P., Cornillot, P.
Technique rapide de détermination directe de la sidérémie sérique 22(1968)429
– see Giraudet, P. 28(1970)323
Preda, N. see Bojan, O. 23(1969)335
Prellwitz, W., Opferkuch, W., Hammer, C.H.
Concerning the substructure of the immunoglobulins. Preparation and characterization of H- and L-chains of the γ_G- and γ_A-globulins of normal human sera 20(1968)505
Price, J.
The dependence of vanillic acid excretion on urinary pH 26(1969)413
–
The metabolites of isovanillic acid in man, with special reference to the formation of 3,4-dimethoxybenzoic acid 25(1969)31
Price, R.G., Dance, N., Richards, B., Cattell, W.R.
The excretion of N-acetyl-β-glucosaminidase and β-galactosidase following surgery to the kidney 27(1970)65
– see Dance, N. 24(1969)189
– – 27(1970)87
Price Evans, D.A. see Eze, L.C. 28(1970)153
– see White, T.A. 18(1967)161
Pries, C., Van Gent, C.M., Baes, H., Polano, M.K., Hulsman, H.A.M., Querido, A.
Primary hyperlipoproteinemia: The clinico-chemical classification of the most common types 19(1968)181
Princi, P. see Bracci, R. 29(1970)345
Pringle, G.A. see Fosbrooke, A.S. 30(1970)47
Prins, H.K. see Zurcher, C. 25(1969)139

Probst, P., Paumgartner, G., Caucig, H., Fröhlich, H., Grabner, G.
Studies on clearance and placental transfer of indocyanine green during labor 29(1970)157
Procházková, B. see Duchon, J. 18(1967)318,487
Proenca, J.S. see Afonso, E. 21(1968)143
Provido, H.S. see Sardesai, V.M. 29(1970)67
Pruden, E.L., Creason, P.L.
Limitations of gel filtration for serum unbound calcium and magnesium 27(1970)19
– – Creason, M.T., Block, W.D.
Protein, enzyme and isoenzyme distribution in human serum fractions obtained by ultracentrifugation 20(1968)173
Pryme, I.F. see Boyde, T.R.C. 21(1968)9
Pryse-Phillips, W.E.M. see Minchin Clarke, H.G. 30(1970)65
Pucar, Z. see Keler-Bacoka, M. 23(1969)431
Purdy, W.C. see Troy, R.J. 26(1969)155
– – 27(1970)401
Pybus, J.
Determination of calcium and magnesium in serum and urine by atomic absorption spectrophotometry 23(1969)309

Q

Quan Singh, G.D. see Abernethy, M.H. 30(1970)463
Quash, G., Maharaj, K.
Quantitative estimation of free and bound serum aldehyde 30(1970)13
– Taylor, D.R.
Serum β-aminopropionaldehyde: identification and origin 30(1970)17
Que, G.S. see Trip, J.A.J. 26(1969)371
Querido, A. see Pries, C. 19(1968)181

R

Raab, W.
Analgetika und renale Enzymausscheidung: Harnenzym-aktivitäten bei Ratten nach Verabreichung hoher Dosen von Acetylsalicylsäure 22(1968)535
–
Cholinesterase activity of rat serum following renal damage 24(1969)135
–
Die Aktivität der Glutamat-dehydrogenase im Harn und im Serum von Ratten nach toxischer Nierenschädigung 24(1969)275
–
Isocitrate dehydrogenase activity in rat urine following renal damage 25(1969)21
–
Renal effects of streptomycin in rats 29(1970)451
– Hohenegger, M.
Renale Enzymausscheidung bei Ratten nach hohen Dosen von Penicillin, Kanamycin und Sulfonamiden 20(1968)95
– see Hohenegger, M. 28(1970)61
Rabinovitz, M., Schen, R.J.
The characterization of certain α-globulins in immunoelectrophoresis of human serum, using Evans blue dye 17(1967)499
– –
Observations on an α_2-globulin having increased electrophoretic mobility with Evans blue dye: its relationship to the β_{1C} component of complement 20(1968)227
– see Schen, R.J. 16(1967)445
Racevskis, J. see Manowitz, P. 28(1970)269
Radhakrishnan, A.N. see Cherian, M.G. 25(1969)395
– see Satwekar, K. 20(1968)53
– see Swaminathan, N. 30(1970)707
Radonich, Z. see Abraham, A. 22(1968)619
Raeburn, J.A., Semple, S.M., Simpson, D.
Protein-bound iodine after urinary tract radiography with Hypaque 21(1968)485
Räihä, N.C.R. see Kekomäki, M.P. 23(1969)203
Rahbar, S.
An abnormal hemoglobin in red cells of diabetics 22(1968)296
–
Hemoglobin H disease in two Iranian families 20(1968)381
Rahiala, E.L., Kekomäki, M.P.
A simplified one-stage cation exchange technique for the determination of whole blood ammonium 30(1970)761
Rahman, M.A. see Parveen, B. 30(1970)497
Raies, F. see Götz, H. 19(1968)235
Raivio, K., Perheentupa, J., Nikkilä, E.A.
Aldolase activities in the liver in parents of patients with hereditary fructose intolerance 17(1967)275
Rajamma, M. see Naganna, B. 17(1967)219
Rall, J.E.
Recent advances in the diagnosis of the diseases of the thyroid 25(1969)339
Ramana Murthy, P.S.V. see Krishnaswamy, K. 27(1970)301
Randoux, A. see Havez, R. 17(1967)463
Rapp, W., Kahlke, W.
Lipoprotein-Elektrophorese in Agarosegel 19(1968)493
Rasmussen, K.L. see Rockerbie, R.A. 18(1967)182
Raunio, V. see Krause, U. 17(1967)251
Reddy, S. see McFarlane, H. 29(1970)273
Redstone, D., Beard, R.W.
Correction for oxygen desaturation as a source of error in the determination of blood P_{CO_2} by the Astrup interpolation method 27(1970)317
Reed, M.F., Rees, E.D.
The influence of air and natural gas flow rates on interferences in atomic absorption spectroscopy 30(1970)829
Rees, E.D., Hughes, R.D.
Perchloric acid interference in sodium and potassium determination by atomic absorption 21(1968)515
– see Reed, M.F. 30(1970)829
Rehfeld, N. see Peters, J.R. 17(1967)516
– – 19(1968)277
– – 24(1969)314
Reikowski, J. see Müting, D. 19(1968)391
Reinhardt, F.
Glutamat-Pyruvattransaminase und antiribosomale Serumaktivität bei Hepatitis 19(1968)353
Reisman, R. see Warnock, M.L. 24(1969)5
Reitsema, A. see Gips, C.H. 29(1970)501
Remenchik, A.P., Hoover, C.R., Brynjolfsson, G.

(Remenchik, A.P., Hoover, C.R., Brynjolfsson, G.)
Adenine nucleotide levels of erythrocytes from exercised hypertensive rats 19(1968)227
Renzini, V., Brunori, A.C., Valori, C.
A sensitive and specific fluorimetric method for the determination of noradrenaline and adrenaline in human plasma 30(1970)587
Ressler, N.
Further consideration of isoamylase pitfalls 17(1967)307
–
Tissue-characteristic forms of adenosine deaminase 24(1969)247
– see Miller, R.L. 26(1969)405
Rey, A., Hanss, M.
Détermination rapide de l'activité cholinestérasique du sérum par une ultramicro-méthode conductimétrique 30(1970)207
Reynolds, E.O.R. see Smith, R. 21(1968)491
Rice, E.W.
Rapid determination of total hemoglobin cyanide in blood containing carboxy-hemoglobin 18(1967)89
Richard, G.B., Silberzahn, P., Bonnassieux, M., Colobert, L.
Action de la neuraminidase sur les immuno-globulines de type IgA (de myelome) 21(1968)479
Richards, B. see Dance, N. 27(1970)87
– see Price, R.G. 27(1970)65
Richardson, S.J.
The quantitative estimation of oestrol using gas–liquid chromatography 29(1970)473
Richterich, R., Cantz, B., Dauwalder, H.
Increased urinary dihydroxyphenylalanine oxidase activity in patients suffering from malignant melanoma 29(1970)295
– Ehrengruber, H.
A test code for electronic data processing in the clinical chemistry laboratory 22(1968)417
Rieder, H.P., Nusselt, L.
Serumproteine in der Agargel-Elektrophorese; Auswertung, Normalbereiche, Alters-abhängigkeit 24(1969)159
– Peyer, Ch.
Sex differences in the serum lipoprotein relations of normal persons and multiple sclerosis patients 30(1970)305
– see Peyer, Ch. 30(1970)295
Rieder, S.V. see Hadjivassiliou, A.G. 19(1968)357
Riethorst, A. see Persijn, J.P. 30(1970)377
Rinderknecht, H., Geokas, M.C., Carmack, C., Haverback, B.J.
The determination of arylsulfatases in biological fluids 29(1970)481
– – Silverman, P., Haverback, B.J.
A new ultrasensitive method for the determination of proteolytic activity 21(1968)197
– – – –
Determination of elastolytic activity in blood of normal subjects and patients with acute pancreatitis 19(1968)89
– – – Lillard, Y., Haverback, B.J.
New methods for the determination of elastase 19(1968)327
– Marbach, P.
A new automated method for the determination of serum α-amylase 29(1970)107
– Silverman, P., Geokas, M.C., Haverback, B.J.
Determination of trypsin and chymotrypsin with Remazolbrilliant Blue-hide 28(1970)239
Rintola, P. see Koskelo, P. 29(1970)559
Rispens, P., Brunsting, J.R., Zijlstra, W.G., Van Kampen, E.J.
Determination of total carbon dioxide in blood and plasma by means of the cediometer. Theory and experimental verification 22(1968)261
– Dellebarre, C.W., Eleveld, D., Helder, W., Zijlstra, W.G.
The apparent first dissociation constant of carbonic acid in plasma between 16 and 42.5° 22(1968)627
– Hoek, W.
A new P_{CO_2} calibration procedure using acidified $NaHCO_3$ solutions 22(1968)291
Ritz, A. see Arvan, D.A. 26(1969)505
Rizzoli, A.A. see Galzigna, L. 26(1969)391
– – 30(1970)5
Roach, M.K., Creaven, P.J.
A micro-method for the determination of acetaldehyde and ethanol in blood 21(1968)275
Roberts, L.B.
The normal ranges, with statistical analysis for seventeen blood constituents 16(1967)69
– see Cooke, J.R. 26(1969)425
Robertson, W.G.
A method for measuring calcium crystalluria 26(1969)105
–
Measurement of ionized calcium in biological fluids 24(1969)149
– Hambleton, J., Hodgkinson, A.
Peptide inhibitors of calcium phosphate precipitation in the urine of normal and

stone-forming men 25(1969)247
– Peacock, M.
New techniques for the separation and measurement of the calcium fractions of normal human serum 20(1968)315
Robinson, D. see Dance, N. 24(1969)189
Robinson, R. see Stott, A.W. 16(1967)249
Rockerbie, R.A., Rasmussen, K.L.
An ultramicro method for the fluorometric determination of leucine aminopeptidase in serum 18(1967)182
Roelcke, D., Jungfer, H.
IgG-Subfractionation by means of hydroxylapatite column chromatography 27(1970)211
Roelofs-Fizaan, L.E.A.M. see Cornelissen, P.J.H.C. 29(1970)344
Rokkanen, P. see Uitto, J. 30(1970)741
Romeo, D. see Izquierdo, J.M. 30(1970)343
Roos, F., Siest, G.
Etude comparative des réactions colorées et fluorimétriques guanidines–alpha dicétones 28(1970)463
Roovers, J., Evrard, E., Vanderhaeghe, H.
An improved method for measuring human blood bile acids 19(1968)449
Rosa, R., Alexandre, Y., Kaplan, J.-C., Dreyfus, J.-C.
Comportement immunologique de la glucose-6-phosphate déshydrogénase érythrocytaire chez des mutants déficients 29(1970)209
– Dreyfus, J.C.
Hybridation de la glucose-6-phosphate déshydrogénase des globules rouges et des globules blancs humains avec l'enzyme de différents tissus de rat 24(1969)199
Rosalki, S.B.
Separation of adenylate kinase isoenzymes on cellulose acetate membrane 27(1970)497
– Montgomery, A.
Loss of cathodic isoenzymes during cellulose acetate enzyme electrophoresis 16(1967)440
Rose, D.P.
The influence of sex, age and breast cancer on tryptophan metabolism 18(1967)221
– Cramp, D.G.
Reduction of plasma tyrosine by oral contraceptives and oestrogens: a possible consequence of tyrosine aminotransferase induction 29(1970)49
– Toseland, P.A.
The determination of 3-hydroxyanthranilic acid in urine by gas–liquid chromatography 17(1967)235
Rose, G.A. see Glatz, C. 21(1968)327
– see Stamp, T.C.B. 30(1970)351
Rosenbusch, C.A., De Luserna, E.
A fixed cuvette for absorption spectrophotometers 24(1969)479
Rosenfeld, E.L., Gorodezki, W.K., Zarubina, N.A.
A new case of sucrose synthesis in the human organism 24(1969)469
Rosenfeld, L.
Factors affecting plasma clot absorbance and fibrin mass 18(1967)1
Rosenthal, A.F., Yaseen, A.
Improved qualitative screening test for cystinuria and homocystinuria 26(1969)363
Rosnowska, M., Sawicki, Z., Krawczyński, J.
Inhibition of lactate dehydrogenase isoenzymes activity by potassium oxalate and urea in some liver diseases 20(1968)7
Ross, P.M. see Applegarth, D.A. 22(1968)131
Rossi, A. see Pannali, P. 30(1970)218
Rotbøl, L.
Isoelectric focusing of human urinary proteins in polyacrylamide gel 29(1970)101
– Hemmingsen, L., Schmidt, V.
Protein pattern and LDH isoenzymes in human seminal plasma with reference to fertility 25(1969)147
Roth, M.
Dosage fluorimétrique de la bilirubine 17(1967)487
– see Hubmann, B. 25(1969)161
Rousseau, M. see Jeanjean, M. 25(1969)103
– – 26(1969)179
Roussel, P. see Havez, R. 17(1967)281,463
Rousselet, F. see Badin, J. 19(1968)11
Rowe, D.S.
Quantitative estimation of immunoglobulins and other serum proteins by immunological methods 22(1968)43
Roxon, C. see Welshman, S.G. 19(1968)121
Royer, P. see Cartier, P. 29(1970)261
Rubin, M., Knott, L.
An enzymatic fluorometric method for ammonia determination 18(1967)409
Rubin, R.T. see Clark, B.R. 27(1970)364
Rubinstein, H.M., Dietz, A.A., Srinavasan, R.
Relation of vitamin E and serum lipids 23(1969)1
– see Dietz, A.A. 27(1970)225
Rubinstein, I. see Menache, R. 19(1968)33
Ruchelman, M.W.
Fluoxymesterone analysis by gas chromatography 26(1969)253
Rudd, B.T., Black, S.
Contribution of pregnanetriol and pregnanetriolone to the fluorimetric measurement

(Rudd, B.T., Black, S.)
of plasma cortisol 20(1968)81
Rudolph, G.G., Holler, Jr., J.J., Ford, W.J.
Determination of serum and urine calcium 18(1967)187
Ruinen, L., Scholten, J.H., Mandema, E.
On the determination of protein-bound hexosamines in serum, with particular reference to amyloidosis 19(1968)49
Ruthven, C.R.J. see Karoum, F. 20(1968)427
– – 24(1969)341
– see Morgan, C.D. 26(1969)381
Rutkowski, R.B.
The determination of maximum bilirubin binding capacity of human albumin and serum by a calcium carbonate adsorption technique 17(1967)31
Russell, D.W. see Dymond, L.C. 27(1970)513
Rutten, J.C.J.M. see Meijers, C.A.M. 24(1969)308
Ryall, R., Fielding, J.
The co-precipitation of ferric iron and protein and the reducing capacity of serum as factors affecting the assay of serum iron 28(1970)193
– see Fielding, J. 28(1970)423
Rybák, M., Mansfeld, V., Petáková, M., Simonianová, E.
A new method for the quantitative determination of enzymes splitting *N*-acetyl tyrosine ethylester 19(1968)405
Rylance, H.J.
The estimation of indoxyl sulphate in urine 26(1969)99

S

Sacre, M.H., Walker, G.
Effect of clofibrate administration on the urinary vanilmandelic acid method of Pisano *et al.* 30(1970)215
Sagan, Z.
The application of rivanol for serum transferrin and immunoglobulin G determination 21(1968)225
Saia, B. see Galzigna, L. 26(1969)391
Saifer, A. see Friedland, J. 28(1970)397
– see Palo, J. 22(1968)327
– – 27(1970)481
Salaman, J.R.
Problems of transplantation 22(1968)115
Saleh, A.E.C., Coenengracht, J.M.
The influence of age and weight on the urinary excretion of hydroxyproline and calcium 21(1968)445
Salter, C. see Siggers, D.C. 30(1970)373
Salway, J.G.
The simultaneous determination of acetoacetate and glucose in capillary blood 25(1969)109
Sammons, H.G. see Bonham, T.J. 29(1970)507
Samuelsson, B. see Bygdeman, M. 26(1969)373
Samyn, W., Carton, D,, Hooft, C.
Column chromatography of amino acids in the study of metabolic diseases 28(1970)83
Sandler, M. see Karoum, F. 20(1968)427
– see Morgan, C.D. 26(1969)381
San Martin de Viale, L.C., Viale, A.A., Nacht, S. Grinstein, M.
Experimental porphyria induced in rats by hexachlorobenzene. A study of the porphyrins excreted by urine 28(1970)13
– see Nacht, S. 27(1970)445
Sapag-Hagar, M. see Morales-Malva, J.A. 17(1967)393
– – 18(1967)175
Sapira, J.D.
The determination of urinary 3-methoxy-4-hydroxyphenylglycol 20(1968)139
Sardesai, V.M., Provido, H.S.
The determination of glycine in biological fluids 29(1970)67
Sarles, H., Hauton, J., Lafont, H., Teissier, N., Plance, N.E., Gerolami, A.
Role de l'alimentation sur la concentration du cholestérol biliaire chez l'homme lithiasique et non lithiasique 19(1968)147
– see Hauton, J.C. 17(1967)171
– – 20(1968)491
Sasaki, S.
The PAPS synthetic enzyme system in granulation tissue 17(1967)215
Sass, M.D.
Glutathione synthesis in cell-free preparations from erythrocytes of different ages 22(1968)207
–
Observations on the role of TPNH dehydrogenase in human red cells 21(1968)101
– Caruso, C.J., Axelrod, D.R.
Mechanism of the TPNH-linked reduction of methemoglobin by methylene blue 24(1969)77
– –
Metabolic changes in stored blood measured by methylene blue 20(1968)105
Sassoon, H.F. see Dror, Y. 28(1970)291
Sastry, P.S., Stancer, H.C.
Blood gangliosides in infantile amaurotic idiocy 20(1968)487
– –
Quantitative analysis and fatty acid composition of phospholipid constituents in cerebrospinal fluid of various age groups 22(1968)301
Satta, G. see Emanuelli, G. 25(1969)167
Satwekar, K., Radhakrishnan, A.N., Baker, S.J.
Histinine α-deaminase activity in the stratum corneum of the human in normal and vitamin B_{12}/folate deficiency states 20(1968)53
Saunders, R.A. see McGuinness, R. 16(1967)221
Saunders, S.J. see Gibbs, C.C.J. 17(1967)317
Sawicka, T., Chojnacki, T.
Formation of uridine diphosphate sugars from ^{32}P-labelled hexose phosphates in human red blood cells 23(1969)463
Sawicki, Z. see Rosnowska, M. 20(1968)7
Scarpioni, L. see Maiorca, R. 16(1967)253
Schales, O.
Chemical nature of the urinary "pregnancy test" with iodine 26(1969)323
Schapira, F., Dreyfus, J.C., Allard, D.

(Schapira, F., Dreyfus, J.C., Allard, D.)
Les isozymes de la créatine kinase et de l'aldolase du muscle foetal et pathologique 20(1968)439
– Nordmann, Y.
Présence de trois types d'aldolase dans le foie humain 26(1969)189
Schatz, H. see Höfer, R. 22(1968)135
Scheffner, D., Martin, H.
Vergleich zwischen elektronisch errechneten und aus dem Nomogramm nach Singer und Hastings bestimmten Werten des Säurebasenhaushalts 16(1967)297
Schefman-Van Neer, R.H.G.C. see Mink, C.J.K. 24(1969)183
Scheiffarth, F., Götz, H., Grottke, M.
Vergleichende biochemische Untersuchungen an unterschiedlich aufbereiteten Leberextrakten 20(1968)455
– see Götz, H. 21(1968)119
– – 23(1969)39
Schen, R.J., Rabinovitz, M., Goldschmid, A., Tenne, M.
The affinity of Evans blue for the α_1-lipoprotein of human serum 16(1967)445
– see Rabinovitz, M. 17(1967)499
– – 20(1968)227
Schena, F.P. see Bonomo, L. 23(1969)295
– see D'Abbado, A. 21(1968)437
Scherpereel, P. see Sezille, G. 29(1970)337
Schertsén, B., Tibbling, G.
A fluorometric method for the enzymatic determination of normal concentrations of urinary glucose 18(1967)383
Schievelbein, H., Buchfink, E.
An enzymatic method for the estimation of free and conjugated 3-hydroxyanthranilic acid in urine 18(1967)291
Schmid, K. see Poortmans, J.R. 17(1967)305
– see Tokita, K. 17(1967)39
– see Yoshizaki, H. 23(1969)147
Schmid, P.
Dependence of radial immunodiffusion of fibrinogen on time and antigen concentration 26(1969)183
–
Quantitation of antigen in radial immunodiffusion plates 26(1969)181
Schmidt, F.H. see Müting, D. 19(1968)391
Schmidt, N.A. see Pieterse, E.W.M.G. 25(1969)243
– – 26(1969)111
Schmidt, N.A. see Van de Calseyde, J.F. 25(1969)345
– – 27(1970)139
Schmidt, R.M. see Diessner, H. 25(1969)153
Schmidt, V. see Rotbøl, L. 25(1969)147
Schneck, L. see Friedland, J. 28(1970)397
Schneider, I. see Peters, J.E. 24(1969)314
– – 29(1970)576
Schneider, J.A. see Schulman, J.D. 29(1970)73
Schön, E. see Fassati, M. 26(1969)497
Schoen, I.
Comments on the acid gel reaction 17(1967)520
Scholten, J.H. see Ruinen, L. 19(1968)49
Scholtis, R.J.H. see Pieterse, E.W.M.G. 25(1969)243
– – 26(1969)111
– see Van de Calseyde, J.F. 25(1969)345
– – 27(1970)139
Schothorst, A.A., Van Steveninck, J., Went, L.N., Suurmond, D.
Protoporphyrin-induced photohemolysis in protoporphyria and in normal red blood cells 28(1970)41
Schouten, H. see Giterson, A.L. 29(1970)342
– see Statius van Eps, L.W. 17(1967)449
– – 27(1970)501
Schreiber, B.E., Ortner, H.M., Spitzy, H.
Ein neues Isolierverfahren für die Schilddrüsenhormone und ihre Vorstufen aus dem Blutserum 30(1970)129
Schretlen, E. see Boon, J. 23(1969)453
Schröter, W., Kalinowsky, W.
Erythrocyte 2,3-diphosphoglycerate mutase; an optical test in hemolysates 25(1969)283
Schuller, E., Tömpe, L., Lefèvre, M., Moreno, P.
Electroimmunodiffusion des protéines du liquide céphalorachidien 30(1970)73
Schulman, J.D., Schneider, J.A., Bradley, K.H., Seegmiller, J.E.
Heterozygote studies in cystinosis 29(1970)73
– see Shih, V.E. 27(1970)73
Schut-Jansen, B. see Van Munster, P.J.J. 28(1970)243
Schwandt, P., Lindlbauer, R., Knedel, M.
Zur Wirkung von Strophantin, Nikotinsäure und kaliumfreiem Inkubationsmedium auf die durch ACTH stimulierte Lipolyse freier Fettzellen 24(1969)267
Schwarz, M. see Müting, D. 19(1968)391
Schwarz, V., Simpson, I.M.N.
A note on some difficulties in the determination of galactose-1-phosphate in galactosaemia 24(1969)188
Scolari, L., Picard, J.J., Heremans, J.F.
Quantitative determination of human α_2-macroglobulin by means of immunoelectrophoresis in antibody-

containing gel 19(1968)25
Scott, E.M.
A comparison of two methods of determining DPNH-methemoglobin reductase 23(1969)495
Scott, P.H. see Toseland, P.A. 25(1969)75
Scott, P.J., Hurley, P.J.
Demonstration of individual variation in constancy of 24-hour urinary creatinine excretion 21(1968)411
Seakins, J.W.T. see Ersser, R.S. 30(1970)243
Searcy, R.L. see Klein, B. 26(1969)77,517
Sebens, J.B. see Korf, J. 27(1970)149
Secchi, G.C., Alessio, L., Cirla, A.
The effect of experimental lead poisoning on some enzymatic activities of the kidney 27(1970)467
Seegmiller, J.E. see Schulman, J.D. 29(1970)73
Seely, J.H., Petitclerc, J.C., Benoiton, L.
Interference by protein and amines in the determination of ammonia by the isocyanurate method 18(1967)85
Seidel, D., Greten, H.
Hyperlipoproteinämie-Typ III. Eine Möglichkeit zur immunologischen Diagnostik 30(1970)31
– see Mills, G.L. 26(1969)239
Seiffert, U.B.
Photometric estimation of lipase activity using micellar solubilized substrate 28(1970)51
Seitanidis, B.A., Moss, D.W.
Serum alkaline phosphatase and 5-nucleotidase levels during normal pregnancy 25(1969)183
– Shulman, G., Hobbs, J.R.
Low serum cholesterol with IgA-myelomatosis 29(1970)93
Selman, I.E. see McEwan, A.D. 27(1970)155
Selvaraj, R.J., Paramasivam Susheela, T.
Estimation of serum vitamin A by a micro-fluorometric procedure 27(1970)165
Semenza, G., Bircher, J., Mülhaupt, E., Koide, T., Pfenninger, E., Marthaler, Th., Gmünder, U., Haemmerli, U.P.
Arbutin absorption in human small intestine: a simple procedure for the determination of active sugar uptake in peroral biopsy specimens 25(1969)213
Semple, S.M. see Raeburn, J.A. 21(1968)485
Seppälä, P., Lehtonen, A., Kärkkäinen, J., Näntö, V.
The presence of chondroitin sulphate in the synovial fluid in rheumatoid arthritis 16(1967)115
Seutter, E., Sutorius, A.H.M.
Melanogen in crude sweat from suffering from vitiligo 27(1970)357
Sexton, M. see Naftalin, L. 26(1969)293
Sezille, G., Jaillard, J., Scherpereel, P., Biserte, G.
Biosynthesis of glyceryl triphytanate in rabbit receiving a diet enriched with phytol 29(1970)335
– see Warembourg, H. 18(1967)209
– – 20(1968)269
– – 22(1968)349
– – 23(1969)387
– – 28(1970)103
Shackleton, C.H.L., Charro-Salgado, A.L., Mitchell, F.L.
Urinary neutral steroid profile analysis in adults and infants 21(1968)105
– Sjövall, J., Wisén, O.
A simple method for the extraction of steroids from urine 27(1970)354
Shafrir, E. see Biale, Y. 23(1969)413
– see Starinsky, R. 29(1970)311
Shanberge, J.N. see Porter, P. 17(1967)189
– – 19(1968)411
Shane, B. see Contractor, S.F. 21(1968)71
– – 25(1969)465
Sharkey, L.J. see Babson, A.L. 26(1969)419
Shejbal, J., Arient, M., Kovariková, H.
Estimation of deoxycytidine in the urine of humans and laboratory animals 16(1967)324
Shepherd, H.G. see Best, W.R. 28(1970)127
Shepherd, J. see Whitfield, A.E. 29(1970)181
Sheppard, G. see Marlow, C.G. 28(1970)469,479
Sherwin, A.L., Siber, G.R., Elhilali, M.M.
Fluorescence technique to demonstrate creatine phosphokinase isoenzymes 17(1967)245
Shibata, S. see Matsubara, T. 23(1969)427
– see Miyaji, T. 16(1967)347
Shida, N. see Matsuda, I. 20(1968)37
– – 24(1969)471
Shih, V.E., Madigan, P.M.
Improved paper-chromatographic method for imino acids incorporation of isatin, a color reagent, into developing solvents 24(1969)481
– Schulman, J.D.
Ornithine-ketoacid transaminase activity in human skin and amniotic fluid cell culture 27(1970)73
Shima, K., Foà, P.P.
A double antibody assay for glucagon 22(1968)511
Shimadate, T. see Hosoyama, Y. 18(1967)141
Shimizu, C.S.N. see Collipp, P.J. 19(1968)287
Shimizu, H., Labrosse, E.H.
Glucosylgalactosylhydroxylysine in urine of

(Shimizu, H., Labrosse, E.H.)
neuroblastoma patients 22(1968)623
Shmerling, D.H. see Müller, M. 24(1969)45
Shopa, N.A. see Cerda, J.J. 27(1970)437
Shortman, R.C. see Cumings, J.N. 27(1970)29
Shortridge, K.F.
Influenza virus haemagglutination inhibitor in human colostrum: its secretion, possible structure and origin 29(1970)233
Shulman, G. see Seitanidis, B.A. 29(1970)93
Shuval, H.I. see Hegesh, E. 30(1970)679
Siber, G.R. see Sherwin, A.L. 17(1967)245
Sidorczyk, Z. see Konopka, K. 24(1969)359
Sie, H.G. see Fishman, W.H. 29(1970)339
Siest, G.
Dosage colorimétrique de l'urée urinaire par la nioxime 18(1967)155
– Vigneron, C.
Etude du dosage de l'urée et de la citrulline en milieu protéique 20(1968)373
– see Roos, F. 28(1970)463
Siggers, D.C., Salter, C., Toseland, P.A.
A double isotope dilution method for differential determination of adrenaline and noradrenaline in plasma 30(1970)373
Silberzahn, P. see Richard, G.B. 21(1968)479
Siliprandi, N. see Campanacci, L. 20(1968)341
Silk, J. see MacWilliam, K.M. 17(1967)514
Silverman, P. see Rinderknecht, H. 19(1968)89,327
– – 21(1968)197
– – 28(1970)239
Sim, A.K. see McCraw, A. 25(1969)286
Simenhoff, M.L., Wesson, Jr., L.G., Terlecky, J.S.
Preparation of pyrogen-free inulin for measurement of glomerular filtration rate 27(1970)367
Simila, S.
The catabolism of ornithine after intravenous loading in normal subjects and two patients with hyperprolinaemia type II 28(1970)457
Simmonds, H.A.
Two dimensional thin-layer high-voltage electrophoresis and chromatography for the separation of urinary purines, pyrimidines and pyrazolopyrimidines 23(1969)319
–
Urinary excretion of purines, in pyrimidines and pyrazolopyrimidines in patients treated with allopurinol or oxipurinol 23(1969)353
– Sneddon, W.
Identification of 6,8-dihydroxypurine in the urine of a gouty patient treated with allopurinol 30(1970)421
– Wilson, J.D.
A method for the determination of xanthine and hypoxanthine in biological fluids 16(1967)155
Simon, W. see Pioda, L.A.R. 29(1970)289
Simonianová, E. see Rybák, M. 19(1968)405
Simpson, D. see Broughton, P.M.G. 19(1968)297
– see Raeburn, J.A. 21(1968)485
Simpson, I.M.N. see Schwarz, V. 24(1969)188
Sinclair, M.J., Hart, R.A., Pope, H.M., Campbell, E.J.M.
The use of the Henderson–Hasselbalch equation in routine medical practice 19(1968)63
Sindram, D.E.A. see Weber, A.Ph. 18(1967)169
Sinha, S.N., Gabrieli, E.R.
A simple method for simultaneous determination of benzoic and hippuric acids in biological fluids 19(1968)313
Sinnette, C.H. see Kennedy, J.F. 29(1970)37
Sjoerdsma, A. see DeQuattro, V.L. 16(1967)227
– see Keiser, H.R. 23(1969)341
Sjövall, J. see Jänne, O. 23(1969)405
– see Shackleton, C.H.L. 27(1970)354
Sjövall, K. see Jänne, O. 23(1969)405
Slack, J., Mills, G.L.
Anomalous low density lipoproteins in familial hyperbetalipoproteinaemia 29(1970)15
Slack, W.W. see Ham, J.M. 25(1969)417
Slater, K.C. see Mezey, E. 25(1969)11
Slavik, M. see Hyánek, J. 25(1969)288
Slooff, P.A.M. see Giterson, A.L. 29(1970)342
Sloviter, H.A., Janic, V., Naiman, J.L.
Lipid synthesis by red blood cell preparations in Wolman's disease (a familial lipidosis) 20(1968)423
Skermer, C. see Catt, K.J. 27(1970)267
Skipski, V.P. see Barclay, M. 24(1969)225
Skov, F. see Hemmingsen, L. 19(1968)81
Skramovský, V., Haeberle, P.
Spectrofluorometric characteristics and specificity of direct fluorometry of Kober chromogens 22(1968)161
Skrbic, T.R., Cumings, J.N.
Phytanic acid in tissue lipids in Refsum's disease 23(1969)17
Small, C.W.
A study of the heat inactivation of serum alkaline phosphatase by an automated technique 23(1969)347
Small, N.A., Holton, J.B.
Determination of platelet serotonin by a fluorimetric method 27(1970)171
Smith, A.F., Brown, S.S., Taylor, R.

Assessment of an automatic enzyme reaction rate monitor 30(1970)105
Smith, B.S.W.
A comparison of ^{125}I and ^{51}Cr for measurement of total blood volume and residual blood content of tissues in the rat; evidence for accumulation of ^{51}Cr by tissues 27(1970)105
Smith, D.A. see Naftalin, L. 26(1969)297
Smith, I., Lightstone, P.J., Perry, J.D.
Separation of human tissue alkaline phosphatases by electrophoresis on acrylamide disc gels 19(1968)499
– Perry, J.D., Lightstone, P.J.
Disc electrophoresis of alkaline phosphatases: Mobility changes caused by neuraminidase 25(1969)17
Smith, J.B., Healy, P.J.
Elevated serum creatine phosphokinase activity in diseases of the central nervous system in sheep 21(1968)295
Smith, L. see Stern, I.J. 21(1968)181
Smith, M.J. see Keehan, M.F. 16(1967)215
Smith, P. see Coward, R.F. 17(1967)399
Smith, R.
Dissociation between changes in urinary total hydroxyproline and plasma alkaline phosphatase after removal of parathyroid tumour 23(1969)421
–
Total hydroxyproline excretion during prolonged starvation for obesity 20(1968)499
–
Total urinary hydroxyproline in primary hyperparathyroidism 18(1967)47
– Dehan, M., Reynolds, E.O.R.
Changes in urinary hydroxyproline in premature infants 21(1968)491
Smith, R.O. see Kelly, S. 21(1968)431
Smith, S.G., Belcher, R.V., Mahler, R., Yudkin, J.
Preliminary studies on bile porphyrins in the quiescent phase of variegate porphyria 23(1969)241
– see Belcher, R.V. 25(1969)45
Smrekar, M. see Gros, M. 17(1967)518
Sneddon, W. see Simmonds, H.A. 30(1970)421
Snigurowicz, J.
Studies on the M-components of human serum, immuno-gel filtration on a plate as a second step in thin-layer gel filtration 22(1968)423
– Murawski, K., Kraj, M., Jóźwiak, W., Zupańska, B.
Defective (incomplete) synthesis of immunoglobulin heavy polypeptide chains as the cause of a myeloma-like disease 22(1968)187
Snyder, R.A., Brady, R.O.
The use of white cells as a source of diagnostic material for lipid storage diseases 25(1969)331
Sobel, C. see Winkelman, J. 26(1969)33
Soberon, G. see Huberman, A. 29(1970)121
Soler, N.G., Adams, R.
A method for the determination of trace amounts of glucose in urine 30(1970)289
Sonnet, J., Steichen-Defalque, M., Brisbois, P.
Isolement et propriétés d'une mélanine obtenue à partir de mélanogènes urinaires dans un cas de maladie de Dubin–Johnson 24(1969)325
Soothill, J.F.
Immunoglobulin deficiencies 22(1968)41
Soppitt, G.D., Pennock, C.A.
Interaction of water-soluble amyloid fibrils with Congo Red and Thioflavine T 26(1969)165
Sousek, O. see Homolka, J. 18(1967)33
– see Horký, J. 16(1967)279
Southren, A.L., Olivo, J., Gordon, G.G., Tochimoto, S.
The effect of Norit extraction on the plasma binding of testosterone in normal men and in women with the polycystic ovary syndrome 30(1970)538
Soyannwo, M.A.O. see Oreopoulos, D.G. 20(1968)349
Spellman, C.M. see Fottrell, P.F. 26(1969)584
Spencer, R.A. see Krasner, J. 23(1969)437
Spennati, G.F., Businco, L., Conca, L., Bottini, E.
Plasma magnesium during hemolytic crisis in children with favism 27(1970)360
– see Bottini, E. 30(1970)831
Spijkers, J.B.F. see Ebeling, J. 25(1969)174
– – 27(1970)214
Spik, G. see Montreuil, J. 21(1968)61
Spikes, Jr., J.L., Cohen, L., Djordjevich, J.
Identification of a myeloma serum factor which alters serum β-lipoproteins 20(1968)413
Spikesman, A.M., Brock, D.J.H.
The significance of the dilution effect in serum creatine kinase diagnosis of muscular dystrophy 26(1969)387
Spitzy, H. see Knapp, G. 30(1970)119
– see Schreiber, B.E. 30(1970)129
Spranger, J., Todt, H., Wiedeman, H.-R.
Untersuchung zur Zusammensetzung der Urin-Mukopolysaccharide bei Kindern und Erwachsenen 17(1967)142

Sprinkle, T.J., Greer, M., Williams, C.M.
Detection of argininosuccinic aciduria by gas chromatography 23(1969)27
– Porter, A.H., Greer, M., Williams, C.M.
An improved method for the determination of homovanillic acid and vanilmandelic acid by gas chromatography 25(1969)409
– – – –
A simple method for the determination of methylmalonic acid by gas chromatography 24(1969)476
– see Greer, M. 21(1968)247
Squire, C.R. see Horn, D.B. 17(1967)99
Srinavasan, R. see Rubinstein, H.M. 23(1969)1
Stabilini, R., Vergani, C., Agostoni, C., Vanoni Agostoni, R.P.
Influence of age and sex on prealbumin levels 20(1968)358
– see Agostoni, A. 26(1969)351
Stacey, T.E. see Stamp, T.C.B. 30(1970)351
Stagg, B.H., Whyley, G.A.
A quantitative method for the estimation of tissue lactate dehydrogenase isoenzymes on cellulose acetate 19(1968)139
– –
Some characteristics of lactate dehydrogenase isoenzymes in tumours of the female genital tract 22(1968)521
Stalder, K.-H. see Stegemann, H. 18(1967)267
Stamp, T.C.B., Stacey, T.E., Rose, G.A.
Comparison of glomerular filtration rate measurements using inulin, [^{51}Cr]EDTA, and a phosphate infusion technique 30(1970)351
Stancer, H.C. see Godse, D.D. 26(1969)89
– see Sastry, P.S. 20(1968)487
– – 22(1968)301
Stančić, L. see Iskrić, S. 25(1969)435
Stanulovic, M., Miletić, D., Stock, A.
Die Diagnostik des Vitamin B_6-Mangels auf Grund der Bestimmung von erythrocytärer L-Aspartat: 2-oxoglutarat Aminotranspherase (Glutamat-Oxalacetat-Transaminase) und ihrer Stimulation *in vitro* mit Pyridoxal-5′-Phosphat 17(1967)353
Starinsky, R., Shafrir, E.
Displacement of albumin-bound bilirubin by free fatty acids. Implications for neonatal hyperbilirubinemia 29(1970)311
Statius van Eps, L.W., Schouten, H., La Porte-Wijsman, L.W., Struyker Boudier, A.M.
The influence of red blood cell transfusion on the hyposthenuria and renal hemodynamics of sickle cell anemia 17(1967)449
– – Ter Haar Romeny-Wachter, C.Ch., La Porte-Wijsman, L.W.
The relation between age and renal concentrating capacity in sickle cell disease and hemoglobin C disease 27(1970)501
Stegemann, H., Stalder, K.-H.
Determination of hydroxyproline 18(1967)267
Steichen-Defalque, M. see Sonnet, J. 24(1969)325
Stein, F. see De Moor, P. 30(1970)311
Steinbuch, M. see Péjaudier, L. 30(1970)387
Steinmeyer, C.L. see Nagode, L.A. 26(1969)45,55
Stepán, J. see Fassati, M. 26(1969)497
Stepánová, I.
Bestimmung des anorganischen Phosphors in einer Mikromenge von Serum 16(1967)330
Stern, H.S. see Hosain, F. 24(1969)69
Stern, I.J., Cosmas, F., Smith, L.
Urinary polyuronide excretion in man after enzymic dissolution of the chondromucoprotein of the intervertebral disc of surgical stress 21(1968)181
Stevenson, F.K.
The viscosity of Tamm–Horsfall mucoprotein and its relation to cystic fibrosis 23(1969)441
Stevenson, J.H. see Wapnir, R.A. 26(1969)203
Stirling, J.E. see Dance, N. 24(1969)189
Stock, A. see Stanulović, M. 17(1967)353
Stocks, J., Dormandy, T.L.
A direct thiobarbituric acid-reacting chromogen in human red blood cells 27(1970)117
Stojanovski-Bubanj, A., Keler-Bacoka, M.
Normal values and comparison of two photometric methods for determination of zinc in serum 25(1969)478
Stone, M.C., Thorp, J.M., Mills, G.L., Dick, T.B.S.
Comparison of membrane filtration and nephelometry with analytical ultracentrifugation, for the quantitative analysis of low density lipoprotein fractions 30(1970)809
Stoop, J.W. see Ballieux, R.E. 22(1968)7
– see Van der Heiden, C. 22(1968)409
– see Zegers, B.J.M. 22(1968)399
Stott, A.W.
Paper chromatography of serum phenolic acids 20(1968)181
– Robinson, R.
Urinary normetadrenaline excretion in essential hypertension 16(1967)249
Strandberg, P.O. see Johansson, S.V. 30(1970)549

Straus, B. see Jergovic, I. 30(1970)765
Strecker, G. see Montreuil, J. 21(1968)61
Strickland, K.P. see Hudson, A.J. 17(1967)331
Strisower, E.H. see Nichols, A.V. 20(1968)277
Stroes, J.A.P. see Postma, T. 22(1968)569
Struyker Boudier, A.M. see Statius van Eps, L.W. 17(1967)449
Stuber, A.
Simplified chromatographic screening test for the diagnosis of some inborn errors of metabolism 24(1969)221
Studley-Ruxton, J. see O'Halloran, M.W. 27(1970)35
Studnitz, W. von, Hanson, A.
Demonstration of urinary *N*-acetyltyramine in patients with neuroblastoma 16(1967)180
Sturman, J.A.
Oxidative metabolism of glucose, fructose and galactose by normal and glucose-6-phosphate dehydrogenase-deficient human red cell haemolysates 26(1969)135
—
Pentose phosphate pathway metabolism by normal and glucose-6-phosphate dehydrogenase-deficient human red cell haemolysates 18(1967)245
Sulis, E. see Pabis, A. 20(1968)449
Susheela, A.K.
Free fatty acid concentrations in normal and diseased human muscle and in blood sera from patients with neuromuscular disease 22(1968)219
Susheela, T.P. see Selvaraj, R.J. 27(1970)165
Sussman, H.H.
Source of the increased serum alkaline phosphatase activity in Paget's disease 27(1970)121
Sutorius, A.H.M. see Seutter, E. 27(1970)357
Suurmond, D. see Schothorst, A.A. 28(1970)41
Svanborg, K. see Bygdeman, M. 26(1969)373
Svehag, S.-E. see Chesebro, B. 20(1968)527
Swaminathan, N., Mathan, V.I., Baker, S.J. Radhakrishnan, A.N.
Disaccharidase levels in jejunal biopsy specimens from American and South Indian control subjects and patients with tropical sprue 30(1970)707
Swedowska, M. see Konopka, K. 24(1969)359
Sweeney, G.D. see Gibbs, C.C.J. 17(1967)317
Swinnen, J.
Peptidase and transpeptidase activities in cerebrospinal fluid. Methods for the colorimetric determination of leucine aminopeptidase, γ-glutamylpeptidase and γ-glutamyltranspeptidase activities 17(1967)255
Szász, G.
Cholinesterase Bestimmung im Serum mit Acetyl- und Butyrylthiocholin als Substrat 19(1968)191
Szczeklik, A.
Generation of the proteolytic activity bound with 2-macroglobulin during plasma clotting 27(1970)339
—
Inhibitory effect of clot on proteolytic activity of serum bound with α_2-macroglobulin 25(1969)181
—
Trypsin-like activity of serum: its origin and electrophoretic separation 23(1969)219
Szeinberg, A., Szeinberg, B., Cohen, B.E.
Screening method for detection of specific aminoacidemias 23(1969)93
Szeinberg, B. see Szeinberg, A. 23(1969)93
Székács, I., Klembala, M.
Two-dimensional thin-layer chromatography of neuraminic acid-containing lipids 19(1968)523
Szewczuk, A. see Connell, G.E. 17(1967)423

T

Takagi, A., Muto, Y., Takahashi, Y., Nakao, K.
Fatty acid composition of lecithin from muscles in human progressive muscular dystrophy 20(1968)41
Takahashi, A., Yachi, A., Anzai, T., Wada, T.
Presence of a unique serum protein in sera obtained from patients with neoplastic diseases 17(1967)5
Takahashi, Y., Aoyama, I., Ito, F., Yamamura, Y.
Evaluation of phenyl acetate esterase activity as an index of liver damage 18(1967)21
– see Takagi, A. 20(1968)41
Take, S., Berk, J.E., Fridhandler, L.
Observations on a new simplified dye method for assessing amylase activity 26(1969)533
– Fridhandler, L., Berk, J.E.
Macroamylasemia: Possible of role polysaccharide in composition of macroamylase 27(1970)369
Takeda, T. see Matsuda, I. 20(1968)37
Talafant, E., Appelt, J.
Complexing bilirubin-diglucuronide with phospholipids to form "ether-extractable" bilirubin 19(1968)383
Tamir, I. see Fosbrooke, A.S. 20(1968)517
Tan, B.H. see Gans, H. 17(1967)111
Taniguchi, N.
Thin-layer gel filtration of urinary acid mucopolysaccharides in Hunter's syndrome and in normal individuals 30(1970)801
– Nanba, I.
Enzymatic abnormality of the carrier state in metachromatic leukodystrophy 29(1970)375
Tárnoky, A.L., Dowding, B.
Albumin Kashmir: a new variant, and its behaviour on routine analysis 26(1969)455
Taubert, H.-D. see Abraham, R. 28(1970)341
Tavenier, P., Hellendoorn, H.B.A.
A comparison of serum iron values determined by atomic absorption and by some spectrophotometric methods 23(1969)47
Taylaur, C.E. see Mills, G.L. 22(1968)251
– – 26(1969)67
Taylor, D.R. see Quash, G. 30(1970)17
Taylor, K.W., Howell, S.L., Montague, W., Edwards, J.C.
Immunoassay of insulin and glucagon 22(1968)71
Taylor, L. see Williams, J.H. 28(1970)247
Taylor, R. see Smith, A.F. 30(1970)105
Teasdale, P.R., Beaumont, D., Parkes, J.
Dialysed pooled serum and quality control 30(1970)535
Teissier, N. see Hauton, J.C. 20(1968)491
– see Sarles, H. 19(1968)147
Temkine, H. see Cartier, P. 22(1968)165
Templ, H., Geyer, G.
Bestimmung von Pregnantriol und Pregnantriolon im Harn mittels der Dünnschichtchromatographie 16(1967)179
Tenne, M. see Schen, R.J. 16(1967)445
Teplý, V. see Grafnetter, D. 16(1967)33
Terebus-Kekish, O. see Barclay, M. 24(1969)225
Ter Haar Romeny-Wachter, C.Ch. see Statius van Eps, L.W. 27(1970)501
Terhorst, C. see Van Eyk, H.G. 16(1967)429
Terlecky, J.S. see Simenhoff, M.L. 27(1970)367
Terlingen, J.B.A., Van Dreumel, H.J.
Note on the fluorimetric method for phenylalanine in serum 22(1968)643
Tessier, N. see Hauton, J.C. 17(1967)171
Teuchy, H., Van Sumere, C.F.
Quantitative thin-layer chromatographic determination of hippuric acid in rat urine 25(1969)79
– see Van Sumere, C.F. 26(1969)85
Teulings, F.A.G., Biggs, G.J.
Study of electrolytic labeling of fibrinogen with ^{131}iodine by Sephadex G-10 gel filtration 27(1970)57
Thaxton, V.L., Bowie, W.C.
A method for the determination of lecithin in plasma as choline 21(1968)171
Thijs, L.G. see Biewenga, J. 27(1970)293
Thijssen, J.H.H. see Klokke, A.H. 20(1968)167
Thilo, E., Diamant, Y.Z., Polishuk, W.Z.
Leukocyte alkaline phosphatase in pregnancy. Comparison with placental phosphatase activity 29(1970)395
Thoenes, G.H., Hammer, D.K.
Immunchemische Untersuchungen am nephrotoxischen Antigen der glomerulären Basalmembran 18(1967)253
Thomas, D.M. see Moss, D.W. 30(1970)835
Thomas, D.R. see Boyd, E.M. 16(1967)333
Thompson, R.H.

Use of a non-carcinogenic reagent for the determination of blood glucose 25(1969)475
Thomson, W.H.S.
An investigation of physical factors influencing the behaviour *in vitro* of serum creatine phosphokinase and other enzymes 23(1969)105
–
Determination and statistical analyses of the normal ranges for five serum enzymes 21(1968)469
–
The biochemical identification of the carrier state in X-linked recessive (Duchenne) muscular dystrophy 26(1969)207
Thorell, J.I.
Use of immunosorbent in the preparation of an "antigen-free" plasma. An adequate diluent for standards in radioimmunoassay 22(1968)579
– see Laurell, C.-B. 25(1969)294
Thorp, J.M. see Stone, M.C. 30(1970)809
Thumb, N. see Höfer, R. 22(1968)135
Tibbling, G.
A method for determination of vitamin B_{12} in serum by radioassay 23(1969)209
–
Glycerol turnover in hyperthyroidism 24(1969)121
– Cederquist, E., Lundquist, A.
Plasma glycerol and glycerol turnover during treatment of hyperthyroidism 25(1969)189
– see Laurell, S. 16(1967)57
– – 21(1968)127
– see Schertsén, B. 18(1967)383
Timmer, C.J. see Persijn, J.P. 30(1970)377
Timms, B.G. see Clark, A. 20(1968)352
– see Deadman, N.M. 26(1969)369
Tinterova, Z., Ognianov, M.
Immunoelectrodiffusional determination of β-lipoproteins in the plasma of heparin-treated patients 26(1969)583
Tischler, B. see Perry, T.L. 18(1967)51
Tobiska, J., Vermousek, I., Kocent, A.
Rat and human seromucoid under normal and certain pathological conditions 29(1970)385
Tochimoto, S. see Southren, A.L. 30(1970)538
Toda, T. see Hirayama, C. 19(1968)37
– – 27(1970)409
Todt, H. see Spranger, J. 17(1967)142
Tömpe, L. see Schuller, E. 30(1970)73
Toivonen, I. see Koskelo, P. 21(1968)291
– – 29(1970)559
Tokita, K., Schmid, K.
The α_1-acid glycoprotein variants of certain Caucasian patients 17(1967)39
Tomaszewski, L.
A new principle for the determination of the extracellular fluid 16(1967)417
Tominaga, K. see Hirayama, C. 19(1968)37
Tomlinson, R.H. see Dickson, R.C. 16(1967)311
Tooley, M. see Cumings, J.N. 27(1970)29
Toothill, C. see Broughton, P.M.G. 19(1968)297
– see Langelaan, D.E. 26(1969)245
– – 27(1970)453
Torrance, A.M. see Harkness, R.A. 18(1967)489
Torres, N. see Brulles, A. 24(1969)261
Toseland, P.A.
The determination of urinary quinolinic acid by gas–liquid chromatography 25(1969)185
– Scott, P.H.
Determination of amphetamine as its *N*-acetyl derivative by gas–liquid chromatography 25(1969)75
– see Grover, J. 29(1970)253
– see Leach, H. 20(1968)195
– see Rose, D.P. 17(1967)235
– see Siggers, D.C. 30(1970)373
Toskes, P.P. see Cerda, J.J. 27(1970)437
Trabalza, T. see Cao, A. 23(1969)475
Tracey, D. see Naftalin, L. 26(1969)293
Traeger, J. see Vincent, D. 28(1970)97
Trainer, T.D., Gruenig, D.
A rapid method for the analysis of creatine phosphokinase isoenzymes 21(1968)151
Tregear, G.W. see Ca⁺, K.J. 27(1970)267
Treiber, L., Oertel, G.W.
Estimation of ketosteroids with 2,4-dinitrophenylhydrazine. Determination of dehydroepiandrosterone, androsterone and etiocholanalone in urine 17(1967)81
Trensz, F. see Badin, J. 19(1968)11
Trijbels, J.M.F. see Van Munster, P.J.J. 29(1970)243
Trinder, P., Kirkland, J.F.
The determination of L-aspartate: 2-oxoglutarate aminotransferase in serum 16(1967)287
Trip, J.A.J., Arisz, L., Van der Hem, G.K., Mandema, E.
Urinary excretion of ceruloplasmin in relation to some other serum proteins in patients with proteinuria 20(1968)479
– Que, G.S., Botterweg-Span, Y., Mandema, E.
The state of copper in human lymph 26(1969)371
Troop, J. see Flynn, F.V. 24(1969)51
Troy, R.J., Purdy, W.C.

(Troy, R.J., Purdy, W.C.)
The coulometric determination of cholesterol in serum 26(1969)155
– –
The coulometric determination of uric acid in serum and urine 27(1970)401
'T Sass, F. see Zurcher, C. 25(1969)139
Tsvetanova, E. Ognianov, M.
A case of absence of LDH_4 in the muscle homogenate from a patient with progressive muscular dystrophy 18(1967)87
Tudhope, G.R.
The inhibition of catalase by plasma and by human tissue extracts 25(1969)379
Tuey, G.A.P. see Wilkinson, J.H. 19(1968)397
Tumilasci, O.R. see Alonso, G.L. 27(1970)549
Turnberg, L.A., Anthony-Mote, A.
The quantitative determination of bile salts in bile using thin-layer chromatography and 3α-hydroxysteroid dehydrogenase 24(1969)253
Tuset, N. see Gras, G. 20(1968)295
Tusl, J.
Direct determination of fluoride in human urine using fluoride electrode 27(1970)216

U

Udeozo, I.O.K. see McFarlane, H. 17(1967)325
Uemura, N. see Arakawa, K. 22(1968)309
Uffelman, J.A., Engelhard, W.E., Jolliff, C.R.
Quantitation of immunoglobulins in normal children 28(1970)185
Uitto, J., Laitinen, O., Lamberg, B.-A., Kivirikko, K.I.
Further evaluation of the significance of urinary hydroxyproline determinations in the diagnosis of thyroid disorders 22(1968)583
– Lindy, S., Rokkanen, P., Vainio, K.
Increased protocollagen proline hydroxylase activity in synovial tissue in rheumatoid arthritis 30(1970)741
– see Kalima, T. 19(1968)443
– see Laitinen, O. 21(1968)321
Unger, C. see Peters, J.E. 29(1970)576
Usher, D.J., Deegan, T.
An assessment of the use of Sephadex G-25 in the estimation of serum protein-bound magnesium and calcium 29(1970)361
Usui, T.
Extraction of urinary phenolic steroids 24(1969)467
– Kawamoto, H.
A simplified method for the estimation of urinary free cortisol and 20-dihydrocortisol by fluorometry 30(1970)595
– –
Fluorimetric determination of serum 11-hydroxysteroids. Calculative correction of deviations in complex fluorescence spectra 30(1970)663
Uusma, K. see Johansson, S.V. 30(1970)549

V

Vagenakis, A. see Levis, G.M. 20(1968)127
Vainio, K. see Uitto, J. 30(1970)741
Valenta, M. see Hyldgaard-Jensen, J. 22(1968)497
Valkenburgh-Sikkema, T. see Korf, J. 26(1969)301
Vallee, B.L.
Implications and applications of emission and atomic absorption spectroscopy for biological problems 25(1969)307
Vallega-Magasich, A. see Morales-Malva, J.A. 18(1967)175
Vallon, J.J. see Badinand, A. 25(1969)357
Valori, C. see Renzini, V. 30(1970)587
Valovicova, E. see Dzúrik, R. 30(1970)137
Van Assendelft, O.W., Holtz, A.H., Van Kampen, E.J., Zijlstra, W.G.
Control data of international haemiglobin-cyanide reference solutions 18(1967)78
– Zijlstra, W.G., Buursma, A., Van Kampen, E.J., Hoek, W.
The use of atomic absorption spectrophotometry for the measurement of haemoglobin-iron, with special reference to the determination of ϵ_{HiCN} 22(1968)281
– see Mook, G.A. 26(1969)170
Van Baelen, H. see Heyns, W. 18(1967)361
Van de Calseyde, J.F., Scholtis, R.J.H., Schmidt, N.A., Kuypers, A.M.J.
Assay of pregnanediol and pregnanetriol in low-titre urines by gas chromatography 27(1970)139
Vanderhaeghe, H. see Roovers, J. 19(1968)449
Van der Harst, P. see Van der Slik, W. 27(1970)325
Van der Heiden, C., Desplanque, J., Stoop, J.W., Wadman, S.K.
Total LDH and LDH isoenzyme distribution in the serum of normal children 22(1968)409
Van der Hem, G.K. see Trip, J.A.J. 20(1968)479
Van der Meer, J. see Hollemans, H.J.G. 23(1969)7
– – 24(1969)353
Van der Sar, A. see Wrightstone, R.N. 22(1968)593
Van der Slik, W., Koevoet, A.L., Van Neerbos, B.R., Alkemade, G.M., Van der Harst, P.
A modified automated enzymatic glucose determination 27(1970)325
– see Persijn, J.P. 30(1970)377
Van Dreumel, H.J. see Holtz, A.H. 20(1968)355
– see Terlingen, J.B.A. 22(1968)643
Van Eyk, H.G., Myszkowska, K.
On the localization of antigenic determinants in a Bence Jones protein 18(1967)101
– Terhorst, C., De Vijlder, M.M.A.
Fragmentation of human IgG globulin with papain, trypsin and pepsin 16(1967)429
Van Gent, C.M. see Pries, C. 19(1968)181
Van Haeringen, N.J., Glasius, E.
The relation between rouleaux formation in blood and fibrinogen content in plasma 29(1970)55
Van Handel, E.
Serum trehalase: Assay and normal values 29(1970)349
Van Heeswijk, P.J. see Van Munster, P.J. 29(1970)243
Vanheule, R. see Adriaenssens, K. 18(1967)351
– – 23(1969)449
Van Kampen, E.J., Hoek, W.
Urinary steroid spectrum by gas chromatography 16(1967)442
Van Kampen, E.J. see Van Assendelft, O.W. 18(1967)78
– – 22(1968)281
– see Frensdorf, E.L. 28(1970)77
– see Hoek, W. 19(1968)371
– see Rispens, P. 22(1968)261
Van Mieghem, W. see De Moor, P. 30(1970)627
Van Munster, P.J.J., Trijbels, J.M.F., Van Heeswijk, P.J., Schut-Jansen, B., Moerkerk, C.
A new sensitive method for the determination of serum carnosinase activity using L-carnosine-[1-^{14}C] β-alanyl as substrate 29(1970)243
– see Boon, J. 23(1969)453
Van Neerbos, B.R., De Vries-Lequin, I.
Electrophoresis of glycoproteins with special regard to periodic acid–Schiff staining 26(1969)271
– see Van der Slik, W. 27(1970)325
Vanoni Agostoni, R.P. see Stabilini, R. 20(1968)358
Van Praag, H.M. see Van Woudenberg, F. 27(1970)313

Van Riet, H.G., Hoeke, J.O.O.
Amylase and lipase values in normal subjects 19(1968)459
Van Stekelenburg, G.J., De Bruyn, J.W.
A simple gas chromatographic determination of acetone and β-ketobutyric acid in blood serum by means of head space gas sampling 28(1970)233
Van Steveninck, J. see Schothorst, A.A. 28(1970)41
Van Sumere, C.F., Teuchy, H., Pé, H., Verbeke, R., Bekaert, J.
Quantitative investigation on the hippuric acid formation in healthy and diseased individuals 26(1969)85
– see Teuchy, H. 25(1969)79
Van Tilburg, A.M.J., Muller, Ch.J.
The influence of sodium chloride on the gel filtration of oestrogens on Sephadex 29(1970)5
Van Vreedendaal, M. see Neumann, H. 17(1967)183
Van Woudenberg, F., Wiegman, T., Van Praag, H.M., Korf, J.
Investigation of the influence of *p*-chloro-*N*-methamephetamine on the human metabolism of 5-hydroxytryptamine with high voltage electrophoresis and liquid scintillation counting 27(1970)313
Vanzetti, G., Franzini, C.
Stable hemoglobin compounds in concentrated solution as reference for hemoglobinometry 24(1969)417
– Palatucci, F., Cosci, G.
Automatic analysis of electrophoresis strips by means of cyclic electronic scanner 20(1968)215
Vasantha, L.
Collagen content and derman amino acid pattern in pellagra 27(1970)543
–
Labile collagen content in the skin in kwashiorkor 26(1969)277
Vasudeva Rao, K. see Naganna, B. 17(1967)219
Vecerek, B. see Miholcić, M. 16(1967)383
Végh, M., Bihari-Varga, M.
Correlation of serum lipid pattern with the concentration of mucopolysaccharides in normal and hyperlipemic human sera 16(1967)371
– see Bihari-Varga, M. 22(1968)355
Veissière, D. see Picard, J. 30(1970)149
Veltkamp, W.A. see Beukers, H. 25(1969)403
Verbeke, R. see Van Sumere, C.F. 26(1969)85
Vere, D.W. see Marsh, N.A. 16(1967)389
Vergani, C., Agostoni, A.
Identifications by immuno-gel filtration of serum Bence Jones protein in cases of micromolecular paraproteinemia 16(1967)326
– see Agostoni, A. 26(1969)351
– see Stabilini, R. 20(1968)358
Verheesen, P.E. see Brombacher, P.J. 20(1968)360
Verheyden, J. see Colfs, B. 18(1967)325
Vermousek, I. see Tobiska, J. 29(1970)385
Veronese, F.M. see Benassi, C.A. 17(1967)383
Verrier Jones, J. see Clamp, J.R. 21(1968)165
Vestergaard, P. see Kahane, Z. 25(1969)453
– – 26(1969)307
– – 30(1970)683
Veys, E.M. see Wieme, R.J. 27(1970)77
Viale, A.A. see San Martin de Viale, L.C. 28(1970)13
Victor, F. see Götz, H. 21(1968)119
Vigil, E.R. see Izquierdo, J.M. 30(1970)343
Vigneron, C. see Siest, G. 20(1968)373
Viherkoski, M. see Konttinen, A. 22(1968)145
Vihko, R. see Jänne, O. 23(1969)405
Viikari, J. see Nikkari, T. 24(1969)473
Vincent, D., Moskovtchenko, J.F., Traeger, J.
Les cholinestérases (érythrocytaire et plasmatique) dans les anémies rénales. Action du traitement par épuration extrarénale 28(1970)97
Vink, C.L.J. see Colenbrander, H.J. 28(1970)175,329
Vodrazka, Z. see Brabec, V. 28(1970)489
Volek, V. see Palek, J. 18(1967)39
Volk, B.W. see Friedland, J. 28(1970)397
Voloder, K.
Polarographic determination of uranium in biological material 24(1969)373
Von Kleist, S., Buffe, D., Burtin, P.
Relation entre les antigènes du liquide amniotique et du sérum foetal 20(1968)89
Voorrips, C. see Hoeke, J.O.O. 16(1967)171
Vopatová, M. see Palek, J. 23(1969)133
Voute, , Jr., P.A., Wadman, S.K.
Cystathionuria in hepablastoma 22(1968)373
Vuagnat, P. see Zender, R. 20(1968)85

W

Wacher, A. see Adams, J.B. 21(1968)155
Wachman, A. see Hattner, R.S. 28(1970)67
Wada, O. see Nakao, K. 19(1868)319
Wada, T. see Ohara, H. 19(1968)41
– see Takahashi, A. 17(1967)5
Wade, A.P.
The estimation of cholesterol sulphate and cholesterol glucuronide in plasma 27(1970)109
Wadman, S.K., Fabery de Jonge, H., De Bree, P.K.
Rapid, high-resolution, two-dimensional amino acid chromatography in micro scale chromatograms 25(1969)87
– see Van der Heiden, C. 22(1968)409
– see Voûte, Jr., P.A. 22(1968)373
Wagener, H. see Frosch, B. 22(1968)294
Wager, O. see Koskelo, P. 17(1967)339
Waggoner, J.G. see Bloomer, J.R. 29(1970)463
Wagner, Jr., H.N. see Hosain, F. 24(1969)69
Wagner, J., Duck, H.-J.
Formentmuster im Phasenablauf einer akuten experimentellen Entzündung 28(1970)5
– –
Vergleichende Untersuchungen der sauren proteolytischen Enzymaktivitäten von Serum und Punktionsflüssigkeiten entzündlicher, nichtendzündlicher und maligner Genese 18(1967)11
– see Duck, H.-J. 25(1969)65
Wakid, N.W., Kutayli, F., Buri, H.
Inorganic pyrophosphatase in human urine 30(1970)527
Walker, A.W., Pollard, A.C.
A simple and inexpensive apparatus for vertical polyacrylamide gel slab electrophoresis 23(1969)370
Walker, B.E. see Dawson, J.B. 26(1969)465
– see Kelleher, J. 30(1970)267
Walker, G. see Green, M. 29(1970)189
– see Sacre, M.H. 30(1970)215
Walker, W.H.C., Pennock, C.A., McGowan, G.K.
Practical considerations in kinetics of continuous flow analysis 27(1970)421
Walker-Smith, J. see Müller, M. 24(1969)45
Wallis, K. see Azizi, E. 28(1970)391
Walravens, Ph., Estas, A.
Identification of Kreutzer's urinary protein as amylase 18(1967)82
– Laterre, E.C., Estas, A., Heremans, J.F.
Further studies on low molecular weight proteins common to CSF and urine 18(1967)335
– – Heremans, J.F.
Studies on tubular proteinuria 19(1968)107
Walton, K.W. see Barker, S.A. 17(1967)119
Wapnir, R.A., Stevenson, J.H.
Estimation of free tryptophan in plasma. A simplified spectrofluorometric micromethod 26(1969)203
Warburton, F.G., Nixon, J.V.
The significance of disagreement between serum cholesterol levels and serum β-lipoproteins as determined by Immunocrit 18(1967)75
Warembourg, H., Biserte, G., Bertrand, M., Sezille, G., Jaillard, J.
La captation myocardique des acides gras libres chez l'homme. Etude des acides gras individuels et action de divers agents pharmacodynamiques 23(1969)387
– – Jaillard, J., Sezille, G.
Variations quantitatives des acides gras non estérifiés et des triglycérides circulants induites par le glucagon 28(1970)103
– – Sezille, G., Jaillard, J., Bertrand, M.
Etude dynamique *in vivo* et *in vitro* de la composition des acides gras non estérifiés du plasma post-héparine chez l'homme 18(1967)209
– – – – –
Influence de l'hormone adrénocorticotrope sur la composition des acides gras non estérifiés du plasma humain normal 20(1968)269
– – – – –
Influence du glucose sur la composition des acides gras non estérifiés du plasma humain normal 22(1968)349
Warnock, M.L., Reisman, R.
Variant alkaline phosphatase in human hepatocellular cancers 24(1969)5
Warren, F.L. see Kay, H.L. 18(1967)249
Warren, P.J. see Makin, H.J.L. 29(1970)493
Warter, J. see Bieth, J. 20(1968)69
Watanabe, K. see Ohara, H. 19(1968)41
Watanabe, M., Watanabe, Y., Okada, M.
A new fluorimetric method for the determination of 3-hydroxykynurenine

27(1970)461
Watanabe, Y. see Watanabe, M. 27(1970)461
Watkins, P.J.
The effect of ketone bodies on the determination of creatinine 18(1967)191
– see Gibbard, S. 19(1968)511
Watkins, W.B. see Farrelly, R.O. 20(1968)291
Watson, C.J. see Aziz, M.A. 26(1969)525
Watson, D.
Factors for calculating serum albumin and total protein from the nitrogen content 16(1967)322
Watson, J.J. see Dror, Y. 28(1970)291
Watts, D.C. see Hooton, B.T. 16(1967)173
Weber, A.Ph., Sindram, D.E.A.
Quantitative determination of bilirubin pigments in urine 18(1967)169
Weber, B.K. see Klein, B. 26(1969)77
Weenink, R.O.
A modified copper reagent for the colorimetric determination of free fatty acids 24(1969)186
Weicker, H.
Isolation of a small molecular peptide from human erythrocyte membrane with Rh properties 21(1968)513
– see Grässlin, D. 21(1968)15
– see Meiser, J. 16(1967)1
Weidler, K. see Keller, H.E. 29(1970)579
Weiner, L.M. see Zak, B. 29(1970)77
– – 30(1970)697
Weinstein, R. see Dufau, M. 25(1969)389
Weippl, G., Panlitschko, M., Hammelmann, Ch.
Hemopexin in cord blood 29(1970)338
– see Panlitschko, M. 19(1968)439
Weiss, J.B. see Langley, T.J. 18(1967)241
Weizel, A. see Wood, P.D. 26(1969)539
Wellby, M.L. see O'Halloran, M.W. 27(1970)35
Wells, D.G. see Casey, H.J. 19(1968)165
Wells, M.G.
A simple rapid method for the determination of α amino acids in urine 25(1969)27
–
Improved method for the determination of uric acid in blood and urine 22(1968)379
Welsh, B. see Zak, B. 30(1970)697
Welshman, S.G., Armstrong, M.J., Bell, J.F.
Oesteriol levels in pregnancy urine related to creatinine excretion 26(1969)339
– Roxon, C.
Colorimetric estimation of lactic dehydrogenase isoenzymes by urea inhibition 19(1968)121
Went, J., Whitehead, T.P.
Automated serum carbon dioxide content determination as a screening test for disorders of the acid–base state 26(1969)559
Went, L.N. see Schothorst, A.A. 28(1970)41
Werner, M.
Serum protein changes during the acute phase reaction 25(1969)299
– Heilbron, D.C., Maruhn, D., Atoba, M.
Patterns of urinary enzyme excretion in healthy subjects 29(1970)437
Wessler, E.
Determination of acidic glycosaminoglycans (mucopolysaccharides) in urine by an ion exchange method. Application to "collagenoses", gargoylism, the nail–patella syndrome and Farber's disease 16(1967)235
Wesson, L.G. see Simenhoff, M.L. 27(1970)367
Weston, P.D. see Barker, S.A. 17(1967)119
Wetter, O., Hertenstein, Ch.
Chromatographic patterns of uroproteins 19(1968)421
Weyss, N. see Klingmüller, V. 22(1968)317
Wherrett, J.R.
Analysis of polar lipids in the urine sediments 16(1967)135
Whitaker, J.F.
A general colorimetric procedure for the estimation of enzymes which are linked to the NADH/NAD^+ system 24(1969)23
– see Naftalin, L. 26(1969)293
Whitby, L.G. see Broughton, P.M.G. 19(1968)297
White, H.H.
Separation of amino acids in physiological fluids by two-dimensional thin-layer chromatography 21(1968)297
White, T.A., Price Evans, D.A.
Urinary hexosamine and acetyl-hexosamine excretion in human acetylator phenotypes 18(1967)161
Whitehead, T.P. see Went, J. 26(1969)559
Whitfield, A.E., Shepherd, J.
Measurement of L-histidine ammonia-lyase activity and urocanic acid content of human skin 29(1970)181
Whitfield, J.B.
Metabolic effects of haemodialysis against glucose and acetate-containing solutions 24(1969)449
Whittaker, M.
The serum cholinesterase variants. Differentiation by means of formaldehyde 26(1969)141
Whyley, G.A. see Stagg, B.H. 19(1968)139
– – 22(1968)521
Wiatrak, W. see Krawczyński, J. 29(1970)43
Wibbens-Alberts, M. see Gips, C.H. 22(1968)183

(Wibbens-Alberts, M. see Gips, C.H.) 29(1970)501
Wiedeman, H.-R. see Spranger, J. 17(1967)142
Wiederanders, B. see Hanson, H. 25(1969)255
Wiegman, T. see Van Woudenberg, F. 27(1970)313
Wieme, R.J., Veys, E.M.
A double-linear immunodiffusion method for the quantitation of proteins 27(1970)77
Wiener, J.D., Backer, E.T.
Separation of hormonal and exogenous iodine in serum by means of a cation exchange resin 29(1968)155
Wilensky, A.J. see Hudson, A.J. 17(1967)331
Wilk, E.K., Gitlow, S.E., Bertani, L.M.
Modification of the Taniguchi method for the determination of normetanephrine and metanephrine 20(1968)147
Wilk, S., Gitlow, S.E., Clarke, D.D., Paley, D.H.
Determination of urinary 3-methoxy-4-hydroxyphenylethylene glycol by gas–liquid chromatography and electron capture detection 16(1967)403
Wilkinson, A.W. see Barlow, G.B. 29(1970)355
Wilkinson, J.H., Jenkins, F.P., Tuey, G.A.P.
2-Oxybutyric acid: Effects of its condensation products on lactate dehydrogenase activity 19(1968)397
– see Bahr, M. 17(1967)367
– see Cerda, J.J. 27(1970)437
– see Metz, M. 30(1970)325
Wilkinson, P.A. see Mills, G.L. 26(1969)67
Williams, C.M. see Greer, M. 21(1968)247
– – 22(1968)460
– see Sprinkle, T.J. 23(1969)27
– – 24(1969)476
– – 25(1969)409
Williams, E.R., Bruford, A.
Creatine phosphokinase in motor neurone disease 27(1970)53
Williams, J.H., Kuchmak, M., Witter, R.F.
Quantitative determination of phospholipid classes in human serum by combined thin-layer chromatography and phosphorus analysis 25(1969)447
– Taylor, L., Kuchmak, M., Witter, R.F.
Preparation of hypercholesterolemic and/or hypertriglyceridemic sera for lipid determinations 28(1970)247
Williams, M.J. see Buckley, J.A. 28(1970)133
Wilson, J.D. see Simmonds, H.A. 16(1967)155
Winkelman, J., Ibbott, F.A.
Studies on the phenotyping of hyperlipoproteinemias. Evaluation of paper electrophoresis technique 26(1969)25
– – Sobel, C., Wybenga, D.R.
Studies on the phenotyping of hyperlipoproteinemias. Evaluation of cellulose acetate technique and comparison with paper electrophoresis 26(1969)33
– Wybenga, D.R., Ibbott, F.
Quantitation of lipoprotein components in the phenotyping of hyperlipoproteinemias 27(1970)181
Winsten, S., Cehelyk, B.
A rapid micro diazo technique for measuring total bilirubin 25(1969)441
Wisén, O. see Shackleton, C.H.L. 27(1970)354
Wissa Mirhom, Y.
Deleterious effect of iodine when used as a detecting reagent for oestrogens on chromatoplates before their estimation 30(1970)347
Witter, R.F. see Williams, J.H. 25(1969)447
– – 28(1970)247
Wolf, M., Dinwoodie, A.
Comparison of alkaline phosphatase isoenzymes activity using five standard methods 24(1969)131
Wollaeger, E.E. see Greenberg, E. 16(1967)79
Wollenweber, J., Kahlke, W.
Vergleichende Untersuchungen der Lipoproteine des Serums mit der Agarose-gel-Elektrophorese und der Disk-Elektrophorese in Polyacrylamid-Gel 29(1970)411
Wong Kim Ping
Microassay of hepatic UDP-glucuronyl transferase 26(1969)119
Wood, D.C. see Baer, D.M. 17(1967)1
Wood, M. see Mier, P.D. 24(1969)105
Wood, P.D., Weizel, A.
Mass determination by direct weighing in estimation of cholesterol specific activity 26(1969)539
Wood, P.J. see Lee, Poh Chun 30(1970)221
Woodman, D.D.
Detection of blood in faeces 29(1970)249
Wootton, I.D.P. see Young, D.S. 22(1968)403
Wright, E.B. see Gutteridge, J.M.C. 27(1970)289
Wrightstone, R.N., Huisman, T.H.J., Van der Sar, A.
Qualitative and quantitative studies of sickle cell hemoglobin in homozygotes and heterozygotes 22(1968)593
Wünsch, L.
Chelatometrische Magnesiumbestimmung im Harn 30(1970)157
Würz, H., Oeser, R.-M., Knedel, M.
Structural studies of an unusual myeloma protein 22(1968)458
Wüst, H. see Götz, H. 19(1968)235
Wybenga, D., Pileggi, V.J.

Quantitative determination of 3-methoxy-4-hydroxy-mandelic acid (VMA) in urine 16(1967)147

Wybenga, D.R. see Winkelman, J. 26(1969)33 – – 27(1970)181

Y

Yachi, A. see Takahashi, A. 17(1967)5
Yaffe, S.J. see Krasner, J. 23(1969)437
Yalow, R.S. see Berson, S.A. 22(1968)51
Yamada, J. see Arawaka, K. 22(1968)309
Yamada, M., Matsuda, I.
Lipoprotein lipase in clinical and experimental nephrosis 30(1970)757
Yamakido, M. see Yokoyama, M. 23(1969)165
Yamamoto, K., Matsuda, I.
Urinary hydroxyproline excretion in normal Japanese children 22(1968)648
– see Miyaji, T. 16(1967)347
Yamamoto, T., Hashimoto, N., Yokoyama, M.
Prevention of cracking of wells in the immunodiffusion agar-plate 21(1968)521
Yamamura, Y. see Takahashi, Y. 18(1967)21
Yanagisawa, I. and Yoshikawa, H.
Micro-determination of bromine in cerebrospinal fluid 21(1968)217
Yano, Y. see Nakao, K. 19(1968)319
Yaron, E. see Zweers, A. 19(1968)267
Yaseen, A. see Rosenthal, A.F. 26(1969)363
Yi-Ung Hsia, D. see Monteleone, P.L. 18(1967)275
Yokoyama, M., Yamakido, M.
Direct immunodiffusion technique for Ig quantitation 23(1969)165
– see Yamamoto, T. 21(1968)521
Yoshida, M. see Nakayama, T. 30(1970)546
Yoshikawa, H. see Yanagisawa, I. 21(1968)217
Yoshizaki, H., Hunziker, K., Schmid, K.
The constancy of the types of α_1-acid glycoprotein variants in patients with uterectomy and irradiation 23(1969)147
Yosizawa, Z. see Matsushiro, T. 30(1970)645
Young, D.S.
Automatic determination of urine volume from weight of sample 25(1969)429
– Wootton, I.D.P.
Conjugation of aromatic amines in renal failure 22(1968)403
Young, G.A., Parsons, F.M.
Plasma amino acid imbalance in patients with chronic renal failure on intermittent dialysis 27(1970)491
Yudkin, J. see Smith, S.G. 23(1969)241
Yurachek, J.P. see Harrison, W.W. 23(1969)83

Z

Zacek, K. see Grafnetter, D. 16(1967)33
Zachara, B., Domicz, U., Kański, M., Leyko, W.
Phosphate esters in erythrocytes frozen in DMSO 18(1967)127
Zaidman, J.
On the heterogeneity of hemoglobin from normal and glucose-6-phosphate dehydrogenase-deficient individuals 23(1969)67
Zak, B., Baginski, E.S., Epstein, E., Weiner, L.M.
Terosite sulfonate: a sensitive reagent for the determination of serum iron 29(1970)77
– Weiner, L.M., Welsh, B.
Spectrophotometric study of bilirubin interference in the Huang reaction for cholesterol 30(1970)697
– see Epstein, E. 20(1968)335
Zak, Z. see Bobrzecka, K. 18(1967)117
Zapf, P.W.
A semi-automated method for plasma arginase 26(1969)547
Zappata, A. see Franzini, C. 23(1969)368
Zarembski, P.M., Hodgkinson, A.
Gel filtration behaviour of calcium and magnesium salts in normal and stone-forming urines 24(1969)139
– –
Some factors influencing the urinary excretion of oxalic acid in man 25(1969)1
Zarubina, N.A. see Rosenfeld, E.L. 24(1969)469
Zegers, B.J.M., Poen, H., Stoop, J.W., Ballieux, R.E.
Immunoglobulin determination. Evaluation of the results of immunoelectrophoretic analysis and the radial diffusion method 22(1968)399
– see Ballieux, R.E. 22(1968)7
Zelders, T. see Jansen, A.P. 27(1970)125
Zelnicek, E., Podhradská, O.
Clearance of endogenous phenylpyruvate in phenylketonurics 25(1969)179
Zender, R.
Analyse du citrate plasmatique par voie enzymatique sans déprotéinisation 24(1969)335
– Courboisier, B.
Etude comparative des acides aminés plasmatiques libres dans des cas de tumeurs osseuses malignes et chez les sujets sains 27(1970)259
– Vuagnat, P., Falbriard, A.
Etude statistique des causes d'erreur dans la mesure d'une clearance rénale conventionnelle 20(1968)85
Zepf, S.
Fluorometrische Magnesium-Bestimmung in biologischem Material 20(1968)473
Zetterström, R. see Gentz, J. 23(1969)257
Ziegler, E., Berger, H.
Tryptophan metabolism in newborn low-birth-weight infants 28(1970)369
Zijlstra, W.G. see Mook, G.A. 26(1969)170
– see Rispens, P. 22(1968)261,627
– see Van Assendelft, O.W. 18(1967)78
– – 22(1968)281
Zondag, H.A. see Jacobs, W.L.W. 20(1968)113
– – 24(1969)93
Zupańska, B. see Snigurowicz, J. 22(1968)187
Zurcher, C., Kuijlman, F.F., 'T Sass, F., Zurcher, T., Loos, J.A., Prins, H.K.
Glucose-6-phosphate dehydrogenase deficiency in females, diagnosed by partial inhibition of glutathione reductase activity in the erythrocytes after incubation with chromate 25(1969)139
Zurcher, T. see Zurcher, C. 25(1969)139
Zuzic, I. see Jergović, I. 30(1970)765
Zweers, A., Yaron, E., Groen, J.J.
A study of fasting and postprandial serum triglycerides in connection with epidemiological surveys 19(1968)267

CUMULATIVE SUBJECT INDEX

Vols. 16-30

Abbreviations used:

d. = determination
m. = method(s)
t. = technique(s)

A

Absorption spectrophotometers
fixed cuvette (Rosenbusch, De Luserna) 24(1969)479
Acetaldehyde in blood
micro-d. (Roach, Creaven) 21(1968)275
2-Acetamido-1-(β'-L-aspartamido)-1,2-dideoxy-β-L-glucose,
enzymatic cleavage by plasma and seminal fluid (Pollitt, Jenner) 25(1969)413
Acetoacetate
and glucose, in capillary blood, simultaneous d. (Salway) 25(1969)109
enzymatic micro-d. (Gibbard, Watkins) 19(1968)511
metabolic studies in uremic acidosis (Campanacci, Guarnieri, Siliprandi, Fiaschi) 20(1968)341
metabolism by normal and dystrophic mouse muscle (Fitzpatrick, Pennington) 19(1968)157
Acetone
in blood serum, gas chromatographic d., simple (Van Stekelenburg, De Bruyn) 28(1970)233
Acetylcholinesterase
in red cell membrane, primary refractory anaemias (Palek, Brabec, Vopatová, Michalec, Mircevová) 23(1969)133
N-Acetyl-β-glucosaminidase excretion
after kidney surgery (Price, Dance, Richards, Cattell) 27(1970)65
in renal disease (Dance, Price, Cattell, Lansdell, Richards) 27(1970)87
N-acetylmetanephrine
urine, neuroblastoma (Borud, Gjessing) 27(1970)552
N-Acetylneuraminic acid
serum and urinary, kwashiorkor (Ittyerah) 29(1970)145
in sialoglycopeptide from normal urine (Carrion, Bourrillon, Cabezas) 26(1969)481
N-acetylnormetanephrine
urine, neuroblastoma (Borud, Gjessing) 27(1970)552
Acetylsalicylic acid
urinary enzyme activity in the rat (Raab) 22(1968)535
N-Acetyl tyrosine ethylester
enzymes splitting, quantitative d. (Rybák, Mansfeld, Petáková, Simonianová) 19(1968)405
Acid–base metabolism
electronically calculated and graphically determined values (Scheffner, Martin) 16(1967)297
Acid–base state
screening test, serum CO_2 d., automated (Went, Whitehead) 26(1969)559
Acid
concentrations, in chronic renal insufficiency (Levitt) 24(1969)13
gel reaction (Schoen) 17(1967)520
α_1-Acid glycoprotein
detection after zone electrophoresis (Langley, Weiss) 18(1967)241
variants (Tokita, Schmid) 17(1967)39
Acid hydrolases in skin and plasma
in gargoylism (Öckerman) 20(1968)1
Acute phase reaction
serum protein changes (Werner) 25(1969)299
ACTH
-induced lipolysis, free fatty acids, incubation media (Schwandt, Lindlbauer, Knedel) 24(1969)267
Adenine nucleotides
in blood hemolysates treated with $K_3Fe(CN)_6$ (Leyko) 16(1967)169
levels in red cells of exercised hypertensive rats (Remenchik, Hoover, Brynjolfsson) 19(1968)227
Adenosine deaminase
serum, multi-enzyme patterns, diagnostic value in lung cancer (Nishihara, Akedo, Okada, Hattori) 30(1970)251
tissue specificity (Ressler) 24(1969)247
Adenosine monophosphate
role in cellular synthesis, transcortin (Guidollet, Oziol, Louisot) 30(1970)689
Adenosine triphosphate
levels, rat liver, effect of CCl_4 (Francavilla, Albano, Meduri, Panella) 30(1970)415
Adenylate kinase isoenzymes
separation on cellulose acetate membrane (Rosalki) 27(1970)497
Adherence of agar films to microscope slides, m. (De Waeke) 17(1967)312
Adipose tissue

(Adipose tissue)
neutral lipids, in a-betalipoproteinaemia (Barnard, Fosbrooke, Lloyd) 28(1970)417
Adrenalin
and noradrenalin, plasma, differential d., double isotope dilution (Siggers, Salter, Toseland) 30(1970)373
–, –, fluorimetric m. (Benzini, Brunori, Valori) 30(1970)587
urinary, differential d. (Comoy, Bohuon) 30(1970)191
Adrenocorticotropic hormone
composition of non-esterified fatty acids, in normal plasma (Warembourg, Biserte, Sezille, Jaillard, Bertrand) 20(1968)269
radioimmunoassay (Greenwood) 22(1968)77
Age
relation, renal concentrating capacity, cell and hemoglobin C disease (Statius van Eps, Schouten, ter Haar Romeny-Wachter, La Porte-Wijsman) 27(1970)501
Alanine aminopeptidase
isoenzymes, biliary and pancreatic diseases diagnosis (Beier, Beier, Haschen) 24(1969)405
–, immunological properties (Peters, Rehfeld, Beier, Haschen) 19(1968)277
urinary, renal and serum, detection of renal damage (Peters, Rehfeld, Schneider, Battke, Haschen) 24(1969)314
Alanine aminotransferase (GPT)
u.v. spectrophotometry (Ebeling, Meijers, Spijkers) 27(1970)214
u.v. spectrophotometric assay, tris buffer (Ebeling, Meijers, Spijkers) 25(1969)176
β-Alaninuria
following renal allotransplantation (Gras, Tuset, Caralps, Gil-Vernet, Magriña, Brulle, Conde) 20(1968)295
L-Alanyl-peptide hydrolase
in serum and organ homogenates, distribution, Sephadex chromatography (Krawczyński, Janecki, Wiatrak) 29(1970)43
Albumin
^{51}Cr-labelled, biochemical and metabolic studies (Höfer, Schatz. Thumb) 22(1968)135
Kashmir, new variant, routine analysis (Tárnoky, Dowding) 26(1969)455
maximum bilirubin binding capacity, d. (Rutkowski) 17(1967)31
serum, measurement, HABA-dye t. (Arvan, Ritz) 26(1969)505
– and platelet, relation (Ganguly) 23(1969)514
synthesis, cirrhotic liver, rats (Huberman, Soberon) 29(1970)121
Alcohol d.
handling of Widmark flasks (Klingmüller, Nuglisch) 22(1968)463
Alcoholic cirrhosis
serum proteins, d. (Agostoni, Vergani, Stabilini, Marasini) 26(1969)351
Aldehyde
free and bound, serum, quantitative estimation (Quash, Maharaj) 30(1970)13
Alditols
mixtures with mono- and disaccharides, d. as trimethylsilyl ether derivatives, gas–liquid chromatography (De Neef) 26(1969)485
Aldolases
liver function test (Kaldor) 28(1970)145
three types, in liver (Schapira, Nordmann) 26(1969)189
isoenzymes, in foetal and pathological muscle (Schapira, Dreyfus, Allard) 20(1968)439
Alkaline phosphatase
activity, control sera (Ambler, Arnold, Green) 27(1970)350
canine tissues, organ identifying properties (Nagode, Koestner, Steinmeyer) 26(1969)45
–, –, purification and serum proteins (Nagode, Koestner, Steinmeyer) 26(1969)55
d. with *p*-nitrophenyl phosphate (Neumann, Van Vreedendaal) 17(1967)183
disc electrophoresis, mobility changes by neuraminidase (Smith, Perry, Lightstone) 25(1969)17
high molecular weight, starch gel electrophoresis and Sephadex gel filtration, comparison (Jennings, Brocklehurst, Hirst) 30(1970)509
intestinal, in blood serum, estimation (It-Koon, Moss) 25(1969)117
L-leucine-sensitive, heat-stable, in pleuritis carcinoma (Nakayama, Yoshida, Kitamura) 30(1970)546
leukocyte, and placental phosphatase, pregnancy (Thilo, Diamant, Polishuk) 29(1970)395
levels in thyroid disease (Cassar, Joseph) 23(1969)33
plasma, and urinary hydroxyproline, changes after removal of parathyroid tumour (Smith) 23(1969)421
salivary (Cornish, Posen) 20(1968)387
serum, electrophoretic mobility, acylation (Moss, Thomas) 30(1970)835
–, heat inactivation, automated study (Small) 23(1969)347

–, increased, in Paget's disease (Sussman) 27(1970)121
–, levels in normal pregnancy (Seitanidis, Moss) 25(1969)185
tissue, electrophoresis (Smith, Lightstone, Perry) 19(1968)499
–, inhibition by urea–urease system (Metz, Pinsky, Wilkinson) 30(1970)325
–, urea as selective inhibitor (Bahr, Wilkinson) 17(1967)367
variant, in hepatocellular cancer (Warnock, Reisman) 24(1969)5
variation of results of estimation by the Bessey, Lowry and Brock m. (MacWilliam, Moody, Silk) 17(1967)514

Alkaline phosphatase isoenzymes
comparative d. by 5 m. (Wolf, Dinwoodie) 24(1969)131
indicators of virus hepatitis development, mice (Fassati, Stepán, Schön, Hacker) 26(1969)497
intestinal and placental, distinction (Fishman, Inglis, Ghosh) 19(1967)71
and 5-nucleotidase, serum, diagnostic use (Connell, Dinwoodie) 30(1970)235
paper chromatography (Hosoyama, Fukuda, Shimadate) 18(1967)141

Allergy
arginyl-naphthylamidase in serum (Berrens) 20(1968)170
lysyl-naphthylamidase in serum (Berrens) 20(1968)170

Allopurinol treatment
gout, 6,8-dihydroxypurine in urine (Simmonds, Sneddon) 30(1970)421
purine, pyrimidine, pyrazolopyrimidine excretion (Simmonds) 23(1969)353

Amines
aromatic, conjugation in renal failure (Young, Wootton) 22(1968)403

Amino acids
aromatic, in collagen diseases (Choremis, Constantsas, Agathopoulos, Matsaniotis, Danelatos-Athanassiadis) 17(1967)125
arylamidase isoenzymes, behaviour during immunodiffusion (Peters, Rehfeld, Haschen) 17(1967)516
blood, thin-layer chromatography (Plöchl) 21(1968)271
in body fluids, thin-layer chromatography (White) 21(1968)297
bound, serum, in renal insufficiency (Burzyński) 25(1969)231
chromatography, in metabolic diseases (Samyn, Carton, Hooft) 28(1970)83
composition, ganglioside-peptides of normal human and Tay–Sachs brains (Palo, Saifer) 27(1970)481
dermal, collagen content (Vasantha) 27(1970)543
in erythrocytes and plasma, in fetal and maternal blood (Björnesjö) 20(1968)11
–, in health and disease (Björnesjö) 20(1968)17
free, in aqueous humor of the eye, homocystinuria (Curtius, Martenet, Anders) 19(1968)469
–, in brain matter, normal and Tay–Sachs' (Palo, Saifer) 22(1968)327
–, serum, in chronic renal insufficiency (Czerniak, Burzyński) 24(1969)367
–, tubular reabsorption, scurvy, infants (Brodehl, Kaas) 28(1970)409
labelled, uptake in erythrocytes, in disease (Björnesjö, Jarnulf, Lausing) 20(1968)23
metabolism, disorders of, screening by thin-layer electrophoresis (Farrelly, Watkins) 20(1968)291
micro-chromatography, two-dimensional, rapid, high-resolution (Wadman, Fabery de Jonge, De Bree) 25(1969)87
N-substituted, in serum, chronic renal insufficiency (Czerniak) 28(1970)403
plasma, imbalance in patients with chronic renal failure on intermittent dialysis (Young, Parsons) 27(1970)491
–, quantitation, technical pitfalls (Perry, Hansen) 25(1969)53
–, and urine, effect of histidine load (Holton) 21(1968)241
study, thin-layer chromatography, cerebral tumors (Molnar) 27(1970)535
substitution, Hb Ube_2 (Miyaji, Iuchi, Yamamoto, Ohba, Shibata) 16(1967)347
tissues, simple screening (Adriaenssens, Vanheule, Karcher, Mardens) 18(1967)351
α-, urine, rapid determination (Wells) 25(1969)27

Aminoacidaemias
specific, screening (Szeinberg, Szeinberg, Cohen) 23(1969)93

L-Amino-acid oxidase in blood
in pemphigus, dermatitis herpetiformis Duhring, herpes zoster (Mecher, Masszi) 24(1969)111

Aminoaciduria
in homocystinuric family (Kelly, Copeland, Leikhim) 26(1969)586

4-Amino-imidazole-5-carboxamide excretion children with burns and scalds (Barlow, Wilkinson) 29(1970)355

Aminolevulinic acid dehydratase in erythrocytes

(Aminolevulinic acid dehydratase in erythrocytes)
lead poisoning (Nakao, Wada, Yano) 19(1968)319
α-Aminolevulinic acid
excretion in tyrosinaemia (Gentz, Johansson, Lindblad, Lindstedt, Zetterström) 23(1969)257
α-Aminolevulinic acid synthetase
methylmalonyl CoA as abnormal substrate for (Gompertz) 25(1969)459
Amino nitrogen
urinary, measurement (Goodwin) 21(1968)231
Aminopeptidase
serum, splitting proline bonds, clinical variations (Hopsu-Havu, Jansén, Järvinen) 28(1970)25
p-Aminophenyl glucuronide derivatives in urine
ion-exchange chromatography and colorimetry (Lower Jr., Murphy, Bryan) 29(1970)421
β-Aminopropionaldehyde
serum, identification and origin (Quash, Taylor) 30(1970)17
Aminotransferase
in blood cells (Hamfelt) 16(1967)19
Aminotripeptidase
in synovial fluid (Markovic, Hüttl) 16(1967)105
Ammonia
blood, coulometric titration (Christian, Feldman) 17(1967)87
–, direct d., with TCA (Gips, Wibbens-Alberts) 22(1968)183
–, micro d. (McCullough) 19(1968)101
d., isocyanurate m., interference by protein and amines (Seely, Petitclerc, Benoiton) 18(1967)85
direct d., preservation of urine (Gips, Reitsema, Wibbens-Alberts) 29(1970)501
enzymatic d., in blood and CSF (Müting, Heinze, Reikowski, Betzien, Schwarz, Schmidt) 19(1968)391
–, fluorometric m. (Rubin, Knott) 18(1967)409
metabolism, impaired, in hepatic disease (Lechi, Lechi, Lo Cascio) 24(1969)181
in plasma, improved estimation (Horn, Squire) 17(1967)99
urinary, automatic d., Logsdon's method (Dieu) 28(1970)209
in whole blood, colorimetric d. (McCullough) 17(1967)297
–, enzymatic measurement (Oreskes, Hirsch, Kupfer) 26(1969)185
Ammonium
urinary and pH, children (Cholnoky) 29(1970)215
whole blood, simple one-stage cation exchange, semi-micro (Rahiala, Kekomäki) 30(1970)761
Amniotic fluid
bilirubin in, measurement by optical density differencing (Ovenstone, Connon) 20(1968)397
–, spectrophotometry (Conradie) 25(1969)205
cell culture, ornithine-ketoacid transaminase in (Shih, Schulman) 27(1970)73
isolation of biliverdin (Krasner, Spencer, Yaffe) 23(1969)437
Amphetamine
gas–liquid chromatography, d. as its *N*-acetyl derivative (Toseland, Scott) 25(1969)75
Amylase
activity, new simple dye m. (Take, Berk, Fridhandler) 26(1969)533
isoenzymes, agar gel electrophoresis (Götz, Wüst, Raies) 19(1968)235
values in normal subjects (Van Riet, Hoeke) 19(1968)459
α-Amylase
serum, automated d. (Rinderknecht, Marbach) 29(1970)107
– and urine, rapid clinical d. (Ceska, Birath, Brown) 26(1969)437
– –, ranges, comparison of d. m. (Ceska, Brown, Birath) 26(1969)445
Amyloid fibrils
water-soluble, interaction with Congo Red and Thioflavine T (Soppitt, Pennock) 26(1969)165
Amyloidosis
protein-bound hexosamines in serum, d. (Ruinen, Scholten, Mandema) 19(1968)49
Anaemia
haemolytic, infants, lysolecithin levels in blood (Carton, Despeyroux, Douste-Blazy) 21(1968)79
–, *Vicia faba* ingestion, G-6-PD-deficient Mediterranean subjects (Bottini, Lucarelli, Spennati, Businco, Palmarino) 30(1970)831
iron deficiency, red cell riboflavin in (Cavill, Jacobs) 16(1967)343
primary refractory, erythrocyte lipid composition and membrane enzymes (Palek, Brabec, Vopatová, Michalec, Mircevová) 23(1969)133
–, red cell carbohydrate metabolism in (Palek, Brabac, Mircevová, Volek, Friedman) 18(1967)39

sideropoenic and haemolytic, red cell metabolism (Leyko, Duda, Dmochowska, Politowska) 28(1970)161
Analgesics and renal enzyme excretion
rat (Raab) 22(1968)535
Analyzer SMA 12 multi-channel (Broughton, Simpson, Mitchell, Toothill, Whitby) 19(1968)297
Androsterone
d. in urine (Treiber, Oertel) 17(1967)81
Angiotensin
standard, for renin measurement in plasma, proposed (Hollemans) 27(1970)99
I, radioimmunoassay, measurement of renin in plasma (Hollemans, Van der Meer, Kloosterziel) 24(1969)353
I and II, immunoassay for renin activity, using a converting enzyme from lung tissue (Hollemans, Van der Meer, Kloosterziel) 23(1969)7
Angiotensinase activity
serum and plasma, d. (Lubash, Peart) 17(1967)445
Anthrone
d. of fructose in biological fluids (Nixon) 26(1969)167
Antibody
anti-liver, in sera from liver patients (Hirayama, Tominaga, Koga, Toda, Murai) 19(1968)37
Antigens
amniotic fluid and foetal serum (Kleist, Buffe, Burtin) 20(1968)89
human, histocompatibility (Batchelor) 22(1968)95
quantitation, radial immunodiffusion plates (Schmid) 26(1969)181
soluble, immunochemical characteristics (Mobarak, Brody) 30(1970)609
Antigenicity
oligosaccharide units of a soluble glycoprotein (Clamp, Verrier Jones) 21(1968)165
Anti-hyaluronidase
specific, in beekeepers' serum (Barker, Walton, Weston) 17(1967)119
Antiserum titers
d. single radial immunodiffusion (Becker) 23(1969)507
Antithrombin action of heparine
and protamine and polybrene (Porter, Porter, Shanberge) 19(1968)411
Antitrypsin
deficiency, defect in protein synthesis (Kueppers, Fallat) 24(1969)401
inhibitor for thrombin and plasmin (Gans, Tan) 17(1967)111
α_1 and prealbumin, serum, polymorphism (Fagerhol, Laurell) 16(1967)199
Arbutin absorption in small intestine (Semenza, Bircher, Mülhaupt, Koide, Pfenninger, Marthaler, Gmünder, Haemmerli) 25(1969)213
Arginase
erythrocytes, children, healthy and ill (Azizi, Dror, Wallis) 28(1970)391
plasma, semi-automated m. (Zapf) 26(1969)547
serum, simple m. (Jergović, Zuzic, Fiser-Herman, Straus) 30(1970)765
Argininosuccinic aciduria
gas chromatography (Sprinkle, Greer, Williams) 23(1969)27
urea formation from labelled ammonia (Crane, Gay, Jenner) 24(1969)445
Arsenic in blood
neutron activation analysis, environmental variation (Heydorn) 28(1970)349
Arthritis
rheumatoid, protocollagen proline hydroxylase, increased, synovial tissue (Uitto, Lindy, Rokkanen, Vainio) 30(1970)741
Arylamidase
duodenum (Behal, Little) 21(1968)347
Arylsulfatases
biological fluids, d. (Rinderknecht, Geokas, Carmack, Haverback) 29(1970)481
lysosomal, urinary, in kwashiorkor (Ittyrah, Dumm, Bhachhawat) 17(1967)405
serum, in kwashiorkor (Begum, Ittyerah) 28(1970)263
Ascorbic acid
blood plasma, rapid d. (Hubmann, Monnier, Roth) 25(1969)163
deficiency, infants, formiminoglutamic acid excretion (Fondu, Mandelbaum, Dubois) 28(1970)111
malabsorption, thalassaemia (Liakakos, Matsaniotis, Karpouzas, Morphis, Agathopoulos) 26(1969)197
L-Ascorbic acid
degradation of hyaluronic acid, inhibitors (Caygill, Ali) 26(1969)395
degradation of synovial fluid, inhibitors (Caygill, Ali) 26(1969)395
Aspartate aminotransferase (GOT)
cationic, binding by α_2-macroglobulin (Boyde, Pryme) 21(1968)9
and isoenzymes, indicators of virus hepatitis development, mice (Fassati, Stepan, Schön) Hacker) 26(1969)497
serum, colorimetric assay (Doumas, Biggs)

(Aspartate aminotransferase)
23(1969)75
–, d. (Trinder, Kirkland) 16(1967)287
–, neoplastic processes, diagnosis (Mustea) 22(1968)201
u.v. spectrophotometry (Ebeling, Meijers, Spijkers) 27(1970)214
– tris buffer (Ebeling, Meijers, Spijkers) 25(1969)176
Aspartylglycosaminuria
heterozygous state, failure to detect (Pollitt, Jenner) 25(1969)413
Atherosclerosis
heparin-activated lipase in (Perry) 16(1967)189
studies, chromatography of sterols from biological substances (Claude) 17(1967)371
thermoanalytical studies (Bihari-Varga, Végh, Lévai, Gerö) 22(1968)355
Atomic absorption
d. of copper and zinc in biological media (Girard) 20(1968)243
– serum iron, compared with spectrophotometry (Tavenier, Hellendoorn) 23(1969)47
spectrophotometry, Ca and Mg in serum and urine (Pybus) 23(1969)309
–, serum copper d. (Ichida, Nobuoka) 24(1969)299
–, trace metals in brain and hair, chloric acid digestion (Backer) 24(1969)233
spectroscopy, direct d. of lithium in serum (Lehmann) 20(1968)523
–, interferences, air and natural gas flow rates (Reed, Rees) 30(1970)829
–, trace elements in human hair (Harrison, Yurachek, Benson) 23(1969)83
ATP:creatine phosphotransferase activity
in cord blood (Scheiffarth, Götz, Grottke) 20(1968)465
ATP–iron compounds
from erythrocytes (Konopka, Leyko, Gondko, Sidorczyk, Fabjanowska, Swedowska) 24(1969)359
ATPase
erythrocyte membranes, in primary refractory anemias (Palek, Brabec, Vopatová, Michalec, Mircevová) 23(1969)133
AutoAnalyser
calibration, drift and specimen interaction (Bennet, Gartelmann, Mason, Owen) 29(1970)161
computer data processing (Gray, Owen) 24(1969)389
recorders, range expansion (Owen) 29(1970)89
sampler, improved control (Bird, Owen) 24(1969)305
serum cholesterol, improved precision (Fosbrooke, Pringle) 30(1970)47
Automatic analysis
electrophoresis strips, electronic cyclical scanner (Vanzetti, Palatucci, Cosci) 20(1968)215
Automatic recording of pH-dependent reactions (Owen) 17(1967)310
Automation
clinical and research use (Anderson) 25(1969)321
"Average of normals"
quality control method (Kilgariff, Owen) 19(1968)175
Azobilirubin solution
stabilization by EDTA (Holtz, Van Dreumel) 20(1968)355

B

Barbiturates
and related drugs, gas chromatographic d. (Leach, Toseland) 20(1968)195
Bathophenanthroline
d. of serum iron-binding capacity (Bouda) 23(1969)511
serum iron d., without deproteinisation (Bouda) 21(1968)159
Bee venom hyaluronidase
specific anti-hyaluronidase in beekeeper's serum (Barker, Walton, Weston) 17(1967)119
Bence Jones protein
antigenic determinants (Van Eyk, Myszkowska) 18(1967)101
catabolism, effect of impaired hepatic and renal function (Miettinen, Kekki) 18(1967)395
passage into intestinal lumen, rat (D'Abbado, Dammacco, Schena, Dalfino) 21(1968)437
serum, in micromolecular paraproteinemia (Vergani, Agostoni) 16(1967)326
urinary, from macroglobulinaemia patient (Jensen) 22(1968)29
Bennhold's test
extraction of Congo Red by acetone (Odavić, Kotanová) 25(1969)291
Benzoic acid
simple simultaneous d. with hippuric acid, in biological fluids (Sinha, Gabrieli) 19(1968)313
Bicarbonate
CSF, plasma, serum, titrimetric d. (Maas) 29(1970)567
renal reabsorption and excretion, in normal children (Matsuda, Shida) 24(1969)471
Bile
acid(s), blood, measurement (Roovers, Evrard, Vanderhaeghe) 19(1968)449
–, conjugated, serum, in liver diseases (Frosch, Wagener, Immich) 22(1968)294
–, conjugates, in normal and lithogenic bile, estimation (Jones) 19(1968)57
–, effect on serum albumin measurement, HABA-dye t. (Arvan, Ritz) 26(1969)505
–, 3-hydroxy, in biological material, separation and quantitative d. (Bruusgaard) 28(1970)495
cholesterol, role of diet, in lithiasis (Sarles, Hauton, Lafont, Teissier, Plance, Gerolami) 19(1968)147
–, and bile salts, concentration, partial interruption of enterohepatic cycle on (Hauton, Lafont, Teissier, Montet, Amic, Sarles) 20(1968)491
diseases, alanine aminopeptidase isoenzymes as specific parameters, diagnosis (Beier, Beier, Haschen) 24(1969)405
gallstones, proteins (Englert, Jr.) 29(1970)319
glycoproteins, sulfated (Matsushiro, Nemoto, Endo, Yosizawa) 30(1970)645
lecithins, composition (Nakayama, Kawamura) 17(1967)53
normal, porphyrins (Aziz, Watson) 26(1969)525
porphyrins, protein-bound, in porphyria variegata (Belcher, Smith, Mahler) 25(1969)45
–, in variegate porphyria (Smith, Belcher, Mahler, Yudkin) 23(1969)241
salts, thin-layer chromatography and spectrophotometry, using 3α-hydroxy-steroid dehydrogenase (Turnberg, Anthony-Mote) 24(1969)253
Biliary mud
in Chinese liver fluke infection (Ma) 19(1968)7
Bilirubin
albumin-bound, displacement by free fatty acids, neonatal hyperbilirubinemia (Starinsky, Shafrir) 29(1970)311
in amnial fluid, optical density differencing (Ovenstone, Connon) 20(1968)397
–, spectrophotometry, Millipore filtration (Conradie) 25(1969)205
binding by albumin and serum, d. of maximum capacity (Rutkowski) 17(1967)31
– to serum proteins (Cooke, Roberts) 26(1969)425
clearance in liver disease (Fevery, Heirwegh, De Groote) 17(1967)63
"ether-extractable" bilirubin-diglucuronide–phospholipids complex (Talafant, Appelt) 19(1968)383
fluorimetric assay (Roth) 17(1967)487
free and conjugated, effect on serum albumin measurement, HABA-dye t. (Arvan, Ritz)

(Bilirubin)
26(1969)505
inhibition of 4-methylumbelliferone glucuroconjugation, human and rat liver (Hohenwallner) 28(1970)225
–, by liver, *in vitro* (Frezza, De Sandre, Perona, Corrocher) 21(1968)509
interference, Huang reaction for cholesterol, spectrophotometric study (Zak, Weiner, Welsh) 30(1970)697
like material, in normal urine (Fevery, Jansen, Meuwissen, Heirwegh) 21(1968)401
measurement, artifacts (Baer, Wood) 17(1967)1
neonatal, serum, estimation (Hargreaves) 26(1969)331
normal serum, low concentrations, improved alkaline azobilirubin blue m. (Ichida, Nobuoka) 20(1968)532
pigments in urine, quantitative d. (Weber, Sindram) 18(1967)169
production, normal and pathologically increased, and fecal urobilinogen (Bloomer, Berk, Howe, Waggoner, Berlin) 29(1970)463
ratio of direct-reacting and total, in hyperbilirubinaemia (Fevery, Claes, Heirwegh, De Groote) 17(1967)73
total, rapid micro diazo measurement (Winsten, Cehelyk) 25(1969)441
ultramicro d. in serum (Ichida, Nobuoka) 19(1968)249
· UDP-glucuronyl transferase, liver, d. (Black, Billing, Heirwegh) 29(1970)27
Biliverdin
im amniotic fluid, isolation (Krasner, Spencer, Yaffe) 23(1969)437
Biochemical analyses
automatized quality control, daily means (Dixon, Northam) 30(1970)453
Biological fluids
arylsulfatases, d. (Rinderknecht, Geokas, Carmack, Haverback) 29(1970)481
chloride in, ultramicro d., automatic and manual (Giraudet, Pre, Cornillot) 28(1970)323
ionized Ca in, measurement (Robertson) 24(1969)149
Na/K measurement, interference with flame photometry (Knauff) 20(1968)135
xanthine and hypoxanthine in, d. (Simmonds, Wilson) 16(1967)155
Biological fluids see also Body fluids
Bisalbuminaemia
familial, immunochemical and genetic studies (Margni, Heer, Acerbo, Hajós, Beliveau, Bobbi) 29(1970)219
genetic studies (Bonazzi) 20(1968)362
transient, drug-induced (Arvan, Blumberg, Melartin) 22(1968)211
Blood
acetaldehyde and ethanol in, micro-d. (Roach, Creaven) 21(1968)275
L-amino-acid oxidase in, pemphigus, dermatitis herpetiformis Duhring, herpes zoster (Mecher, Masszi) 24(1969)111
ammonia, coulometric titration (Christian, Feldman) 17(1967)87
– d., normal persons (Müting, Heinze, Reikowski, Betzien, Schwarz, Schmidt) 19(1968)391
–, micro d., effect of exercise (McCullough) 19(1968)101
–, enzymatic measurement (Oreskes, Hirsch, Kupfer) 26(1969)185
–, TCA direct m. (Gips, Wibbens-Alberts) 22(1968)183
arsenic levels, environmental variation, neutron activation analysis (Heydorn) 28(1970)349
balance of isooxytocinases in pregnancy (Klimek) 20(1968)233
bile acids in, measurement (Roovers, Evrard, Vanderhaeghe) 19(1968)449
capillary, acetoacetate and glucose, simultaneous d. (Salway) 25(1969)109
–, newborn, K, Cl, Na, Ca, P and alkaline phosphatase (Izquierdo, Ferrero, Romeo, Badia, Vigil) 30(1970)343
cells, aminotransferase in (Hamfelt) 16(1967)19
–, human, haem synthetase (Langelaan, Losowsky, Toothill) 27(1970)453
–, pyrodixal phosphate in (Hamfelt) 16(1967)19
–, pyrodixal kinase in (Hamfelt) 16(1967)7
clotting, metabolic enzyme release, man and animals (Friedel, Mattenheimer) 30(1970)37
constituents, normal ranges (Roberts) 16(1967)69
diseases, haemoglobin A_2 in (Brabec, Cejka, Vodrazka) 28(1970)489
–, LDH isoenzymes in leukocytes (Malasková, Holeysovská) 24(1969)39
donation, effects on plasma chemistry (Flynn, Garcia-Webb-Sharp, Piper, Healy, Troop) 24(1969)51
elastolytic activity, in normals and pancreatitis patients (Rinderknecht, Geokas, Silverman, Haverback) 19(1968)89
ethanol, colorimetric micro-m. (Léric, Kaplan, Broun) 29(1970)523

in faeces, detection (Woodman) 29(1970)249
gangliosides, infantile amaurotic idiocy (Sastry, Stancer) 20(1968)487
glucose d., non-carcinogenic reagent (Thompson) 25(1969)475
–, enzymatic d. (Clark, Timms) 20(1968)352
–, rapid specific estimation (Makin, Warren) 29(1970)493
glucose-6-phosphate dehydrogenase, assay (Dror, Sassoon, Watson, Johnson) 28(1970)291
–, deficiency, hereditary, test by chromate inhibition of glutathione reductase (Zurcher, Kuijlman, 't Sass, Zurcher, Loos, Prins) 25(1969)139
glycerol, d., diagnosis of hyperthyroidism (Laurell, Tibbling) 21(1968)127
group-specific lipoproteins, density gradient studies (Denborough, Creeth) 30(1970)447
haem synthetase in (Langelaan, Losowsky, Toothill) 26(1969)245
homovanillic acid in, fluorometric d. (Geissbühler) 26(1969)231
ketone bodies, estimation (Göschke) 28(1970)359
lipids, ratio, statistical study (Antonini, Bucalossi, D'Alessandro, Contini, Pazzagli) 24(1969)19
–, screening test (Andriaenssens, Vanheule, Karcher, Mardens) 23(1969)449
lysolecithins in, hemolytic anemia of infants (Carton, Despeyroux, Douste-Blazy) 21(1968)79
measurement of $^{14}CO_2$ in (Hagenfeldt) 18(1967)320
methemoglobin, micro-m. (Hegesh, Gruener, Cohen, Bochkovsky, Shuval) 30(1970)679
occult, in faeces, detection (Deadman, Timms) 26(1969)369
oxygen saturation, spectrophotometric d., wavelength dependency (Mook, Van Assendelft, Zijlstra) 26(1969)170
plasma, ammonia in, improved estimation (Horn, Squire) 17(1967)99
–, ascorbic acid in, rapid, accurate d. (Hubmann, Monnier, Roth) 25(1969)163
and plasma, total CO_2 d., cediometer (Rispens, Brunsting, Zijlstra, Van Kampen) 22(1968)261
P_{CO_2} d., correction for oxygen desaturation (Redstone, Beard) 27(1970)317
P_{CO_2} and P_{O_2} measurement, electrodes, open cuvette system (Maas, Mertens) 28(1970)443
rouleux formation and plasma fibrinogen content (Van Haeringen, Glasius) 29(1970)55
separation of plasma amino acids, thin-layer chromatography (Nützenadel, Lutz) 29(1970)151
serotonin, in rheumatoid arthritis (Crawford) 23(1969)139
stored, metabolic changes in (Sass, Caruso, Axelrod) 20(1968)105
sulphaemoglobin and methaemoglobin mixtures, spectrophotometry (Nichol, Morell) 22(1968)157
total volume and residual in rat tissue, ^{125}I and ^{51}Cr measurement (Smith) 27(1970)105
transketolase in thyrotoxicosis (Konttinen, Viherkoski) 22(1968)145
urea d. (Bohuon, Delarue, Comoy) 18(1967)417
uric acid in d. (Wells) 22(1968)379
vitamin B_6 in, estimation (Contractor, Shane) 21(1968)71
zinc, direct d., atomic absorption spectroscopy (Dawson, Walker) 26(1969)465
whole, ammonium, simple cation-exchange m. (Rahiala, Kekomäki) 30(1970)761
Body fluids
pH d., micro glass electrode, KCl bridge in cell (Maas) 28(1970)373
Bone(s)
citric acid in, d. (Lindenhayn, Hirthe) 17(1967)149
disease, urinary hydroxyproline excretion (Cerda, Toskes, Shopa, Wilkinson) 27(1970)437
marrow, iron estimation in (Johanssen, Plantin, Strandberg, Uusma) 30(1970)549
Brain
neutral lipids and fatty acids, man, whales, dolphins (Lesch) 25(1969)269
normal and Tay–Sachs', free amino acids in (Palo, Saifer) 22(1968)327
tissue extracts, variously prepared, comparative biochemical tests (Götz, Grottke, Scheiffarth) 23(1969)59
tissue glycoproteins, glycopeptides, differential d. of glucosamine, galactosamine, mannosamine (Brunngraber, Aro, Brown) 29(1970)333
trace elements in Co, Zn, Fe and Mg (Harrison, Netsky, Brown) 21(1968)55
Bromine in CSF
micro-d. (Yanagishawa, Yoshikawa) 21(1968)217
Bromsulfalein
hepatocellular transport of (Begon, Bohuon)

(Bromsulfalein)
18(1967)227
Bromsulphthalein
clearance in normal beef cattle (Hunt, McCosker) 18(1967)133
plasma, kinetics (Mikulecký) 21(1968)43
serum and plasma (Fleck, Morrison) 30(1970)751
Bronchial secretion
fibrillar structure (Havez, Roussel, Degand, Biserte) 17(1967)281
Bronchial mucus
carboxylic and sulfate glycoproteins in (Havez, Deminatti, Roussel, Degand, Randoux, Biserte) 17(1967)463
"Buffy layer"
preparation with Dextran (McGraw, Sim) 25(1969)286
Burkitt lymphoma
acute phase proteins in (McFarlane, Ngu, Udeozo, Osunkoya, Luzzato) 17(1967)325
Burns
scalds, children, 4-amino-imidazole-5-carboxamide excretion and folic acid status (Barlow, Wilkinson) 29(1970)355

C

Cadaverine
faecal, index of lysine malabsorption (Abraham, Radonich, Jones) 22(1968)619
Cadmium
in liver and kidney, "normal" levels, England (Curry, Knott) 30(1970)115
Calcium
absorption, enhancement by sodium and potassium, flame photometry, nitrous oxide–acetylene flame (Murdoch, Heaton) 28(1970)505
–, intestinal, test, radioactive, clinical usefulness (Carson, Oei, Coenegracht) 30(1970)501
crystalluria, measurement (Robertson) 26(1969)105
d., colorimetric m. (Alonso, Tumilasci, Nikonov) 27(1970)549
estimation in urine and stool, resin exchange m. (Chen, Dotti) 18(1967)453
excretion, influence of age and weight (Saleh, Coenegracht) 21(1968)445
infusion, effects on hydroxyproline (Dubovský, Hrba, Pacovský) 17(1967)107
ionized, in biological fluids, measurement (Robertson) 24(1969)149
–, in plasma, measurement (Frizel, Malleson, Marks) 16(1967)45
and Mg salts, in normal and stone-forming urines, gel filtration behaviour (Zarembski, Hodgkinson) 24(1969)139
plasma, measurement (Oreskes, Hirsch, Douglas, Kupfer) 21(1968)303
–, semi-automatic estimation (Glatz, Rose) 21(1968)327
phosphate precipitation, peptide inhibitors, normal and stone-forming urines (Robertson, Hambleton, Hodgkinson) 25(1969)247
serum, separation and measurement (Robertson, Peacock) 20(1968)315
–, and urine, d. (Rudolph, Holler Jr., Ford) 18(1967)187
Cancer
children, serum lipoproteins (Barclay, Dargeon, Greene, Terebus-Kekish, Skipski) 24(1969)225
hepatocellular, variant alkaline phosphatase (Warnock, Reisman) 24(1969)5
sera, free amino acids in (Bojan, Mustea, Preda) 23(1969)335
Cancer, see also Carcinoma and Tumour
Caprylic acid
aid in rapid isolation, ceruloplasmin (Péjaudier, Audran, Steinbuch) 30(1970)387
Carbohydrates
bound, in glycoproteins (Grässlin, Weicker) 21(1968)15
Carbon dioxide
pressure, d., effect of O_2 pressure, interpolation technique (Bonham, Sammons) 29(1970)507
–, electrode calibration, acidified $NaHCO_3$ solutions (Rispens, Hoek) 22(1968)291
serum, automated d., acid–base state, screening test (Went, Whitehead) 26(1969)559
and O_2 pressure, blood, measurement, electrodes, open cuvette system (Maas, Mertens) 28(1970)443
Carbonic acid
plasma, dissociation (Rispens, Dellebarre, Eleveld, Helder, Zijlstra) 22(1968)627
Carbonic anhydrase
erythrocyte, health and disease (Lie-Injo, Lopez, Hart) 29(1970)541
CO-Oximeter studies of HbO_2
HbCO and Hb in blood, spectrophotometric d. (Maas, Hamelink, De Leeuw) 29(1970)303
Carbon tetrachloride
intoxication, effect on β-lipoprotein synthesis in rat liver (Albano, Francavilla) 19(1968)363
on mitochondrial oxidation and ATP levels, rat liver (Francavilla, Albano, Meduri, Panella) 30(1970)415
Carboxyhemoglobin in blood
rapid d. of total hemoglobin as hemiglobin cyanide (Rice) 18(1967)89
Carboxylesterase isoenzymes
immunochemical identification in CSF (Friemel, Haase, Meyer-Rienecker) 18(1967)215
Carboxylic ester hydrolases
assay (Koeppen) 26(1969)71
Carcinoma
β-glucuronidase (Piper, Fenton) 24(1969)215

(Carcinoma)
pleuritis, heat-stable alkaline phosphatase (Nakayama, Yoshida, Kitamura) 30(1970)546
renal, 17-ketosteroid excretion (Böttiger, Lisboa) 16(1967)109
sera, unique protein in (Takahashi, Yachi, Anzai, Wada) 17(1967)5
Carnitine
effect on blood acetoacetate, in fasting children (Gravina, Gravina-Sanvitale) 23(1969)376
Carnosinase
serum, d. (Van Munster, Trijbels, Van Heeswijk, Schut-Jansen, Moerkerk) 29(1970)243
L-Carnosine-[1-^{14}C] β-alanyl
substrate for serum carnosinase d. (Van Munster, Trijbels, Van Heeswijk, Schut-Jansen, Moerkerk) 29(1970)243
Cartilage
hyaline, glycosaminoglycan hydrolases in (Platt, Dorn) 21(1968)333
Catalase
inhibition by plasma and tissue extracts (Tudhope) 25(1969)379
Catecholamines
and acidic metabolites, in urine and tumour tissue, malignant and benign forms (Hinterberger, Bartholomew) 23(1969)169
urinary, children with collagen diseases (Matsaniotis, Danelatos-Athanassiadis, Agathopoulos, Charokopos, Constantsas) 22(1968)195
–, differential d. (Comoy, Bohuon) 30(1970)191
Cathepsin
micro d., paper chromatography (Lebez, Kopitar) 16(1967)267
Cediometer
d. total CO_2 in blood and plasma (Rispens, Brunsting, Zijlstra, Van Kampen) 22(1968)261
Cellogel RS
multifractionation of serum proteins (Del Campo) 22(1968)475
Cellulose acetate
membrane, separation of adenylate kinase isoenzymes (Rosalki) 27(1970)497
phenotyping of lipoproteinemias, compared with paper electrophoresis (Winkelman, Ibbott, Sobel, Wybenga) 26(1969)33
strips, in immunoelectrophoresis (Berg, Grabner) 17(1967)265
Cerebral cyst fluid
polyacrylamide disc electrophoresis (Cumings, Shortman, Tooley) 27(1970)29
Cerebral tumors
amino acids, frozen tissue slices (Molnar) 27(1970)535
Cerebrospinal fluid
actual bicarbonate in, titrimetric d. (Maas) 29(1970)567
ammonia d. in, normal persons (Müting, Heinze, Reikowski, Betzien, Schwarz, Schmidt) 19(1968)391
bromine in (Yanagishawa, Yoshikawa) 21(1968)217
carboxylesterase isoenzymes in, immunochemical identification (Friemel, Haase, Meyer-Rienecker) 18(1967)215
homovanillic acid in, fluorometric d. (Geissbühler) 26(1969)231
5-hydroxyindoleacetic acid in, fluorimetric d. (Korf, Valkenburgh-Sikkema) 26(1969)301
ketone bodies, estimation (Göschke) 28(1970)359
low molecular weight proteins (Walravens, Laterre, Estas, Heremans) 18(1967)335
peptidase and transpeptidase activities (Swinnen) 17(1967)255
phospholipid constituents, fatty acid composition (Sastry, Stancer) 22(1968)301
polyacrylamide disc electrophoresis (Cumings, Shortman, Tooley) 27(1970)29
polyacrylamide gel electrophoresis, neuropsychiatric diagnostic (Diessner, Schmidt) 25(1969)155
proteases, enzymatic and immunologic inhibitors in (Bieth, Miesch, Métais) 24(1969)203
proteins, d. by immunodiffusion (Schuller, Tömpe, Lefèvre, Moreno) 30(1970)73
Ceruloplasmin
excretion in proteinuria (Trip, Arisz, Van der Hem, Mandema) 20(1968)479
rapid isolation, caprylic acid (Péjaudier, Audran, Steinbuch) 30(1970)387
Ceruloplasmin oxidase
plasma, pH optimum, in animal species (Bingley, Dick) 25(1969)480
Chelatometry
urinary Mg (Wünsch) 30(1970)157
Chemical analysis
automatic, computer-based (Abernethy, Bentley, Gartelmann, Gray, Owen, Quan Sing) 30(1970)463
Chloride
in biological fluids, ultramicro-d., automatic and manual (Giraudet, Pre, Cornillot)

28(1970)323
serum and urine, simple semi-automatic micro d. (Krijgsman, Mansveld, Griepink) 29(1970)575
p-Chloro-*N*-methamphetamine
influence, human metabolism, electrophoresis, scintillation (Woudenberg, Wiegman, Van Praag, Korf) 27(1970)313
Cholestasis
abnormal lipoproteins in serum (Picard, Veissière) 30(1970)149
Cholesterol
and bile salts, biliary concentration, interruption of enterohepatic cycle on (Hauton, Lafont, Teissier, Montet, Amic, Sarles) 20(1968)491
catabolism and synthesis, nicotinic acid on (Miettinen) 20(1968)43
glucuronide, estimation in plasma (Wade) 27(1970)109
Huang reaction, bilirubin interference, spectrophotometric study (Zak, Weiner, Welsh) 30(1970)697
in low-density lipoproteins of serum (Mills, Taylaur) 22(1968)251
plasma, continuous *in vivo* monitoring (Godse, Lyall, Stancer) 26(1969)89
serum, Autoanalyser, improved precision (Fosbrooke, Pringle) 30(1970)47
–, coulometric d. (Troy, Purdy) 26(1969)155
–, free and esterified, molecular distribution, thin-layer chromatography (Beukers, Veltkamp, Hooghwinkel) 25(1969)403
–, levels, effect of storage (Grafnetter, Fodor, Teplý, Zacek) 16(1967)33
–, measurement, ethanol extraction and $FeCl–H_2SO_4$ (Franey, Amador) 21(1968)255
–, total, evaluation of m. (Drezga, Mikac-Dević) 26(1969)317
specific activity, mass d., direct weighing (Wood, Weizel) 26(1969)539
sulphate, estimation in plasma (Wade) 27(1970)109
Cholesterolaemia
changes of, differential diagnosis of neoplastic processes (Mustea) 20(1968)285
Cholinesterase
activity, rat serum, following renal damage (Raab) 24(1969)135
serum, rapid ultra-micro d., conductimetry (Rey, Hanss) 30(1970)207
isoenzymes, plasma (Juul) 19(1968)205
in normal children and protein malnutrition, vitamin A effect (Begum, Prathapkumar) 26(1969)343
red cell and plasma, in renal anaemias, haemodialysis treatment (Vincent, Moskovtchenko, Traeger) 28(1970)97
serum, d. with acetyl- and butyrylcholine (Szász) 19(1968)191
–, differential diagnosis of neoplastic processes (Mustea) 24(1969)453
–, triethyl lead inhibitory effect (Galzinga, Corsi, Saia, Rizzoli) 26(1969)391
–, variants, differentiation by formaldehyde (Whittaker) 26(1969)141
Chromate
inhibition of glutathione reductase, test for glucose-6-phosphate dehydrogenase deficiency in blood (Zurcher, Kuijlman, 't Sass, Zurcher, Loos, Prins) 25(1969)139
Chromatin-negative Klinefelter's syndrome
biochemical studies (Dufau, Weinstein, Kliman) 25(1969)389
Chromatograms
paper, background reduction by adding water to Zimmermann reagent (Boyce, Jenner) 16(1967)451
Chromatographic d.
serum phenylalanine, compared with fluorimetry (Berry) 20(1968)299
Chromatographic evaluation
photometry, fractionation of urinary corticosteroids by thin-layer chromatography (Abraham, Gütte, Hild) 27(1970)395
Chromatographic patterns
uroproteins (Wetter, Hertenstein) 19(1968)421
Chromatographic studies of PAS-positive components of serum macroglobulins (Morales-Malva, Israel-Budnick, Sapag-Hagar, Vallega-Magasich) 18(1967)169
Chromatography
amino acids, creatinine equivalents (Applegarth, Hardwick, Ross) 22(1968)131
column, amino acids, metabolic diseases (Samyn, Carton, Hooft) 28(1970)83
–, hydroxyl-apatite, IgG subfractionation (Roelcke, Jungfer) 27(1970)211
–, liquid, elution control, simple gas pressure regulator (Buist. Higgins) 28(1970)368
–, and spectrofluorimetry, tryptamines (Iskrić, Stancić, Kveder) 25(1969)435
–, urinary metanephrine and normetanephrine (Kahane, Vestergaard) 25(1969)453
and electrophoresis, two-dimensional, separation of urinary purines, pyrimidines and pyrazolopyrimidines (Simmonds) 23(1969)319
gas, automated sample system (McGregor)

(Chromatography)
21(1968)191
–, detection of argininosuccinic aciduria (Sprinkle, Greer, Williams) 23(1969)27
–, d. of acetone and β-ketobutyric acid in blood serum, head space gas sampling (Van Stekelenburg, De Bruyn) 28(1970)233
–, d. of barbiturates and related drugs (Leach, Toseland) 20(1968)195
–, fluoxymesterone (Ruchelman) 26(1969)253
–, homovanillic and vanilmandelic acid in urine (Sprinkle, Porter, Greer, Williams) 25(1969)409
–, 3-methoxy-5-hydroxy phenylglycol, urine (Kahane, Mowat, Vestergaard) 30(1970)683
–, methylmalonic acid (Sprinkle, Porter, Greer, Williams) 24(1969)476
–, pregnanediol and pregnanetriol, in low-titre urine (Van de Calseyde, Scholtis, Schmidt, Kuypers) 27(1970)139
–, tricarboxylic acid (Ishitoya, Itoh, Osawa, Hashimoto, Iwanaga) 27(1970)233
–, urinary *O*-methylated amines, in pheochromocytoma and neuroblastoma (Greer, Sprinkle, Williams) 21(1968)247
–, urinary phenolic and indolic metabolites (Karoum, Anah, Ruthven, Sandler) 24(1969)341
–, urinary steroids (Van Kampen, Hoek) 16(1967)442; 19(1968)371
–, –, reduction products (Leach, Hammond) 21(1968)23
–, –, testicular tumours (Fransdorf, Van Kampen, Hoek) 28(1970)77
–, urinary vanillylmandelic acid, after transformation to vanillin methoxime trimethylsilyl ether (Kahane, Mowatt, Vestergaard) 26(1969)307
gas–liquid, automatic introduction of solid samples (Harkness, Torrance) 18(1967)489
–, d. of amphetamine as its *N*-acetyl derivative (Toseland, Scott) 25(1969)75
–, etiocholanolone in plasma (Klokke, Thyssen) 20(1968)167
–, hydroxyaminobarbitone in plasma and urine (Grove, Toseland) 29(1970)253
–, 3-hydroxyanthranilic acid in urine (Rose, Toseland) 17(1967)235
–, mixtures of mono- and disaccharides and alditols as trimethylsilyl ether derivatives (De Neef) 26(1969)485
–, mono- and disaccharides in urine (Bhatti, Clamp) 22(1968)563
–, oestriol estimation, quantitative (Richardson) 29(1970)473
–, oestriol and oestetrol, in late pregnancy urine (Lee, Wood) 30(1970)223
–, phenobarbitone and diphenylhydantoin, serum micro-d. (Baylis, Fry, Marks) 30(1970)93
–, urinary HMPG (Wilk, Gitlow, Clarke, Paley) 16(1967)403
–, urinary normetanephrine and metanephrine (Bertani, Dziedzic, Clarke, Gitlow) 30(1970)227
–, urinary quinolinic acid (Toseland) 25(1969)187
gel, Sephadex, L-alanyl-peptide hydrolase in serum and organ homogenates (Krawczyński, Janecki, Wiatrak) 29(1970)43
–, Sepharose-6B, molecular weight d. of proteins (Lehmann) 28(1970)335
ion-exchange, *p*-aminophenyl glucuronide derivatives in urine (Lower, Jr., Murphy, Bryan) 29(1970)421
oestrogens, iodine as detecting reagent, deletorious effect (Mirhom) 30(1970)347
paper, alkaline phosphatase isoenzymes (Hosoyama, Fukuda, Shimadate) 18(1967)141
–, cathepsin activity (Lebez, Kopitar) 16(1967)267
–, imino acids incorporation of isatin into developing solvents (Shih, Madigan) 24(1969)481
–, serum phenolic acids (Stott) 20(1968)181
–, urine constituents, tyrosine estimation (Coward, Smith) 17(1967)399
on phosphorylated cellulose, C-reactive proteins in man and animals (Kiley, Coleman) 30(1970)483
radio, plasma adenosine deaminase (Chivot, Depernet, Caen) 27(1970)241
simple screening test, inborn errors of metabolism (Stuber) 24(1969)221
thin-layer, amino acids, in blood (Plöchl) 21(1968)271
–, –, in cerebral tumors (Molnar) 27(1970)535
–, –, in physiological fluids (White) 21(1968)297
–, bile salts, spectrophotometry (Turnberg, Anthony-Mote) 24(1969)253
–, cholesterol, free and esterified, serum (Beukers, Veltkamp, Hooghwinkel) 25(1969)403
–, combined with P analysis, quantitative d. of phospholipid classes in serum (Williams,

Kuchmak, Witter) 25(1969)447
–, direct quantitative, of polar lipids in biological fluids and organbiopsies (Christensen Lou, Clausen) 18(1967)465
–, and gas, urinary methylmalonic acid (Gompertz) 19(1968)477
–, hippuric acid in rat urine (Teuchy, Van Sumere) 25(1969)79
–, homogentisic acid (Collombel, Kissin, Durand, Cotte) 29(1970)193
–, 3-hydroxy bile acids in biological material (Bruusgaard) 28(1970)495
–, multisample applicator (Chahl, Kratzing) 26(1969)177
–, one-dimensional, quantitative, of red cell phospholipids (Brockmann, Gercken) 23(1969)489
–, phenylalanine in plasma, semi-quantitative d. (Meyer, Droll, Klingmüller) 18(1967)69
–, screening test for phenylketonuria (Meyer, Droll, Klingmüller) 18(1967)69
–, separation of plasma amino acids from blood absorbed on filter paper (Nützenadel, Lutz) 29(1970)151
–, tryptophan in plasma and urine (Gibbs, Saunders, Sweeney) 17(1967)317
–, two-dimensional, blood phospholipids (Broekhuyse) 23(1969)457
–, –, neuraminic acid-containing lipids (Székács, Klembala) 19(1968)523
–, urinary catecholamines, abnormal, metabolic patterns (Gutteridge) 21(1968)211
–, urinary corticosteroids, fractionation, photometric estimation (Abraham, Gütte, Hild) 27(1970)395
–, urinary indole melanogens (Badinand, Pasquier, Vallon, Guilluy, Milon) 25(1969)357
–, urinary methylmalonic acid (Gutteridge, Wright) 27(1970)289
–, urinary phenolic acids (Ersser, Oakley, Seakins) 30(1970)243
–, urinary pregnanediol (Abraham, Gütte, Hild, Taubert) 28(1970)341
–, urinary pregnanetriol and pregnanetriolone (Templ, Geyer) 16(1967)179
–, urinary sugars, rapid identification (Petek, Eberhard) 21(1968)293
two-dimensional, rapid, high-resolution, micro-scale (Wadman, Fabery de Jonge, De Bree) 25(1969)87
Chromium-51
accumulation by tissues, rat (Smith) 27(1970)105
Chromium sesquioxide
rapid d. in faeces (Clarkson) 16(1967)186
Chromogens
creatinine d., Jaffé's m. (Bartels, Cikes) 26(1969)1
Chondroitin sulphate
synovial fluid, rheumatoid arthritis (Seppälä, Lehtonen, Kärkkäinen, Näntö) 16(1967)115
urinary, in normals and connective tissue disease, enzymatic studies (Murata, Ishikawa, Oshima) 28(1970)213
Chymotrypsin
binding by α_2-macroglobulin (Boyde, Pryme) 21(1968)9
binding proteins, in colostrum (Counitchansky, Berthillier, Got) 26(1969)223
enzyme, susceptibility of various kinds of elastin (Loeven) 27(1970)521
Cirrhosis
alcoholic, serum proteins, d. (Agostoni, Vergani, Stabilini, Marasini) 26(1969)351
liver, rats, albumin synthesis (Huberman, Soberon) 29(1970)121
Cirrhotic sera
starch gel electrophoresis, unusual band (Hoenigová, Hoenig) 18(1967)313
Citric acids
in biological material, bones, d. (Lindenhayn, Hirthe) 17(1967)149
metabolic studies in uremic acidosis (Campanacci, Guarnieri, Siliprandi, Fiaschi) 20(1968)341
plasma, enzymatic d. without deproteinization (Zender) 24(1969)335
Citrulline
d. in protein-containing biological fluids, diacetylmonoxime (Siest, Vigneron) 20(1968)373
Clearance
renal, serum proteins (Hardwicke) 22(1968)45
Clofibrate
effect on urinary VMA d. of Pisano *et al.* (Sacre, Walker) 30(1970)215
Coeliac disease
children, dipeptidases in intestinal mucosa, multiple forms (Dolly, Fottrell) 26(1969)555
Colitis
urinary HMMA studies (Goodman, Olenczak, Hiatt) 16(1967)245
Collagen
diseases aromatic amino acids metabolism in (Choremis, Constantsas, Agathopoulos, Matsaniotis, Danelatos-Athanassiadis) 17(1967)125
–, children, urinary catecholamines

(Collagen)
(Matsaniotis, Danelatos-Athanassiadis, Agathopoulos, Charokopos, Constantsas) 22(1968)195
metabolism of skin, in Marfan's syndrome (Laitinen, Uitto, Iivanainen, Hannuksela, Kivirikko) 21(1968)321
metabolites, in urine of normal children and collagen disease (Danelatos-Athanassiadis, Constantsas, Agathopoulos, Matsaniotis) 23(1969)153
protein synthesis, in liver, in health and liver disease (Hirayama, Kimura, Irisa, Masuya) 21(1968)49
in skin, kwashiorkor (Vasantha) 26(1969)277
soluble, in serum (Oh, Neff, Block) 21(1968)1
synthesis in skin, measurement of rate (Keiser, Sjoerdsma) 23(1969)341
Colorimeter
simple automatic, for computer processing (Lancee, Glaser, Kolar, Liem, Leijnse) 25(1969)239
Colorimetry
p-aminophenyl glucuronide derivatives in urine (Lower, Jr., Murphy, Bryan) 29(1970)421
calcium d. (Alonso, Tumilasci, Nikonov) 27(1970)549
enzymes linked to the NADH/NAD^+ system (Whitaker) 24(1969)23
ethanol in blood, micro-d. (Léric, Kaplan, Broun) 29(1970)523
free fatty acids (Itaya, Kadowaki) 26(1969)401
–, modified copper reagent (Weenink) 24(1969)186
glutamic-oxalacetic transaminase (Babson, Arndt, Sharkey) 26(1969)419
modified continuous flow system (Jansen, Peters, Zelders) 27(1970)125
quantitative, free phenols in normal serum and urine, diazo reaction (Müting, Keller, Kraus) 27(1970)177
serum aspartate aminotransferase (Doumas, Biggs) 23(1969)75
serum triglycerides (Fletcher) 22(1968)393
ultramicro, serum glutamic–oxalacetic and glutamic–pyruvic transaminase (Lippi, Guidi) 28(1970)431
Colostrum
human, isoamylases in (Got, Bertagnolio, Pradal, Frot-Coutaz) 22(1968)545
IgA complex with trypsin or chymotrypsin (Counitchansky, Berthillier, Got) 30(1970)83
influenza virus haemagglutination inhibitor (Shortridge) 29(1970)233
trypsin- and chymotrypsin-binding proteins (Counitchansky, Berthillier, Got) 26(1969)223
Complement β_1C
and Evans blue-labile α_2-globulin (Rabinovitz, Schen) 20(1968)227
Computer-based chemical analysis
automatic (Abernethy, Bentley, Gartelmann, Gray, Owen, Quan Sing) 30(1970)463
Computer data processing
from AutoAnalyser complex (Gray, Owen) 24(1969)389
Computer processing
digital results, automatic colorimeter (Lancee, Glaser, Kolar, Liem, Leijnse) 25(1969)239
Conductimetric d.
rapid ultra-micro, serum cholinesterase (Rey, Hanss) 30(1970)207
Congo Red
acetone extraction, Bennhold's test (Odavić, Kotanová) 25(1969)291
interaction with water-soluble amyloid fibrils (Soppitt, Pennock) 26(1969)165
Connective tissue
disease, systemic, urinary chondroitin sulfates (Murata, Ishikawa, Oshima) 28(1970)213
proliferation rat, urinary acid mucopolysaccharides (Koizumi, Mukuda, Nakamura, Abe) 26(1969)477
Continuous flow analysis
practical considerations, kinetics (Walker, Pennock, McGowan) 27(1970)421
Contraceptives
oral, plasma tyrosine reduction (Rose, Cramp) 29(1970)49
steroid pills, plasma protein changes (Laurell, Kullander, Thorell) 25(1969)294
Copper
blood, bovine neonate (Bingley, Dufty) 24(1969)316
d. by atomic absorption (Girard) 20(1968)243
–, ultra-micro, in biological specimens, neutron activation (Battistone, Levri, Lofberg) 30(1970)429
in lymph (Trip, Que, Botterweg-Span, Mandema) 26(1969)371
serum, atomic absorption spectrophotometry (Ichida, Nobuoka) 24(1969)299
–, infectious hepatitis (Bastos de Jorge) 20(1968)111
–, and urine, direct estimation, atomic absorption spectroscopy (Dawson, Ellis, Newton-John) 21(1968)33
–. –, micro-d. with 1,5-diphenylcarbazide (Mikac-Dević) 26(1969)127

Coproporphyrin
free, isomer, in normal erythrocytes (Koskelo, Toivonen) 21(1968)291
Cord blood
hemopexin (Weippl, Pantlitschko, Hammelmann) 29(1970)338
Corticoids
influence on glucose-6-phosphate dehydrogenase in erythrocytes (Hohenwallner) 16(1967)353
11-Corticosteroids
plasma, fluorometric d. of Mattingly (Pichler) 24(1969)283
Corticosterone
and cortisol, urinary free, fluorometric d. after thin-layer chromatography (Hubl, Büchner) 21(1968)461
Corticotherapy
effect on serum hydrolases, in viral hepatitis, children (Drożdź) 28(1970)141
Cortisol
binding in plasma (Heyns, Van Baelen, De Moor) 18(1967)361
and corticosterone, binding in rat liver cells (Guidollet, Louisot) 23(1969)121
–, urinary free, fluorometric d. after thin-layer chromatography (Hubl, Büchner) 21(1968)461
and 20-dihydrocortisol, free, urinary, fluorometry (Usui, Kawamoto) 30(1970)595
plasma, fluorimetric measurement, pregnanetriol and pregnanetriolone (Rudd, Black) 20(1968)81
–, rapid d. (Dixon) 23(1969)374
secretion rate, measurement, Few's m. (Mathieu-Nast, Mathieu, Blanquet) 21(1968)91
–, in rheumatoid arthritis (Pal) 29(1970)129
on urinary hydroxyindoles and kynurenin (Genefke, Halter, Dreux) 24(1969)239
Coulometry
d. of serum cholesterol (Troy, Purdy) 26(1969)155
– of uric acid in serum and urine (Troy, Purdy) 27(1970)401
Creatine
in jaundiced urine, estimation (Murfin) 21(1968)157
serum and CSF, enzymatic d. (Berlet) 20(1968)149
Creatine kinase
fluorescent spot test (Kelly, Copeland, Smith) 21(1968)431
isoenzymes, in foetal and pathological muscle (Schapira, Dreyfus, Allard) 20(1968)439
–, in sera (Menache, Rubinstein, Gaist, Marziuk) 19(1968)33
–, –, children with neurological disorders (Cao, De Virgillis, Lippi, Trabalza) 23(1969)475
serum, diagnosis of muscular dystrophy, dilution effect (Spikesman, Brock) 26(1969)387
Creatine phosphokinase
fluorimetric test (Koedam) 23(1969)63
isoenzymes, fluorescence technique (Sherwin, Siber, Elhilali) 17(1967)245
–, rapid analysis (Trainer, Gruenig) 21(1968)151
–, serum, pathological (Goto, Katsuki) 30(1970)795
in motor neurone disease (Williams, Bruford) 27(1970)53
serum, behaviour *in vitro* (Thomson) 23(1969)105
small-scale d. (Menache, Gaist) 26(1969)591
Creatinine
d., effect of ketone bodies (Watkins) 18(1967)191
–, Jaffé, chromogens (Bartels, Cikes) 26(1969)1
–, precision (Beyermann) 17(1967)47
–, Slot's m. (Grafnetter, Janosová, Cervinková) 17(1967)493
excretion, children, amino acid chromatography (Applegarth, Hardwick, Ross) 22(1968)131
–, variation in constancy (Scott, Hurley) 21(1968)411
–, variability, in normals, mental disease, pregnancy (Chattaway, Hullin, Odds) 26(1969)567
urinary, relative constancy of output and volume (Paterson) 18(1967)57
Cryoglobulin
serum, properties (Bobrzecka, Konieczny, Zak) 18(1967)117
Cyanide–nitroprusside colour reaction
cystine, pH (Georges, Politzer) 30(1970)737
Cystathionine synthase
modified assay (Manowitz, Racevskis, Gilmour) 28(1970)269
Cystathionuria
in hepatoblastoma (Voute, Jr., Wadman) 22(1968)373
Cystic fibrosis
proteins and mucoproteins, in duodenal fluid (Knauff, Adams) 19(1968)19,245
sodium/potassium in biological fluids, interference in flame photometry (Knauff) 20(1968)135
viscosity of Tamm–Horsfall mucoprotein

(Cystic fibrosis)
(Stevenson) 23(1969)441
Cystine
cyanide–nitroprusside colour reaction, pH (Georges, Politzer) 30(1970)737
Cystine aminopeptidase (oxytocinase) in blood in goiter (Klimek, Malopeszy) 22(1968)491
Cystinosis
nephrotic, heterozygote studies (Schulman, Schneider, Bradley, Seegmiller) 29(1970)73
Cystinuria
screening test (Rosenthal, Yaseen) 26(1969)363
Cystinylnaphthylamide hydrolase
serum, in viral hepatitis, children, corticotherapy (Drożdź) 28(1970)141

D

Data processing
electronic, test code (Richterich, Ehrengruber) 22(1968)417
Dehydroepiandrosterone
and conjugates, effect on glucose-6-phosphate dehydrogenase (Oertel, Menzel, Bauke) 27(1970)197
d. in urine (Treiber, Oertel) 17(1967)81
inhibition of testicular glucose-6-phosphate dehydrogenase (Menzel, Oertel) 29(1970)195
Delivery
erythrocyte metabolism studies during (Lewandowski, Duda, Fabjanowska, Leyko) 21(1968)175
Deoxycitidine in urine
estimation (Shejbal, Arient, Kovariková) 16(1967)324
Deoxycytidylate deaminase
serum, in diseases (Miller, Ressler) 26(1969)405
Dermatological diseases
L-amino-acid oxidase in blood (Mecher, Masszi) 24(1969)111
De Toni–Debré–Fanconi syndrome
alanine aminopeptidase in urine (Peters, Schneider, Unger, Fukala, Gerlach, Böhme, Haltrich, Haschen) 29(1970)576
Dextran
solubility of low density lipoproteins (Iverius) 20(1968)261
Diabetes
abnormal haemoglobin in red cells (Rahbar) 22(1968)296
heparin-activated lipase in (Perry) 16(1967)189
Diabetes mellitus
plasma trehalase (Eze, Price Evans) 28(1970)153
serum β-glucuronidase activity, sex and age (Dubach, Jösch-Locher) 21(1968)453
transcortin activity and age (De Moor, Bouillon, Van Mieghem) 30(1970)627
Diacetylmonoxime
d. of urea and citrulline in protein-containing biological fluids (Siest, Vigneron) 20(1968)373
N,O-Diacetylneuraminic acid
in sialoglycopeptide from normal urine (Carrion, Bourrillon, Cabezas) 26(1969)481
Diagnosis
serological analysis (Grant) 22(1968)31
5-H-Dibenzo-azepines
toxicological analysis, biological fluids (Lemontey, Meunier, Lafargue) 30(1970)713
Dichloro-ethane for colour extraction in the Kober reaction
(Hähnel, Jones) 16(1967)185
Dihydroxyketosteroids
simple separate d. (Pieterse, Scholtis, Schmidt) 25(1969)243
L-3,4-Dihydroxyphenylalanine
metabolism (O'Gorman, Borud, Khan, Gjessing) 29(1970)111
Dihydroxyphenylalanine oxidase
urinary, in malignant melanoma (Richterich, Cantz, Dauwalder) 29(1970)295
6,8-Dihydroxypurine
urine, gout, allopurinol treatment (Simmonds, Sneddon) 30(1970)421
α-Diketones
reactivity with guanidine (Roos, Siest) 28(1970)463
3,4-Dimethoxybenzoic acid
metabolite from isovanillic acid (Price) 25(1969)31
2,4-Dinitrophenylhydrazine
estimation of ketosteroids (Treiber, Oertel) 17(1967)81
Dipeptidases
multiple forms, in intestinal mucosa, normal and coeliac disease (Dolly, Fottrell) 26(1969)555
Diphenylhydantoin
in plasma, quantitative estimation by GLC (Kupferberg) 29(1970)283
–, and tissue, routine d. (Morselli) 28(1970)37
serum, micro-d., gas–liquid chromatography (Baylis, Fry, Marks) 30(1970)93
Disaccharidase
jejunal biopsy specimens, tropical sprue (Swaminathan, Mathan, Baker, Radhakrishnan) 30(1970)707
Disulfide
urinary, reduction with Na and K

(Disulfide)
borohydrides (Bir, Crawhall, Mauldin) 30(1970)183
L-Dopa
metabolism in man (O'Gorman, Borud, Khan, Gjessing) 29(1970)111
Dopamine
β-hydroxylase activity, dopamine and methoxytyramine (Bohuon, Guerinot) 19(1968)125
urinary, differential d. (Comoy, Bohuon) 30(1970)191
–, fluorometric d. (Oberman, Chayen, Herzberg) 29(1970)391
Down's syndrome
urinary testosterone levels (Peters, Culley) 25(1969)199
DPNH–methemoglobin reductase
comparative d. (Scott) 23(1969)495
Drugs
effect on serum albumin measurement, HABA-dye technique (Arvan, Ritz) 26(1969)505
Dubin–Johnson's disease
urinary melanin (Sonnet, Steichen-Defalque, Brisbois) 24(1969)325
Duchenne muscular dystrophy
carrier state, biochemical identification (Thomson) 26(1969)207
enzyme release from organs (Kleine) 29(1970)227
Ductus choledochus
effect of ligation on isoamylase in serum and urine, rat (Miholcić, Vecerek) 16(1967)383
Duodenal fluid
proteins and mucoproteins, cystic fibrosis (Knauff, Adams) 19(1968)19,245
Duodenum
arylamidase of (Behal, Little) 21(1968)347
Dye method
simple, assessing amylase activity (Take, Berk, Fridhandler) 26(1969)533

E

EDTA
serum and urine, simple m. (Blijenberg, Leijnse) 26(1969)577
Elastase
new d. m. (Rinderknecht, Geokas, Silverman, Lillard, Haverback) 19(1968)327
Elastin
susceptibility of various kinds, elastolytic enzymes trypsin and chymotrypsin (Loeven) 27(1970)521
Elastolipoproteinase
purification and characterization (Loeven) 30(1970)165
Electrochemical d.
serum calcium, Ca-selective electrode (Hattner, Johnson, Bernstein, Wachman, Brackman) 28(1970)67
Electrochromatography
two-dimensional, haptoglobin and plasma protein–hemoglobin complexes (Keler-Bacoka, Pucar) 23(1969)431
Electrophoresis
acrylamide disc gels, tissue alkaline phosphatase (Smith, Lightstone, Perry) 19(1968)499
acrylamide gel, Tay–Sachs disease carriers, identification (Friedland, Schneck, Saifer, Pourfar, Volk) 28(1970)397
agar gel, amylase isoenzymes (Götz, Wüst, Raies) 19(1968)235
–, serum adenosine deaminase multi-enzyme patterns, diagnosis of lung cancer (Nishihara, Akedo, Okada, Hattori) 30(1970)251
–, serum proteins, evaluation, normal ranges, age-dependence (Rieder, Nusselt) 24(1969)159
agarose gel, lipoproteins (Rapp, Kahlke) 19(1968)493
–, –, – (McGlashan, Pilkington) 22(1968)646
–, protein fixation by picric acid (Davidsen) 21(1968)205
–, quantitative estimation of plasma lipoproteins (Dyerberg, Hjørne) 28(1970)203
apparatus, vertical gel, microscope slides (Chalvardjian) 26(1969)174
cellogel, haemoglobins (Pabis, Sulis, Alessio, Manucci) 20(1968)449
– cellulose acetate gel, hemoglobin A quantitation (Penalver, Abreu de Miani) 30(1970)657
–, micro, lipoproteins, anomalous mobilities (Nikkari, Viikari) 24(1969)473
–, serum lipoproteins, quantitative analysis (Chin, Blankenhorn) 20(1968)305
disc, alkaline phosphatases, effect of neuraminidase (Smith, Perry, Lightstone) 25(1969)17
–, lactate dehydrogenase isoenzymes (Dietz, Lubrano, Rubinstein) 27(1970)225
–, polyacrylamide, of CSF and cerebral cyst fluid (Cumings, Shortman, Tooley) 27(1970)29
–, quantitative immunoelectrophoresis (Louis-Fernand, Blatt) 16(1967)259
–, serum proteins, quantitation and specific detection (Felgenhauer) 27(1970)305
gel, immunodiffusion techniques after (Darcy) 21(1968)161
–, micro (Krause, Raunio) 17(1967)251
–, urinary proteins, isoelectric focusing (Rotbøl) 29(1970)101
glutamate dehydrogenase from rat organs (Pashev) 16(1967)127
glycoproteins, periodic acid–Schiff staining (Van Neerbos, De Vries-Lequin) 26(1969)271
haemoglobin, capillary blood (Giorgi) 27(1970)362
high voltage (Woudenberg, Wiegman, Van Praag, Korf) 27(1970)313
immuno-electrofocussing (Catsimpoolas) 27(1970)365
immunoglobulins (Afonso, Proenca) 21(1968)143
lipoproteins, microzone, cellulose acetate strips (Grabner, Gronauer, Berg, Bergner) 28(1970)299
–, polyacrylamide gels (Pratt, Dangerfield) 23(1969)189
–, technical and nomenclature problems (Peyer, Rieder) 30(1970)295
lymphoid cell proteins, soluble and insoluble components (Mobarak, Brody) 30(1970)635
paper, and cellulose acetate t., phenotyping of lipoproteinemias (Winkelman, Ibbott,

(Electrophoresis)
Sobel, Wybenga) 26(1969)33
–, diagnosis of paralbuminuria (Morales-Malva, Israel Budnick, Sapag-Hagar) 17(1967)393
–, haptoglobin mobility (Keler-Bacoka) 25(1969)225
–, phenotyping of hyperlipoproteinemias (Winkelman, Ibbott) 26(1969)25
–, proteins, triiodothyronine-binding, normal serum (Itoh, Miyai, Kimura, Abe, Kumahara) 30(1970)259
plasma proteins, dye uptake by fractions, correction (Dyerberg, Hjørne) 30(1970)407
on plaster of Paris, serum haptoglobin (Affonso) 22(1968)466
polyacrylamide gel, in neuro-psychiatric diagnosis (Diessner, Schmidt) 25(1969)155
–, plasma lipoproteins (Dangerfield, Pratt) 30(1970)273
– and agarose gel, serum lipoproteins (Wollenweber, Kahlke) 29(1970)411
– disc, urinary protein and LDH isoenzyme (Hemmingsen, Skov) 19(1968)81
–, pore size concentration gradient (Epstein, Houvras, Zak) 20(1968)335
serum proteins, after isoelectric focusing in acrylamide gels (Dale, Latner) 24(1969)61
–, on plaster of Paris (Affonso, Affonso) 21(1968)315
and staining of lipoproteins on cellulose acetate (Colfs, Verheyden) 18(1967)325
starch block, LDH isoenzymes (Leathwood, Plummer) 27(1970)219
starch gel, alkaline phosphatase, comparison with Sephadex gel filtration (Jennings, Brocklehurst, Hirst) 30(1970)509
–, equipment, protein fractionation from adenohypophysis (Baranyai, Nagy, Kurcz) 16(1967)449
–, micro, under petroleum ether (Brody, Mobarak, Haidar) 18(1967)205
strips, automatic analysis, cyclic electronic scanner (Vanzetti, Palatucci, Cosci) 20(1968)215
thin-layer, gel, on microscope slides (Klein) 16(1967)163
–, high-voltage, and chromatography, urinary purines and pyrimidines (Simmonds) 23(1969)319
–, –, disorders of amino acid metabolism (Farrelly, Watkins) 20(1968)291
–, starch-gel, phosphatase isoenzymes in urine (Maruna) 25(1969)133
vertical gel slab, simple apparatus (Walker, Pollard) 23(1969)370
Electrophoretic heterogeneity of γ-glutamyl-transpeptidase
fluorometric d. (Laursen, Jacyszyn) 21(1968)497
Electrophoretic mobility of G-6-PD in lymphocytes and granulocytes (Monteleone, Nadler, Justice, Yi-Ung Hsia) 18(1967)275
Electrophoretic pattern
glutamate dehydrogenase, inhibitors and acetylation (Pashev) 18(1967)355
Electrophoretic studies of PAS-positive components of serum macroglobulins (Morales-Malva, Israel-Budnick, Sapag-Hagar, Vallega-Magasich) 18(1967)169
Elements
trace, in human brain: Co, Zn, Fe and Mg (Harrison, Netsky, Brown) 21(1968)55
Embryonic and neonatal sera
unique protein in (Takahashi, Yachi, Anzai, Wada) 17(1967)5
Enzymatic abnormality
metachromatic leukodystrophy, carrier state (Taniguchi, Nanba) 29(1970)375
Enzyme
activity, in blood and red cells, in thyrotoxicosis (Konttinen, Viherkoski) 22(1968)145
–, proteolysis, d. *in vitro*, fibrinogen fragments (Ohlsson) 26(1969)131
–, urinary, alterations in water and ion excretion levels (Hohenegger, Raab) 28(1970)61
electrophoresis, loss of cathodic isoenzymes (Rosalki, Montgomery) 16(1967)440
and isoenzyme distribution in serum fractions (Pruden, Creason, Creason, Block) 20(1968)173
liver, extra- and intra-mitochondrial, micro-fractionation (Maier, Pette) 29(1970)61
$NADH/NAD^+$ system, general colorimetric estimation (Whitaker) 24(1969)23
pattern, acute inflammation, experimental (Wagner, Duck) 28(1970)5
–, esterase-active components, in pathologic sera (Götz, Scheiffarth, Victor) 21(1968)119
–, tissues and body fluids, in mucopoly-saccharidoses (Öckerman, Hultberg, Eriksson) 25(1969)97
platelets, release during blood clotting, man and animals (Friedel, Mattenheimer) 30(1970)37

proteolytic, in serum and exudates (Wagner, Duck) 18(1967)11
reaction rate monitor, automatic (Smith, Brown, Taylor) 30(1970)105
release from organs, Duchenne's muscular dystrophy (Kleine) 29(1970)227
serum, d. and normal ranges (Thomson) 21(1968)469
splitting *N*-acetyl tyrosine ethylester, quantitative d. (Rybák, Mansfeld, Petáková, Simonianová) 19(1968)405
urinary, in healthy subjects (Werner, Heilbron, Maruhn, Atoba) 29(1970)437
–, hydrolysing β-naphthylamides of leucine and glutamic acid (Ono, Eto, Arakawa) 19(1968)257
Epiandrosterone excretion and etiocholanolone/androsterone ratio (Fehér) 16(1967)183
Epidemiological surveys
serum triglycerides, fasting and post-prandial (Zweers, Yaron, Groen) 19(1968)267
Epinephrine and norepinephrine
normal levels, plasma, fluorimetry (Griffiths, Leung, McDonald) 30(1970)395
16-Epi-oestriol-glucosiduronate in pregnancy urine (Ghazali bin Abdul Rahman, Hähnel) 17(1967)59
Epitestosterone
urinary, in Down's syndrome (Peters, Culley) 25(1969)199
Erythrocytes
adenine nucleotide levels, in hypertensive rats (Remenchik, Hoover, Brynjolfsson) 19(1968)227
ATP–iron compounds in (Konopka, Leyko, Gondko, Sidorczyk, Fabjanowska, Swedowska) 24(1969)359
antibody binding, inhibition, dialysate of hemolyzed red cells (Fisher, Parker, Haynes, Chaplin Jr.) 30(1970)842
arginase in, healthy and ill children (Azizi, Dror, Wallis) 28(1970)391
carbohydrate metabolism, in anemias (Palek, Brabac, Mircevová, Volek, Friedman) 18(1967)39
carbonic anhydrase, health and disease (Lie-Injo, Lopez, Hart) 29(1970)541
of different ages, cell-free preparations, glutathione synthesis (Sass) 22(1968)207
2,3-diphosphoglycerate mutase, optical test in hemolysates (Schröter, Kalinowsky) 25(1969)283
direct thiobarbituric acid-reacting chromogen in (Stocks, Dormandy) 27(1970)117
enzyme activity, statistical study (McGuinness, Saunders) 16(1967)221
extraction of porphyrins from (Beard) 18(1967)151
formation of uridine diphosphate sugars from [^{32}P] hexose phosphates (Sawicka, Chojnacki) 23(1969)463
frozen in DMSO, phosphate esters in (Zachara, Domicz, Kańsky, Leyko) 18(1967)127
galactose-1-phosphate, simple enzymatic estimation (Gitzelmann) 26(1969)313
glucose-1-phosphate transferase in (Inouye, Nadler, Hsia) 19(1968)169
glucose-6-phosphate dehydrogenase, immunological study, deficient mutants (Rosa, Alexandre, Kaplan, Dreyfus) 29(1970)209
–, in thyrotoxicosis (Konttinen, Viherkoski) 22(1968)145
glutathione peroxidase in, screening test (Boguslawska-Jaworska, Kaplan) 26(1969)459
glutathione synthesis, effect of growth hormone (Hohenwallner) 30(1970)573
glycolysis, influence of growth hormone (Hohenwallner, Ludescher) 28(1970)255
–, *in vitro*, influence of growth hormone (Ludescher, Hohenwallner) 24(1969)423
haemolysates, pentose phosphate pathway metabolism in (Sturman) 18(1967)245
influence of corticoids on glucose-6-phosphate dehydrogenase (Hohenwallner) 16(1967)353
lipids and membrane enzymes, in anemias (Palek, Brabec, Vopatová, Michelec, Mircevová) 23(1969)133
Mg d. in (Bauditz) 17(1967)207
membrane, peptide, small molecular, with Rh properties (Weicker) 21(1968)513
–, studies in malignancies (Christian, Kang, Pool) 21(1968)289
metabolism, in cord blood and venous blood, during delivery (Lewandowski, Duda, Fabjanowska, Leyko) 21(1968)175
–, in hypoalbuminaemia (Milewska, Leyko) 18(1967)485
–, in siderpoenic and haemolytic anaemia (Leyko, Duda, Dmochowska, Politowska) 28(1970)161
NADH-dependent diaphorase activity and methemoglobin reduction (Kanazawa, Hattori, Kosaka, Nakao) 19(1968)524
normal, free coproporphyrin isomer in (Koskelo, Toivonen) 21(1968)291
–, protoporphyrin-induced photohaemolysis (Schothorst, Van Steveninck, Went,

(Erythrocytes)
Suurmond) 28(1970)41
nucleotide content, in pulmonary tuberculosis (Greger, Leyko) 20(1968)531
orthophosphate permeability, in hypophosphatemic rickets (Cartier, Leroux, Balsan, Royer) 29(1970)261
phospholipids, chromatography (Brockmann, Gercken) 23(1969)489
purification of pyruvate kinase (Dubin, Bernard) 16(1967)63
purine phosphoribosyl transferase in (Cartier, Hamet) 20(1968)205
pyruvate kinase deficiency, haemolytic anaemia, abnormal glycolysis (Cartier, Najman, Leroux, Temkine) 22(1968)165
TPNH dehydrogenase, role in (Sass) 21(1968)101
uptake of methylene blue, pH (Kitchens, Huisman) 30(1970)839
young and old cells, haemoglobin components (Boyd, Thomas, Horton, Huisman) 16(1967)333
Escherichia coli enteritis
pig, antibodies, cross-reactivity with bacterial endotoxins (Porter, Kenworthy) 23(1969)397
Estriol
in pregnancy urine (Kreutzer, Meulendijk) 22(1968)481
Estrogen
rapid d. in pregnancy urine (Nordström) 20(1968)239
total, in pregnancy urine (Brombacher, Gijzen, Verheesen) 20(1968)360
Estriol
urinary, pregnancy, reliable d. (Goebelsmann) 23(1969)469
Ethanol
in blood, micro colorimetric d. (Léric, Kaplan, Broun) 29(1970)523
–, micro-d. (Roach, Creaven) 21(1968)275
Ethyl-*p*-chlorophenoxyisobutyrate
effect on lipoprotein distribution in serum (Nichols, Strisower, Lindgren, Adamson, Coggiola) 20(1968)277
Etiocholanolone
d. in urine (Treiber, Oertel) 17(1967)81
plasma, gas–liquid chromatography (Klokke, Thijssen) 20(1968)167
Extracellular fluid
d. (Tomaszewski) 16(1967)417
Exudates
inflammatory and malignant, proteolytic enzyme activity in (Wagner, Duck) 18(1967)11

F

Faecal calcium estimation
resin exchange method (Chen, Dotti) 18(1967)453
Faecal Cr_2O_3
d., dry ashing (Mink, Schefman-van Neer, Habets) 24(1969)183
Faecal lipids
total d. (Friedner, Moberg) 18(1967)345
Faeces
detection of blood in (Woodman) 29(1970)249
fat, Van de Kamer estimation (Kelleher, Walker, Losowsky) 30(1970)267
occult blood in, detection (Deadman, Timms) 26(1969)369
Fat
faecal, estimation, Van de Kamer method (Kelleher, Walker, Losowsky) 30(1970)267
Fatty acids
in brain of man, whales, dolphins (Lesch) 25(1969)269
composition of lecithin from muscles, progressive muscular dystrophy (Takagi, Muto, Takahashi, Nakao) 20(1968)41
free, colorimetric d. (Itaya, Kadowaki) 26(1969)401
–, –, modified copper reagent (Weenink) 24(1969)186
–, displacement of albumin-bound bilirubin, neonatal hyperbilirubinemia (Starinsky, Shafrir) 29(1970)311
–, lipolysis, ACTH-induced, incubation media (Schwandt, Lindlbauer, Knedel) 24(1969)267
–, myocardial retention, pharmaceutic action (Warembourg, Biserte, Bertrand, Sezille, Jaillard) 23(1969)387
–, in normal and diseased muscle (Susheela) 22(1968)219
–, plasma, micro-colorimetry (Laurell, Tibbling) 16(1967)57
–, serum, in neuromuscular disease (Susheela) 22(1968)219
from mature human placental villi, gas chromatography (Kleine) 17(1967)479
medium- and long-chain, preparation of methyl esters (Fosbrooke, Tamir) 20(1968)517
non-esterified, in normal plasma, influence of glucose (Warembourg, Biserte, Sezille, Jaillard, Bertrand) 22(1968)349
–, in plasma, adrenocorticotropic hormone on (Warembourg, Biserte, Sezille, Jaillard, Bertrand)20(1968)269
–, serum and plasma, coulometric d. (Novák) 30(1970)439
pattern of serum lipids, d. (Christophe, Matthijs) 16(1967)39
plasma, post-heparin, non-esterified, composition (Warembourg, Biserte, Sezille, Jaillard, Bertrand) 18(1967)209
simultaneous with cholesterol and bile acids, gas chromatography (Crotte, Mulé, Planche) 27(1970)331
triglycerides and nonesterified, normal plasma, influence of glucagon (Warembourg, Biserte, Jaillard, Sezille) 28(1970)103
volatile, in normal physiological fluids (Perry, Hansen, Diamond, Bullis, Mok, Melancon) 29(1970)369
Favism
plasma magnesium, haemolytic crisis (Spennati, Businco, Conca, Bottini) 27(1970)360
Fertility
seminal plasma, protein and LDH isoenzyme patterns (Rotbøl, Hemmingsen, Schmidt) 25(1969)147
Fetal blood
amino acids in erythrocytes and plasma (Björnesjö) 20(1968)11
Few's method
cortisol secretion rate measurement (Mathieu-Nast, Mathieu, Blanquet) 21(1968)91
Fibrin mass and plasma clot absorbance (Rosenfeld) 18(1967)1
Fibrinogen
^{131}I-labelled, gel filtration (Teulings, Biggs) 27(1970)57
plasma and rouleaux formation in blood (Van Haeringen, Glasius) 29(1970)55
plasminogen-free, immunochemical technique (Ohlsson) 25(1969)221
radial immunodiffusion, time and antigen concentration (Schmid) 26(1969)183
Flame photometry
nitrous oxide–acetylene, enhancement of Ca

(Flame photometry)
absorption by Na and K (Murdoch, Jeaton) 28(1970)505
Fluorescence
acid, abnormally high values in plasma corticosterone d. (Kraicer, Conrad, Bicknese) 23(1969)512
induced, estimation of tryptophan in plasma and urine (Gibbs, Saunders, Sweeney) 17(1967)317
Fluorescent spot test
for creatine kinase (Kelly, Copeland, Smith) 21(1968)431
Fluoride
in urine, direct determination (Tusl) 27(1970)216
Fluorimetric test
modified, creatine phosphokinase (Koedam) 23(1969)63
Fluorimetry
of bilirubin (Roth) 17(1967)487
electrophoretic heterogeneity of γ-glutamyl transpeptidase (Laursen, Jacyszyn) 21(1968)497
5-hydroxyindoleacetic acid, urine and CSF (Korf, Valkenburgh-Sikkema) 26(1969)301
of Mg in biological material (Zepf) 20(1968)473
of Mattingly, plasma 11-corticosteroids (Pichler) 24(1969)283
micro, serum vitamin A estimation (Selvaraj, Paramasivam Susheela) 27(1970)165
new m., d. of 3-hydroxykyurenine (Watanabe, Watanabe, Okada) 27(1970)461
noradrenalin and adrenalin in plasma (Benzini, Brunori, Valori) 30(1970)587
plasma catecholamines, normal levels (Griffiths, Leung, McDonald) 30(1970)395
platelet serotonin (Small, Holton) 27(1970)171
quantitative, urinary 3-methoxytyramine (Käser, Thomke) 27(1970)203
serum 11-hydroxysteroids, calculative correction of deviations (Usui, Kawamoto, Shimao) 30(1970)663
of serum phenylalanine, compared with chromatography (Berry) 20(1968)299
serum triglycerides (Gödicke, Gerike) 30(1970)727
–, semi-automatic Kessler and Lederer (Claude, Corre, Levallois) 19(1968)231
urinary cortisol, Porter–Silber m., 17-OHCS (Clark, Rubin, Kales, Poland) 27(1970)364
urinary dopamine (Oberman, Chayen, Herzberg) 29(1970)391
urinary folic acid (Hla-Pe, Aung-Than-Batu) 24(1969)381
urinary free cortisol and corticosterone, after thin-layer chromatography (Hubl, Büchner) 21(1968)461
urinary free fluorogenic steroids, simple estimation (Usui, Kawamoto) 30(1970)595
urinary metanephrine and normetanephrine after column chromatography (Kahane, Vestergaard) 25(1969)453
urinary *O*-methyl-catecholamines (Geissbühler) 30(1970)143
Fluoxymesterone
gas chromatography (Richelman) 26(1969)253
Foetus
pyridoxal kinase in, gestation (Contractor, Shane) 25(1969)465
Folic acid
deficiency, histidine α-deaminase in stratum corneum (Satwekar, Radhakrishnan, Baker) 20(1968)53
status, children with burns and scalds (Barlow, Wilkinson) 29(1970)355
urinary, fluorometric d., absorption and load tests (Hla-Pe, Aung-Than-Batu) 24(1969)381
Formiminoglutamic acid
excretion, ascorbic deficiency, infants (Fondu, Mandelbaum, Dubois) 28(1970)111
urinary, measurement (Casey, Wells) 19(1968)165
Fructose
in biological fluids, anthrone d. (Nixon) 26(1969)167
intolerance, hereditary, liver aldolase in (Raivio, Perheentupa, Nikkilä) 17(1967)275
–, hypoglycemia (Cotte, Mathieu, Nivelon, Bethenod, Kissin, Collombel) 19(1968)215
oxidative metabolism, normal and G-6-PD-deficient red cell hemolysates (Sturman) 26(1969)135
Fructose-1-phosphatase and fructose 1,6-diphosphatase
liver function tests (Kaldor) 28(1970)145

G

Galactosaemia
galactose-1-phosphate, difficulties in d. (Schwarz, Simpson) 24(1969)188
Galactose
discontinuous and continuous automatic analysis (Kruse-Jarres, Klingmüller) 29(1970)139
in human fluids, measurement (Nordschow) 28(1970)89
oxidative metabolism, normal and G-6-PD-deficient red cell hemolysates (Sturman) 26(1969)135
Galactose-1-phosphate
in red cells, simple enzymatic estimation (Gitzelmann) 26(1969)313
uridyl transferase, in blood cells (Inouye, Nadler, Hsia) 19(1968)169
β-Galactosidase
acid, stimulation by chloride ions (Ho, O'Brien) 30(1970)531
deficiency, in G_{MI}-gangliosidosis (Dacremont, Kint) 21(1968)421
–, in skin, in gargoylism (Öckerman) 20(1968)1
excretion, after kidney surgery (Price, Dance, Richards, Cattell) 27(1970)65
–, in renal disease (Dance, Price, Cattell, Lansdell, Richards) 27(1970)87
G_{MI}-Ganglioside
accumulation in G_{MI}-gangliosidosis (Dacremont, Kint) 21(1968)421
peptides, normal human, amino acid composition of gray matter (Palo, Saifer) 27(1970)481
Gargoylism
acid hydrolases in skin and plasma (Öckerman) 20(1968)1
(giant hydrocephalus), mucopolysaccharidosis, chemical identification (Kennedy, Sinnette, Familusi) 29(1970)37
Gas chromatography
fatty acids from human placental villi, *in vitro* (Kleine) 17(1967)479
phenolic acids and alcohols in urine (Karoum, Ruthven, Sandler) 20(1968)427
Gas–liquid chromatography
estimation of lactulose, intestinal mucosal damage (Müller, Walker-Smith, Shmerling, Curtius, Prader) 24(1969)45
Gastric juice
iron-binding properties (Jacobs, Miles) 24(1969)87
Gastric mucosa
β-glucuronidase, carcinoma (Piper, Fenton) 24(1969)215
separation of proteolytic enzymes, vitamin B_{12} binders and intrinsic factor on DEAE cellulose column (Glass, Castro-Curel, Pamer) 16(1967)91
Gaucher's disease
β-glucosidase in tissues (Hultberg, Öckerman) 28(1970)169
Gel filtration
[^{131}I] fibrinogen (Teulings, Biggs) 27(1970)57
serum Ca and Mg, unbound, limitations (Pruden, Creason, Block) 27(1970)19
thin-layer, M-components of serum (Snigurowicz) 22(1968)423
–, urinary acid mucopolysaccharides, Hunter's syndrome (Taniguchi) 30(1970)801
urine protein (Davis, Flynn, Platt) 21(1968)357
Globulin(s)
α_2, Evans blue-labile, and β_{1C} complement (Rabinovitz, Schen) 20(1968)227
[^{131}I] γ, metabolism, in patients with chronic liver disease (Hirayama, Fukuda, Toda) 27(1970)409
γ_G, non-precipitable by zinc at pH 7.3 (Badin, Trensz, Rousselet) 19(1968)11
γ_G, papain sensitivity (Medgyesi, Gergely) 17(1967)308
Glomerular basement membrane
nephrotoxic antigens, immunochemical studies (Thoenes, Hammer) 18(1967)253
Glomerular filtration rate
comparative measurements using inulin, [^{51}Cr] EDTA, phosphate infusion (Stamp, Stacey, Rose) 30(1970)351
d., [^{51}Cr] EDTA, [hydroxymethyl-^{14}C] inulin and inulin-T (Marlow, Sheppard) 28(1970)479
pyrogen-free inulin (Simenhoff, Wesson, Jr., Terlecky) 27(1970)367
urea clearance (Brulles, Gras, Magrina, Torres, Caralps) 24(1969)261
Glomerulonephritis
and urinary LDH (Mojzis, Ninger)

(Glomerulonephritis)
27(1970)145
Glucagon
double antibody assay (Shima, Foà)
22(1968)511
effect on fatty acid levels, normal plasma (Warembourg, Biserte, Jaillard, Sezille)
28(1970)103
immunoassay (Taylor, Howell, Montague, Edwards) 22(1968)69
Glucose
in abnormal urines, failure of detection (Naganna, Rajamma, Vasudeva Rao)
17(1967)219
blood, capillary, simultaneous d. with acetoacetate (Salway) 25(1969)109
–, d., non-carcinogenic reagent (Thompson)
25(1969)475
–, – with *o*-toluidine (Ceriotti, De Nadai Frank) 24(1969)311
–, rapid estimation (Makin, Warren)
29(1970)493
body fluid, d. using aniline–acetic acid (Gros, Smrekar) 17(1967)518
d., enzymatic (Van der Slik, Koevoet, Van Neerbos, Alkemade, Van der Harst)
27(1970)325
enzymatic estimation, starch–iodine chromogen (Aw) 26(1969)235
estimation, stabilized glucose oxidase, peroxidase reagent (Middleton)
22(1968)433
fatty acid composition, in normal plasma (Warembourg, Biserte, Sezille, Jaillard, Bertrand) 22(1968)349
oxidative metabolism, normal and G-6-PD-deficient red cell hemolysates (Sturman)
26(1969)135
trace amounts in urine, d. (Soler, Adams)
30(1970)289
tumoral metabolism (Bojan, Mustea, Preda)
23(1969)335
polarographic micro-d. with glucose oxidase (Okuda) 23(1969)365
urinary, concentration, enzymatic d., fluorometric m. (Scherstén, Tibbling)
18(1967)383
utilization, muscle, uremia (Dzúrik, Valovicová) 30(1970)137
Glucose-6-phosphatase
assay in liver tissue (Öckerman) 17(1967)201
deficiency in hyperlipaemia (Hülsmann, Eijkenboom, Koster, Fernandes)
30(1970)775
Glucose-6-phosphate dehydrogenase
binding to serum component (Eng)
28(1970)365
deficiency, hereditary, new test, inhibition of glutathione reductase by chromate (Zurcher, Kuijlman, 't Sass, Zurcher, Loos, Prins) 25(1969)139
dehydroepiandrosterone, effect (Oertel, Menzel, Bauke) 27(1970)197
erythrocyte, deficient mutants, immunological study (Rosa, Alexandre, Kaplan, Dreyfus)
29(1970)209
in granulocytes and lymphocytes, normal and fava bean-sensitive subjects, electrophoresis (Fiorelli, Idéo, Alessio) 25(1969)179
human red and white cells, hybridization with – from rat tissue (Rosa, Dreyfus)
24(1969)199
liver and blood, assay (Dror, Sassoon, Watson, Johnson) 28(1970)291
in lymphocytes and granulocytes, electrophoretic mobility (Monteleone, Nadler, Justice, Yi-Ung-Hsia) 18(1967)275
various rat tissues, structural identity, hybridization with human red and white cell – (Rosa, Dreyfus) 24(1969)199
α-Glucosidase
human urinary, index of kidney tubular damage (Bonini, Ceriotti, Franzini)
27(1970)409
in urine (Franzini, Bonini) 17(1967)505
β-Glucosidase
tissues, Gaucher's disease (Hultberg, Öckerman) 28(1970)169
Glucosylgalactosylhydroxylysine
urinary, in neuroblastoma (Shimizu, Labrosse)
22(1968)623
β-Glucuronidase
gastric mucosal and carcinomatous (Piper, Fenton) 24(1969)215
serum, in diabetes mellitus, sex and age (Dubach, Jösch-Locher) 21(1968)453
serum, in kwashiorkor (Begum, Ittyerah)
28(1970)263
Glutamate dehydrogenase
electrophoretic pattern, inhibitors and acetylation (Pashev) 18(1967)355
identification, tetrazolium salt staining (Pashev) 29(1970)501; 30(1970)25
rat organs, electrophoretic behaviour (Pashev) 16(1967)127
serum, kinetic measurement, oxamic acid and L-leucine (Persijn, Van der Slik, Timmer, Riethorst) 30(1970)377
urine and serum of rats, toxic renal damage (Raab) 24(1969)275
Glutamate–pyruvate transaminase and antiribosomal serum activity in hepatitis

(Reinhardt) 19(1968)353
Glutamic-oxalacetic transaminase
colorimetric assay (Babson, Arndt, Sharkey) 26(1969)419
serum, colorimetric ultramicro-d. (Lippi, Guidi) 28(1970)431
Glutamic-pyruvic transaminase
serum, colorimetric ultramicro-d. (Lippi, Guidi) 28(1970)431
γ-Glutamyl lactamase
human, properties (Connell, Szewczuk) 17(1967)423
γ-Glutamyl transpeptidase
activity, estimation, influence of sulfonamides (Dimov) 21(1968)427
–, in jejunal mucosa (Greenberg, Wollaeger, Fleisher, Engstrom) 16(1967)79
in biological fluids, estimation m. (Dimov, Kulhánek) 16(1967)271
electrophoretic heterogeneity, fluorimetric d. (Laursen, Jacyszyn) 21(1968)497
heterogeneity, d. (Jacyszyn, Laursen) 19(1968)345
serum, routine estimation (Naftalin, Sexton, Whitaker, Tracey) 26(1969)293
–, site of origin (Naftalin, Child, Morley, Smith) 26(1969)297
Glutathione
erythrocyte, role in sulphaemoglobin formation (Frendo) 24(1969)1
hepatic, conjugation and bromsulphonaphthalein excretion (Boyland, Grover) 16(1967)205
synthesis, erythrocytes of different ages (Sass) 22(1968)207
–, human growth hormone, in red cells (Hohenwallner) 30(1970)573
Glutathione peroxidase
in leukocytes (Bracci, Calabri, Bettini, Princi) 29(1970)345
in red cells, screening test (Boguslawska-Jaworska, Kaplan) 26(1969)459
Glutathione reductase
red cells, and riboflavin nutritional status (Bamji) 26(1969)263
Glycaemia
changes in the differential diagnosis of neoplastic processes (Mustea) 18(1967)477
Glyceride
levels, serum and plasma, nephelometric estimation (Buckley, Deegan, Muirhead, Williams) 28(1970)133
plasma lipolytic activity post heparin (Biale, Shafrir) 23(1969)413
Glycerol
blood, diagnosis of hyperthyroidism (Laurell, Tibbling) 21(1968)127
plasma, turnover during hyperthyroidism (Tibbling, Cederquist, Lundquist) 25(1969)189
turnover, hyperthyroidism (Tibbling) 24(1969)121
Glyceryl triphytanate
biosynthesis in rabbit, phytol-enriched diet (Sezille, Jaillard, Scherpereel, Biserte) 29(1970)335
Glycine
in biological fluids, d. (Sardesai, Provido) 29(1970)67
Glycogen
in micro tissue samples, rapid enzymic m. (Huijng) 30(1970)567
Glycopeptides
two new fractions from urine (McGale, Jevons) 17(1967)441
Glycoproteins
α_1-acid, constancy after uterectomy and irradiation (Yoshizaki, Hunziker, Schmid) 23(1969)147
bound carbohydrates in (Grässlin, Weicker) 21(1968)15
brain tissue, colorimetric analysis (Brunngraber, Aro, Brown) 29(1970)333
electrophoresis, periodic acid–Schiff staining (Van Neerbos, De Vries-Lequin) 26(1969)271
from hepatic amyloid tissue (Nichols, Clamp) 17(1967)415
levels, serum, long-lasting physical exercise (Haralambie) 27(1970)475
normal and sulfated, bile (Matsushiro, Nemoto, Endo, Yosizawa) 30(1970)645
in seromucoid, specific changes in pregnancy (Adams, Wacher) 21(1968)155
serum, physical exercise (Haralambie) 26(1969)287
soluble, oligosaccharide units of, antigenicity (Clamp, Verrier Jones) 21(1968)165
α_1-Glycoproteins
isolation from serum and urine, simple batch method (Lange) 18(1967)459
α_2-Glycoprotein
isolation, rat inflammatory serum (Menninger, Esber, Arthur) 27(1970)385
α_2HS-Glycoprotein in normal plasma and urine (Poortmans, Jeanloz, Schmid) 17(1967)305
Glycosaminoglycan(s)
brain, in Sanfilippo syndrome (George, Bachhawat) 30(1970)317
creatinine ratio, urinary, parameter (Di Ferrante, Lipscomb) 30(1970)69

(Glycosaminoglycan(s))
urinary, ion-exchange assay, in disease (Wessler) 16(1967)235
Glycosaminoglycan hydrolases
in hyaline cartilage (Platt, Dorn) 21(1968)333
Glycosaminoglycan sulphotransferase
brain, in Sanfilippo syndrome (George, Bachhawat) 30(1970)317
Glycosidases
in kidney and urine (Dance, Price, Robinson, Sterling) 24(1969)189
Goitre
nodular, thyroidal iodinates compounds in (Levis, Koutras, Vagenakis, Messaris, Miras, Malamos) 20(1968)127
simple and toxic, cystine aminopeptidase in blood (Klimek, Małolepszy) 22(1968)491
Gonadal dysgenesis
children, steroid excretion (Gupta, Zimprich) 27(1970)281
Gonadotrophins
radioimmunoassay (Butt, Lynch) 22(1968)79
Gout
6,8-dihyroxypurine in urine, allopurinol treatment (Simmonds, Sneddon) 30(1970)421
Granulation tissue
PAPS synthetic enzyme system in (Sasaki) 17(1967)215
Growth hormone
human, radioimmunoassay (Catt, Tregear, Burger, Skermer) 27(1970)267
influence on glycolysis in erythrocytes, *in vitro* (Ludescher, Hohenwallner) 24(1969)423
–, on phosphofructokinase activity (Hohenwallner, Ludescher) 28(1970)255
Guanase
activity, in rat serum and tissue, normal and CCl_4-intoxicated (Bowkiewicz-Surma, Krawczyński) 16(1967)29
plasma, micro-d. (Al-Khalidi, Aftimos, Musharrafieh, Khury) 29(1970)381
serum, automatic d. (Nyssen, Dorche) 22(1968)363
Guanidine
reactivity with α-diketones (Roos, Siest) 28(1970)463

H

HABA-dye t.
serum albumin measurement (Arvan, Ritz) 26(1969)505
Haem synthetase
activity, human blood cells (Langelaan, Losowsky, Toothill) 27(1970)453
in blood (Langelaan, Losowsky, Toothill) 26(1969)245
Haemiglobincyanide
international reference solutions (Assendelft, Holtz, Van Kampen, Zijlstra) 18(1967)78
Haemodialysis
against glucose- and acetate-containing solutions, metabolic effects (Whitfield) 24(1969)449
treatment, renal anaemia, cholinesterase (Vincent, Moskovtchenko, Traeger) 28(1970)97
Haemoglobin
A, cellulose acetate gel electrophoresis (Penalver, Abreu de Miani) 30(1970)657
A_2, in blood diseases (Brabec, Cejka, Vodrazka) 28(1970)489
binding, polymeric, cattle (Goodger) 29(1970)429
C. cell disease, age relation and renal concentration capacity (Statius van Eps, Schouten, ter Haar Romeny-Wachter, La Porte-Wijsman) 27(1970)501
components in old and young red cells (Boyd, Thomas, Horton, Huisman) 16(1967)333
compounds, stable, in concentrated solution, reference for haemoglobinometry (Vanzetti, Franzini) 24(1969)417
d., new procedure (Klein, Weber, Lucas, Foreman, Searcy) 26(1969)77
electrophoresis on cellogel (Pabis, Sulis, Alessio, Manucci) 20(1968)449
haptoglobin binding, inhibition, inflammation, rat (Engler, Degrelle, Janiaud, Domingo, Jayle) 26(1969)491
H, disease (Rahbar) 20(1968)381
iron, measurement, atomic absorption spectrophotometry (Van Assendelft, Zijlstra, Buursma, Van Kampen, Hoek) 22(1968)281
normal and in glucose-6-phosphate dehydrogenase deficiency, heterogeneity (Zaidman) 23(1969)67
reduction at constant CO_2 pressure, calculation of buffer line shift by nomogram (Kelman) 22(1968)277
sickle cell, in homozygotes and heterozygotes (Wrightstone, Huisman, Van der Sar) 22(1968)593
Ube_2, amino acid substitution (Miyaji, Iuchi, Yamamoto, Ohba, Shibata) 16(1967)347
Haemoglobinometry
stable Hb compounds as reference (Vanzetti, Franzini) 24(1969)417
standardized m., evaluation (Matsubara, Shibata) 23(1969)427
Haemolysis and serum creatine phosphokinase (Hughes) 21(1968)287
Haemolytic anaemia
abnormal glycolysis, pyruvate kinase deficiency of red cells (Cartier, Najman, Leroux, Temkine) 22(1968)165
Haemopexin
cord blood (Weippl, Pantlitschko, Hammelmann) 29(1970)338
Haptoglobin
haemoglobin binding, inhibition, inflammatory reaction, rat (Engler, Degrelle, Janiaud, Domingo, Jayle) 26(1969)491
mobility, paper electrophoresis (Keler-Bacoka) 25(1969)225
plasma, changes after physical exercise (Hørder, Hørder) 30(1970)369
and plasma protein–hemoglobin complexes, two-dimensional electrochromatography (Keler-Bacoka, Pucar) 23(1969)431
quantitative d. (Pantlitschko, Weippl) 19(1968)439
serum, electrophoresis on plaster of Paris (Affonso) 22(1968)466
Heart involvement in progressive muscular dystrophy Erb
test for (Kleine, Chlond) 20(1968)393
Henderson–Hasselbalch equation
medical routine use (Sinclair, Hart, Pope, Campbell) 19(1968)63
Heparin
antithrombin action of, and protamine, polybrene (Porter, Porter, Shanberge) 19(1968)411
cofactor, inactivation of thrombin (Porter,

(Heparin)
Porter, Shanberge) 17(1967)189
effect on serum lipoprotein distribution (Nichols, Strisower, Lindgren, Adamson, Coggiola) 20(1968)277
lipolytic activity toward tri- and monoglycerides in plasma (Biale, Shafrir) 23(1969)413
plasma calcium fall after i.v., mechanism, rabbit (Goldsmith, Parry) 19(1968)429
precipitation of lipids, plasmocytoma serum (Keler, Bacoka) 16(1967)365
Hepatic amoyloid tissue
glycoproteins in (Nichols, Clamp) 17(1967)415
Hepatic disease
impaired ammonia metabolism (Lechi, Lechi, Lo Cascio) 24(1969)181
Hepatic disorders
serum peptidase activity (Horký, Placer, Sousek) 16(1967)279
Hepatic dye clearance
glutathione conjugation, effect of drugs (Boyland, Grover) 16(1967)205
Hepatic and renal dysfunction
Bence Jones protein catabolism (Miettinen, Kekki) 18(1967)395
Hepatitis
infectious, copper and transaminases in serum, convalescence (Bastos de Jorge) 20(1968)111
serum glutamate–pyruvate transaminase and antiribosomal activity (Reinhardt) 19(1968)353
viral, children, corticotherapy, serum hydrolases (Drożdź) 28(1970)141
Hepatoblastoma
cystathionuria in (Voute, Jr., Wadman) 22(1968)373
Hepatocellular transport of bromsulfalein (Begon, Bohuon) 18(1967)227
Heterozygosity for phenylketonuria
automatic d. (Perry, Hansen, Tischler, Bunting) 18(1967)51
Hexachlorobenzene
porphyria induced by (San Martin de Viale, Viale, Nacht, Grinstein) 28(1970)13
Hexosamine
and acetyl-hexosamine excretion in acetylator phenotypes (White, Price Evans) 18(1967)161
protein-bound, in serum, d., amyloidosis (Ruinen, Scholten, Mandema) 19(1968)49
[^{32}P] Hexose phosphates
uridine diphosphate sugars from, in red cells (Sawicka, Chojnacki) 23(1969)463
Hippuric acid
and benzoic acid, simultaneous d., in biological fluids (Sinha, Gabrieli) 19(1968)313
formation, quantitative in health and disease (Van Sumere, Teuchy, Pé, Verbeke, Bekaert) 26(1969)85
rat urine, thin-layer chromatographic d., quantitative (Teuchy, Van Sumere) 25(1969)79
Histidinaemia
simple test (Berry, Poncet) 29(1970)83
Histindine load
effect on plasma levels and renal clearances of other amino acids (Holton) 21(1968)241
L-Histidine ammonia lyase
skin, measurement (Whitfield, Shepherd) 29(1970)181
Histidine α-deaminase
in stratum corneum, vitamin B_{12}/folate deficiency states (Satwekar, Radhakrishnan, Baker) 20(1968)53
Histidinuria
simple test (Berry, Poncet) 29(1970)83
Hodgkin's disease
urinary tryptophan metabolites, nicotinamide on (Muggeo, De Antoni, Allegri, Crepaldi, Costa) 30(1970)779
L-Homoarginine
serum "bone and liver" alkaline phosphatase inhibitor (Fishman, Sie) 29(1970)339
Homocystinuria
β-amino acids, azauridine treatment (Hyánek, Bremer, Slavik) 25(1969)288
free amino acids in aqueous humor of the eye (Curtius, Martenet, Anders) 19(1968)469
screening test (Rosenthal, Yaseen) 26(1969)363
Homocystinuric family
aminoaciduria in (Kelly, Copeland, Leikhim) 26(1969)586
Homogentisic acid
thin-layer chromatographic study (Collombel, Kissin, Durand, Cotte) 29(1970)193
Homovanillic acid
in CSF, urine, blood, fluorometric d. (Geissbühler) 26(1969)231
urinary, gas chromatography (Sprinkle, Porter Greer, Williams) 25(1969)409
Hormone
growth, radioimmunoassay (Greenwood) 22(1968)77
Hunter's syndrome
mucopolysaccharides, urinary acid, thin-layer gel filtration (Taniguchi) 30(1970)801
mucopolysaccharidosis, chemical

identification (Kennedy, Sinnette, Familusi) 29(1970)37
Hyaline cartilage
glycosaminoglycan hydrolases in (Platt, Dorn) 21(1968)333
Hyaluronic acid
degradation, by L-ascorbic acid, inhibitors (Caygill, Ali) 26(1969)395
–, by hyaluronidase, serum and testicular, inhibitors (Caygill, Ali) 26(1969)395
from synovial fluid, separation (How, Long) 23(1969)251
Hyaluronidase
serum and testicular, degradation of hyaluronic acid, inhibitors (Caygill, Ali) 26(1969)395
–, degradation of synovial fluid, inhibitors (Caygill, Ali) 26(1969)395
Hydatidiform mole
LDH (Ma, Lok) 25(1969)263
Hydroxyaminobarbitone
plasma and urine, gas–liquid chromatography (Grove, Toseland) 29(1970)253
3-Hydroxyanthranilic acid
in urine, free and conjugated, estimation (Schievelbein, Buchfink) 18(1967)291
–, gas–liquid chromatography (Rose, Toseland) 17(1967)235
3-Hydroxy bile acids
in biological material, separation and quantitative d. (Bruusgaard) 28(1970)495
Hydroxybutyrate
enzymatic micro-d. (Gibbard, Watkins) 19(1968)511
Hydroxyindole(s)
urinary, effect of cortisol on (Genefke, Halter, Dreux) 24(1969)239
5-Hydroxyindoleacetic acid
urine and CSF, fluorimetric determination (Korf, Valkenburgh-Sikkema) 26(1969)301
5-Hydroxyindolylacetic acid
sheep urine, estimation (Bartlet, Gilbert) 30(1970)559
3-Hydroxykynurenine
d. fluorimetric m. (Watanabe, Watanabe, Okada) 27(1970)461
estimation (Cavill) 18(1967)285
4-Hydroxy-3-methoxymandelic acid
urinary, estimation, interference of nalidixic acid (Helder) 19(1968)507
–, in normals and in colitis (Goodman, Olenczak, Hiatt) 16(1967)245
–, quantitative d., automated (Gutteridge) 28(1970)311
p-Hydroxyphenyllactic acid
urinary, in Wilms' tumour (Greer, Hutcheson, Williams) 22(1968)460
Hydroxyproline-containing urinary peptides
Sephadex filtration, fractionation (Hanson, Wiederanders) 25(1969)255
Hydroxyproline
d. (Stegemann, Stalder) 18(1967)267
effects of Ca infusion (Dubovský, Hrba, Pacovský) 17(1967)107
excretion, influence of age and weight (Saleh, Coenengracht) 21(1968)445
–, during starvation for obesity (Smith) 20(1968)499
free and peptide, in uremia (Dubovský, Dubovská, Pacovský, Hrba) 19(1968)387
free and total, in hyperparathyroidism, removal of parathyroid adenoma (Kalima, Kivirikko, Laitinen, Uitto) 19(1968)443
urinary, d. (Koevoet, Baars) 25(1969)39
–, leprosy (Cherian, Karat, Radhakrishnan) 25(1969)395
–, in normal Japanese children (Yamamoto, Matsuda) 22(1968)648
– peptides, fractionation (Borel, Caranjot, Jayle) 16(1967)409
–, and plasma alkaline phosphatase, changes after parathyroid tumour removal (Smith) 23(1969)421
– in premature infants (Smith, Dehan, Reynolds) 21(1968)491
–, in thyroid disorders (Uitto, Laitinen, Lamberg, Kivirikko) 22(1968)583
–, d. (Dupont) 18(1967)59
urine hydrolysates (Bergman, Loxley) 27(1970)347
11-Hydroxysteroids
serum, fluorimetric d., correction (Usui, Kawamoto, Shimao) 30(1970)663
5-Hydroxytryptamine
and metabolites, column chromatography and spectrofluorimetry (Iskrić, Stancić, Kveder) 25(1969)435
(Serotonin) and related indoles, in normal urine (Arterberry, Conley) 17(1967)431
urinary, O-conjugates, d. (Korf, Sebens) 27(1970)149
–, d. (Korf) 23(1969)483
Hypaque
urinary tract radiography, protein-bound iodine after (Raeburn, Semple, Simpson) 21(1968)485
Hyperbetalipoproteinaemia
familial, low density lipoproteins (Slack, Mills) 29(1970)15
Hyperbilirubinaemia
neonatal, displacement of albumin-bound

(Hyperbilirubinaemia)
bilirubin by free fatty acids (Starinsky, Shafrir) 29(1970)311
ratio of direct-reacting and total bilirubin (Fevery, Claes, Heirwegh, De Groote) 17(1967)73
Hypercholesterolaemia
preparation of sera, lipid d. (Williams, Taylor, Kuchmak, Witter) 28(1970)247
Hyperglycinaemia
nonketotic, clinical findings and plasma amino acid analyses (Ferdinand, Gordon, Owen) 30(1970)745
Hyperlipaemia
fecal steroid excretion, weight reduction (Miettinen) 19(1968)341
glucose-6-phosphatase deficiency (Hülsmann, Eijkenboom, Koster, Fernandes) 30(1970)775
laboratory screening (Buckley, Little, Antar, Csima) 23(1969)53
pseudocholinesterase in (Cucuianu, Popescu, Haragus) 22(1968)151
serum Mg, ultrafiltrable and protein-bound (Müller, Pfordte) 30(1970)583
Hyperlipoproteinaemia
electrophoresis on cellulose acetate (Chin, Blankenhorn) 23(1969)239
phenotyping, paper electrophoresis (Winkelman, Ibbott) 26(1969)25
–, – vs. cellulose acetate technique (Winkelman, Ibbott, Sobel, Wybenga) 26(1969)33
–, quantitation of lipoprotein components (Winkelman, Wybenga, Ibbott) 27(1970)181
primary, clinico-chemical classification (Pries, Van Gent, Baes, Polano, Hulsman, Querido) 19(1968)181
type III, immunological diagnosis (Seidel, Greten) 30(1970)31
Hyperparathyroidism
hydroxyproline in, removal of parathyroid adenoma (Kalima, Kivirikko, Laitinen, Uitto) 19(1968)443
primary, acid and alkaline phosphatases (Gründig, Czitober, Maruna) 30(1970)331
total urinary hydroxyproline in (Smith) 18(1967)47
Hyperprolinaemia
type II, ornithine, catabolism after i.v. loading (Similä) 28(1970)457
Hypertension
adenine nucleotide in erythrocytes, rats (Remenchik, Hoover, Brynjolfsson) 19(1968)227
essential, normetadrenaline excretion (Stott, Robinson) 16(1967)249
serum angiotensinase activity in (Lubash, Hammel, Mearles) 18(1967)439
Hyperthyroidism
diagnosis, blood glycerol d. (Laurell, Tibbling) 21(1968)127
glycerol turnover (Tibbling) 24(1969)121
plasma glycerol, turnover (Tibbling, Cederquist, Lundquist) 25(1969)189
Hypertriglyceridaemia
serum, preparation for lipid d. (Williams, Taylor, Kuchmak, Witter) 28(1970)247
Hypertyrosinaemia
p-tyramine excretion in (Bremer, Jaenicke, Leupold) 23(1969)244
Hyperxylosemia
experimental, orally induced (Férard, Métais) 30(1970)279
Hypoalbuminaemia
erythrocyte metabolism in (Milewska, Leyko) 18(1967)485
Hypocholesterolaemia
serum lipoproteins in (Mancini, Mills) 17(1967)163
Hypoglycemia
fructose intolerance (Cotte, Mathieu, Nivelon, Bethenod, Kissin, Collombel) 19(1968)215
Hysterectomy
absence of luteal function after (Adey, Jeffery, Duncan) 30(1970)544

I

Idiocy
infantile amaurotic, blood gangliosides in (Sastry, Stancer) 20(1968)487
Imino acids
incorporation of isatin, into developing solvents (Shih, Madigan) 24(1969)481
Immune precipitates
quantitative d. of micro quantities of protein (Ambrosius) 18(1967)279
Immunoassay
of glucagon (Taylor, Howell, Montague, Edwards) 22(1968)71
of insulin (Taylor, Howell, Montague, Edwards) 22(1968)71
quantitative, disc electrophoresis (Louis-Fernand, Blatt) 16(1967)259
radio- (Berson, Yalow) 22(1968)51
renin activity (Hollemans, Van der Meer, Kloosterziel) 23(1969)7
Immunochemically detected fractions
quantitative gel electrophoresis (Bednarik) 17(1967)132
Immunodiffusion
agar-plate, prevention of cracking of wells (Yamamoto, Hashimoto, Yokoyama) 21(1968)521
centripetal–radial (Groc) 30(1970)365
direct, Ig quantitation (Yokoyama, Yamakido) 23(1969)165
double-linear, protein quantitation (Wieme, Veys) 27(1970)77
properdin estimation in serum (Pietruska, Drozd, Bogdanikowa) 21(1968)139
proteins in biological fluids, quantitative d. (López, Golder) 21(1968)517
proteins in CSF, d. (Schuller, Tömpe, Lefèvre, Moreno) 30(1970)73
single radial, d. of antiserum titers (Becker) 23(1969)507
–, serum haptoglobin estimation, quantitative (Braun, Aly) 26(1969)588
techniques, after gel electrophoresis (Darcy) 21(1968)161
Immunoelectrodiffusion
d. of plasma β-lipoproteins in heparin-treated patients (Tinterova, Ognianov) 26(1969)583
Immunoelectrofocusing in agarose gels (Catsimpoolas) 23(1969)237
Immunoelectrophoresis
in antibody-containing gel, α_2-macroglobulin d. (Scolari, Picard, Heremans) 19(1968)25
quantitative interference of diffusion (Afonso) 18(1967)95
and radial diffusion, immunoglobulin d. (Zegers, Poen, Stoop, Ballieux) 22(1968)399
of serum α-globulins, Evans blue (Rabinovitz, Schen) 17(1967)499
serum proteins, thyroxine-binding (Freeman, Pearson) 26(1969)365
triiodothyronine-binding serum proteins, ^{131}I (Itoh, Miyai, Kimura, Abe, Kumahara) 30(1970)259
using cellulose acetate strips (Berg, Grabner) 17(1967)265
Immunoelectrophoretic identity patterns (Afonso) 17(1967)131
Immunoelectrophoretic quantitation (Afonso) 17(1967)138
Immunoglobulin
deficiencies (Soothill) 22(1968)41
d., immunoelectrophoresis and radial diffusion (Zegers, Poen, Stoop, Ballieux) 22(1968)399
–, Rivanol, in primary chronic polyarthritis, children (Krawczyńska) 25(1969)423
disbalance of concentrations of -A, -G and -M (Bakker, Imhof, Mul, Ballieux) 16(1967)195
fragments, aggregation in concentrated urine (Poortmans, Block, Jeanloz) 17(1967)229
heavy polypeptide chains, defective synthesis, cause of myeloma-like disease (Snigurowicz, Murawski, Kraj, Jóźwiak, Zupańska) 22(1968)187
levels, in monoclonal protein disease (Cwynarski) 19(1968)1
–, in neonatal calf serum, turbidity test, estimation (McEwan, Fisher, Selman, Penhale) 27(1970)155
–, serum, population study (Kalff) 28(1970)277
–, –, in sickle cell disease (Caggiano, Holden) 21(1968)265
normal children, quantitation (Uffelman, Engelhard, Jolliff) 28(1970)185
pathology (Ballieux, Imhof, Mul, Zegers,

(Immunoglobulins)
Stoop) 22(1968)7
quantitation, direct immunodiffusion (Yokoyama, Yamakido) 23(1969)165
–, radial diffusion, low molecular IgM a pitfall (Jones) 29(1970)551
quantitative estimation by immunological methods (Rowe) 22(1968)43
–, comments (Jensen) 22(1968)47
structure (Cohen) 22(1968)5
substructure, H- and L-chains of normal γ-globulins (Prellwitz, Opferkuch, Hammer) 20(1968)505
Immunoglobulin A (IgA)
colostrum, complex with trypsin or chymotrypsin (Counitchansky, Berthillier, Got) 30(1970)83
myeloma, neuraminidase on (Richard, Silberzahn, Bonnassieux, Colobert) 21(1968)479
Immunoglobulin G (IgG)
electrophoretic heterogeneity (Afonso, Proenca) 21(1968)143
fragmentation with papain, trypsin and pepsin (Van Eyck, Terhorst, De Vijlder) 16(1967)429
serum, d. with Rivanol (Sagan) 21(1968)225
subfractionation, column chromatography (Roelcke, Jungfer) 27(1970)211
Immunoglobulin M
catabolism (Birger Jensen) 22(1968)27
low molecular weight, pitfall in Ig quantitation by radial diffusion, screening test (Jones) 29(1970)551
Immunological diagnosis
hyperlipoproteinemia type III (Seidel, Greten) 30(1970)31
Immunological identification of proteins in gel slabs
(Dewar, Latner) 28(1970)145
Immunological properties of alanine aminopeptidase isoenzymes
(Peters, Rehfeld, Beier, Haschen) 19(1968)277
Immunological studies
pig, enteritis *Escherichia coli*-associated (Porter, Kenworthy) 23(1969)397
Indium-113m
ionic, trace amounts, binding to plasma transferrin (Hosain, McIntyre, Poulose, Stern, Wagner Jr.) 24(1969)69
Indocyanine green
clearance and placental transfer, labour, liver function test during pregnancy (Probst, Paumgartner, Caucig, Fröhlich, Grabner) 29(1970)157
Indole melanogens
urinary, thin-layer chromatography (Badinand, Pasquier, Vallon, Guilluy, Milon) 25(1969)357
Indoxyl sulphate
urine, estimation (Rylance) 26(1969)99
Inflammation
acute, enzyme patterns (Wagner, Duck) 28(1970)5
–, experimental, leucine aminopeptidase in (Duck, Wagner) 25(1969)65
α-macroglobulins, rabbit (Lebreton de Vonne, Gutman, Mouray) 30(1970)603
Influenza virus
haemagglutination inhibitor in colostrum (Shortridge) 29(1970)227
Insecticides
effect on serum enzyme activity (Bogusz) 19(1968)367
Insulin
action of α_2-macroglobulin (Keehan, Smith, Howard, Mehl, Beigelman) 16(1967)215
immunoassay (Taylor, Howell, Montague, Edwards) 22(1968)71
Interference filters
control (Heerspink, Op de Weegh) 29(1970)191
Intestinal absorption
^{54}Ca, clinical usefulness (Carson, Oei, Coenegracht) 30(1970)501
Intestinal alkaline phosphatase isoenzymes
distinction from placental (Fishman, Inglis, Ghosh) 19(1968)71
Intestinal mucosal damage
assessment, by gas–liquid chromatography of lactulose (Müller, Walker-Smith, Shmerling, Curtius, Prader) 24(1969)45
"Intralipid" for rapid assay of plasma lipoprotein lipase
(Muir) 17(1967)312
Intrinsic factor
(Chanarin) 22(1968)85
separation from gastric mucosa (Glass, Castro-Curel, Pamer) 16(1967)91
Inulin
physiological measurements, labelled tracers (Marlow, Sheppard) 28(1970)469
pyrogen-free, measurement glomerular filtration rate (Simenhoff, Wesson, Terlecky) 27(1970)367
Iodine
detecting reagent for oestrogens on chromatoplates, deleterious effect (Mirhom) 30(1970)347
^{131}I distribution in serum
simple Sephadex separation (Müller)

17(1967)21
inorganic, serum, d. (Mantzos, Malamos) 21(1968)501
in inorganic substances, iodometric d. (Paletta, Panzenbeck) 26(1969)11
protein-bound, automatic d. (Knapp, Spitzy) 30(1970)119
–, seasonal variation, lack of (Nuttall) 28(1970)439
Iodoamino acids and hormonal iodine
serum, separation by cation exchange resin (Wiener, Backer) 20(1968)155
Iodometric d.
iodine in organic materials (Paletta, Panzenbeck) 26(1969)11
Iron
in bone marrow, histological, chemical, neutron activation analysis (Johansson, Plantin, Strandberg, Uusma) 30(1970)549
binding by tissue proteins (McLennan, Parker Lewis) 18(1967)371
binding capacity, serum, d., Fe(II)-5-pyridyl benzodiazepin-2-ones (Klein, Lucas, Searcy) 26(1969)517
serum, simple determination with bathophenanthroline (Bouda) 23(1969)511
Iron-binding properties
gastric juice (Jacobs, Miles) 24(1969)87
serum, d. (Mikac-Dević) 24(1969)293
Iron–adenosine triphosphate compounds
from human erythrocytes (Konopka, Leyko, Gondko, Sidorczyk, Fabjanowska, Swedowska) 24(1969)359
Iron–transferrin dissociation
reducing agents on, thioglycollate (Fielding, Ryall) 28(1970)423
Isatin
imino acids incorporation into developing solvents (Shih, Madigan) 24(1969)481
Isoamylase
changes in serum and urine, rat (Miholcić, Vecerek) 16(1967)383
in human colostrum (Got, Bertagnolio, Pradal, Frot-Coutaz) 22(1968)545
pitfalls (Hoeke, Voorrips, De Wael) 16(1967)171
– (Ressler) 17(1967)307
Isocitrate dehydrogenase
in urine, renal damage, in rat (Raab) 25(1969)21
Isoelectric focusing
acrylamide gel, LDH, and classic enzymogram (Chamoles, Karcher) 30(1970)337
–, –, tissue (Chamoles, Karcher) 30(1970)359
Isoenzymes
disc electrophoresis of lactate dehydrogenase (Dietz, Lubrano, Rubinstein) 27(1970)225
Isonicotinic acid hydrazide
rapid d., in whole blood with 2,4,6-trinitrobenzenesulphonic acid (Dymond, Russell) 27(1970)513
Isooxytocinases
pregnancy, balance in blood (Klimek) 20(1968)233
Isoprenaline metabolism
quantitative assessment (Morgan, Ruthven, Sandler) 26(1969)381
Isotope dilution
double, adrenalin and noradrenalin differential d. (Siggers, Salter, Toseland) 30(1970)373
Isovanillic acid
metabolites, formation of 3,4-dimethoxybenzoic acid (Price) 25(1969)31
Ittrich's fluorimetric t.
modified, for total oestrogens in non-pregnancy urine (Corns, James) 22(1968)469

J

Jaundice
artifacts in bilirubin evaluation (Baer, Wood) 17(1967)1
chronic idiopathic, Dubin–Johnson, urinary melanin (Sonnet, Steichen-Defalque, Brisbois) 24(1969)325
obstructive, characteristic lipoprotein, ultracentrifugation (Mills, Seidel, Alaupovic) 26(1969)239
–, lysosomal damage and mitochondrial lesion, rat kidney (Emanuelli, Satta, Perpignano) 25(1969)169
–, with spontaneous haemolysis, abnormal phospholipids of plasma and red cells (Boon, Broekhuyse, Schretlen, Van Munster) 23(1969)453
urinary creatine estimation (Murfin) 21(1968)157
Jejunum
disaccharidase levels, tropical sprue (Swaminathan, Mathan, Baker, Radhakrishnan) 30(1970)707

K

Kanamycin
effect on renal enzyme excretion (Raab, Hohenegger) 20(1968)95
β-Ketobutyric acid
in blood serum, simple gas chromatographic d. (Van Stekelenburg, De Bruyn) 28(1970)233
Ketone bodies
in blood, CSF and urine, estimation (Göschke) 28(1970)359
effect on creatinine d. (Watkins) 18(1967)191
Ketosteroids
estimation with denitrophenylhydrazine (Treiber, Oertel) 17(1967)81
17-Ketosteroid(s)
excretion in renal carcinoma (Böttiger, Lisboa) 16(1967)109
total neutral, in urine, colorimetric estimation, comparison of m. (Georges, Politzer) 18(1967)447
Kidney
activities, experimental lead poisoning (Secchi, Alessio, Cirla) 27(1970)467
cadmium in, "normal" levels, England (Curry, Knott) 30(1970)115
chronic insufficiency, free amino acids in serum (Czerniak, Burzyński) 24(1969)367
contracted, LDH isozyme studies (Kobayashi, Kato, Maeda, Imai) 25(1969)59
damage, detection, urinary glycosidases (Dance, Price, Robinson, Sterling) 24(1969)189
effect of streptomycin, rat (Raab) 29(1970)451
rat, obstructive jaundice, lysosomal damage and mitochondrial lesion (Emanuelli, Satta, Perpignano) 25(1969)169
surgery, glucosaminidase and galactosidase excretion after (Price, Dance, Richards, Cattell) 27(1970)65
tubular damage, an index, human urinary α-glucosidase (Bonine, Ceriotti, Franzini) 27(1970)415
Kinetics
practical considerations continuous flow analysis (Walker, Pennock, McGowan) 27(1970)421
Klinefelter's syndrome
chromatin-negative (Dufau, Weinstein, Kliman) 25(1969)389
Kober chromogens
direct fluorometry (Skramovský, Haeberle) 22(1968)161
Kwashiorkor
N-acetylneuraminic acid in serum and urine (Ittyerah) 29(1970)145
amino acid composition of serum albumin in (Potgieter, Hines, Kench) 18(1967)107
arylsulfatase and β-glucuronidase, serum (Begum, Ittyerah) 28(1970)263
labile collagen in skin (Vasantha) 26(1969)277
lysosomal arylsulfatases in urine (Ittyerah, Dumm, Bachhawat) 17(1967)405
urinary sulfate in (Ittyerah) 25(1969)365
Kynurenin
estimation (Cavill) 18(1967)285
urinary, cortisol on (Genefke, Halter, Dreux) 24(1969)239

L

Laboratory quality control
clinical statistical studies (Owen, Campbell) 20(1968)327
Lactate dehydrogenase
activity, effects of 2-oxobutyric acid condensation products (Wilkinson, Jenkins, Tuey) 19(1968)397
–, in high pyruvate concentrations, urea (Konttinen, Lindy) 16(1967)377
classic enzymogram and fractionation by isoelectric focusing, acrylamide gel (Chamoles, Karcher) 30(1970)337
d., with lactate, inhibition by reaction products (Colenbrander, Geuskens, Vink) 28(1970)329
in hydatidiform mole and normal placenta (Ma, Lok) 25(1969)263
and isoenzymes, in serum of normal children (Van der Heiden, Desplanque, Stoop, Wadman) 22(1968)409
isoenzymes, agar gel zymograms (Hyldgaard-Jensen, Valenta, Jensen, Moustgaard) 22(1968)497
–, colorimetric estimation, urea inhibition (Welshman, Roxon) 19(1968)121
–, in contracted kidney, renal arterial stenosis (Kobayashi, Kato, Maeda, Imai) 25(1969)59
–, d. with urea (Emery, Moores, Hodson) 19(1968)159
–, disc electrophoresis (Dietz, Lubrano, Rubinstein) 27(1970)225
–, effect of temperature (Krieg, Gorton, Henry) 17(1967)363
–, in endometrium (Fottrell, Spellman, O'Dwyer) 26(1969)584
–, IgA immunoglobulin, myocardial infarction (Biewenga, Thijs) 27(1970)293
–, indicators of virus hepatitis development, mice (Fassati, Stepán, Schön, Hacker) 26(1969)497
–, inhibition by potassium oxalate and urea, in liver diseases (Rosnowska, Sawicki, Krawczyński) 20(1968)7
–, in leukocytes, in blood diseases (Malasková, Holeysovská) 24(1969)39
–, of muscle, electrophoretic pattern (Kelly, Belorit, Copeland) 18(1967)483
–, patterns of leukemic leukocytes (Hule) 17(1967)349
–, in seminal plasma (Rotbøl, Hemmingsen, Schmidt) 25(1969)147
–, serum, urea inhibition m. (Lubran, Jensen) 22(1968)125
–, starch block electrophoresis, in phosphate buffer (Leathwood, Plummer) 27(1970)219
–, tissue, quantitative estimation on cellulose acetate (Stagg, Whyley) 19(1968)139
–, in tumours of the female genital tract (Stagg, Whyley) 22(1968)521
–, unspecific tetrazolium salt staining in gel enzymograms (Falkenberg, Lehmann, Pfleiderer) 23(1969)265
serum, macromolecular, in leukemia (Lundh) 16(1967)305
tissue, chemical differentiation (Babson) 16(1967)121
–, hydrosoluble, isoelectric focusing, acrylamide gel (Chamoles, Karcher) 30(1970)359
urinary, and glomerulonephritis (Mojzis, Ninger) 27(1970)145
Lactic acid
enzymatic assay (Hadjivassiliou, Rieder) 19(1968)357
metabolic studies in uremic acidosis (Campanacci, Guarnieri, Siliprandi, Fiaschi) 20(1968)341
optima and activity of LDH isoenzymes, effect of temperature (Krieg, Gorton, Henry) 17(1967)363
as substrate, inhibition by reaction products, d. of LDH activity (Colenbrander, Geuskens, Vink) 28(1970)329
Lactulose
intestinal mucosal damage, gas–liquid chromatography (Müller, Walker-Smith, Shmerling, Curtius, Prader) 24(1969)45
Landing disease
G_{M1}-ganglioside accumulation and β-galactosidase deficiency (Dacremont, Kint) 21(1968)421
Lead poisoning
evaluation, δ-aminolevulinic acid dehydratase activity in erythrocytes (Nakao, Wada, Yano) 19(1968)319
experimental, enzymatic activities, kidney

(Secchi, Alessio, Cirla) 27(1970)467
Lecithin
muscles, fatty acid composition in progressive muscular dystrophy (Takagi, Muto, Takahashi, Nakao) 20(1968)41
in plasma, d. as choline (Thaxton, Bowie) 21(1968)171
Leprosy
urinary hydroxyproline in (Cherian, Karat, Radhakrishnan) 25(1969)395
Leucine aminopeptidase
in acute inflammation, experimental, rabbit (Duck, Wagner) 25(1969)65
serum, ultramicro fluorometric d. (Rockerbie, Rasmussen) 18(1967)182
Leucylnaphthylamidohydrolase
serum, in viral hepatitis, children, corticotherapy (Drożdź) 28(1970)141
Leukaemia
[^{14}C] phenylalanine incorporation by plasma particles (Collipp, Shimizu, Gilchrist) 19(1968)287
Leukocyte
alkaline phosphatase, and placental phosphatase, pregnancy (Thilo, Diamant, Polishuk) 29(1970)395
G-1-P uridyl transferase in (Inouye, Nadler, Hsia) 19(1968)169
glutathione peroxidase in (Bracci, Calabri, Bettini, Princi) 29(1970)345
lactic dehydrogenase isoenzymes, in blood diseases (Malasková, Holeysovská) 24(1969)39
leukaemic, LDH isoenzyme patterns of (Hule) 17(1967)349
Leukodystrophy
metachromatic, enzymatic abnormality, carrier state (Taniguchi, Nanba) 29(1970)375
Lipase
activity, photometric estimation, micellar solubilized substrate (Seiffert) 28(1970)51
heparin-activated, in diabetics, atherosclerotics and normals (Perry) 16(1967)189
values in normal subjects (Van Riet, Hoeke) 19(1968)459
Lipids
biliary and neutral plasma, peptide fraction extracted with (Hauton, Laurent, Gerolami Santandrea, Greusard, Lafont, Tessier, Sarles) 17(1967)171
blood and tissue, simple screening test (Andriaenssens, Vanheule, Karcher, Mardens) 23(1969)449
d., sera, hypercholesterolemic and hypertriglyceridemic, preparation (Williams, Taylor, Kuchmak, Witter) 28(1970)247
metabolism of mature placental villi (Kleine) 17(1967)96
neuraminic acid-containing, chromatography, two-dimensional thin-layer (Székács, Klembala) 19(1968)523
neutral, in brain of man, whales, dolphins (Lesch) 25(1969)269
–, plasma and adipose tissue, in a-betalipoproteinaemia (Barnard, Fosbrooke, Lloyd) 28(1970)417
polar, in urine sediment (Wherrett) 16(1967)135
precipitation by heparin, plasmocytoma serum lipids (Keler-Bacoka) 16(1967)365
screening (Postma, Stroes) 22(1968)569
– and seromucoid levels, serum, correlation, effect of phosphatidylcholine on (Bihari-Varga, Végh, Lévai, Gerö) 22(1968)355
serum, total d. (Friedman) 19(1968)291
skeletal muscle, myopathies (Kunze, Olthoff) 29(1970)455
storage diseases, white cells as diagnostic material (Snyder, Brady) 25(1969)331
synthesis, by red blood cell preparations, in Wolman's disease (Sloviter, Janic, Naiman) 20(1968)423
–, tissue, phytanic acid in, Refsum's disease (Skrbic, Cumings) 23(1969)17
total, serum, gravimetric d. (Friedman) 25(1969)175
Lipidosis
familial (Sloviter, Janic, Naiman) 20(1968)423
Lipodystrophy
urinary steroids, children (Gupta) 26(1969)357
Lipolysis
free fatty acids, ACTH-induced, effect of incubation media, potassium-free (Schwandt, Lindlbauer, Knedel) 24(1969)267
Lipoprotein(s)
blood group-specific, density gradient studies (Denborough, Creeth) 30(1970)447
electrophoresis, agarose gel (McGlashan, Pilkington) 22(1968)646
–, – (Rapp, Kahlke) 19(1968)493
–, diagnosis of hyperlipoproteinaemia (Chin, Blankenhorn) 23(1969)239
–, microzone, cellulose acetate strips (Grabner, Gronauer, Berg, Bergner) 28(1970)299
–, on polyacrylamide gels (Pratt, Dangerfield)

(Lipoprotein(s))
23(1969)189
–, and staining (Colfs, Verheyden) 18(1967)325
electrophoretic separation (Cornelissen, Roelofs-Fizaan) 29(1970)344
–, low density, anomalous, in familial hyperbetalipoproteinaemia (Slack, Mills) 29(1970)15
–, quantitative analysis, comparative techniques (Stone, Thorp, Mills, Dick) 30(1970)809
–, solubility in the presence of dextran (Iverius) 20(1968)261
mobilities, in cellulose acetate microelectrophoresis (Nikkari, Viikari) 24(1969)473
obstructive jaundice, ultracentrifugal characterization (Mills, Seidel, Alaupovic) 26(1969)239
patterns, distribution in health and myocardial infarction (Mills, Taylaur, Wilkinson) 26(1969)67
plasma, quantitative estimation, agarose gel electrophoresis (Dyerberg, Hjørne) 28(1970)203
–, polyacrylamide electrophoresis (Dangerfield, Pratt) 30(1970)273
quantitation, in hyperlipoproteinemias (Winkelman, Wybenga, Ibbott) 27(1970)181
serum, abnormal, in cholestasis (Picard, Veissière) 30(1970)149
–, in children with cancer (Barclay, Dargeon, Greene, Terebus-Kekish, Skipski) 24(1969)225
–, electrophoresis, cellulose acetate (Chin, Blankenhorn) 20(1968)305
–, –, technical and nomenclature problems (Peyer, Rieder) 30(1970)295
–, electrophoretic analysis (Wollenweber, Kahlke) 29(1970)411
–, after heparin and ethyl-*p*-chlorophenoxy-isobutyrate (Nichols, Strisower, Lindgren, Adamson, Coggiola) 20(1968)277
–, in hypocholesterolaemia (Mancini, Mills) 17(1967)163
–, normal and multiple sclerosis, sex differences (Rieder, Peyer) 30(1970)305
–, and tocopherol levels (Davies, Kelleher, Losowsky) 24(1969)431
β- and α-, triglycerides and cholesterol, ratio, statistical study (Antonini, Bucalossi, D'Alessandro, Contini, Pazzaglì) 24(1969)19
α_1-Lipoprotein
serum, Evans blue staining (Schen, Rabinovitz, Goldschmid, Tenne) 16(1967)445
β-Lipoprotein
levels and plasma lipid concentrations (Allard, Goulet) 20(1968)534
plasma, heparin-treated patients, immunoelectrodiffusion (Tinterova, Ognianov) 26(1969)583
serum, and a myeloma serum factor (Spikes, Cohen, Djordjevich) 20(1968)413
synthesis, in rat liver, CCl_4 intoxication (Albano, Francavilla) 19(1968)363
Lipoprotein lipase
minor surgical operations (Ham, Slack) 25(1969)417
nephrosis (Yamada, Matsuda) 30(1970)787
plasma, rapid assay using "Intralipid" (Muir) 17(1967)312
Lipoproteinaemia
a-beta, neutral lipids of plasma and adipose tissue (Barnard, Fosbrooke, Lloyd) 28(1970)417
Lithiasis
biliary cholesterol, role of diet (Sarles, Hauton, Lafont, Teissier, Place, Gerolami) 19(1968)147
Lithium
in serum, atomic absorption spectroscopy (Lehmann) 20(1968)523
–, spectroscopy (Blijenberg, Leijnse) 19(1968)97
Liver
aldolase, in hereditary fructose intolerance (Raivio, Perheentupa, Nikkilä) 17(1967)275
–, three types (Schapira, Nordmann) 26(1969)189
bilirubin inhibition of 4-methylumbelliferone glucuro-conjugation, *in vitro* (Frezza, De Sandre, Perona, Corrocher) 21(1968)509
bilirubin UDP-glucuronyl transferase, d. (Black, Billing, Heirwegh) 29(1970)27
cadmium in, "normal" levels, England (Curry, Knott) 30(1970)115
cirrhosis, plasma phospholipids (Kunz, Kosin) 27(1970)185
–, rats, albumin synthesis (Huberman, Soberon) 29(1970)121
damage, chronic, serum hyaluronidase (Nakamura, Iwabori, Koizumi) 27(1970)47
–, phenyl acetate esterase activity as index (Takahashi, Aoyama, Ito, Yamamura) 18(1967)21
diseases, antibody in sera (Hirayama,

Tominaga, Koga, Toda, Murai) 19(1968)37
–, chronic, metabolism of [^{131}I] gamma-globulins in patients (Hirayama, Fukuda, Toda) 27(1970)409
–, LDH isoenzymes inhibition by potassium oxalate and urea (Rosnowska, Sawicki, Krawczyński) 20(1968)7
–, renal bilirubin clearance in (Fevery, Heirwegh, De Groote) 17(1967)63
–, serum bile acids, conjugated (Frosch, Wagener, Immich) 22(1968)294
–, urinary hydroxyproline excretion (Cerda, Toskes, Shopa, Wilkinson) 27(1970)437
disorders, serum urocanase as diagnostic aid (Abramov, Neufeld, Chayen) 23(1969)305
enzymes, extra- and intramitochondrial, micro-fractionation (Maier, Pette) 29(1970)61
extracts, various preparations, comparative studies (Scheiffarth, Götz, Grottke) 20(1968)455
fatty, plasma phospholipids (Kunz, Kosin) 27(1970)185
fluke infection, Chinese, biliary mud (Ma) 19(1968)7
function tests, fructose-1-phosphatase and fructose-1,6-diphosphatase (Kaldor) 28(1970)145
–, pregnancy, indocyanine green (Probst, Paumgartner, Caucig, Fröhlich, Grabner) 29(1970)157
glucose-6-phosphate dehydrogenase, assay (Dror, Sassoon, Watson, Johnson) 28(1970)291
inhibition of methylumbelliferone glucuro-conjugation, menthol and bilirubin (Hohenwallner) 28(1970)225
mitochondrial oxidation and ATP levels, rat, effect of CCl_4 (Francavilla, Albano, Meduri, Panella) 30(1970)415
normal and cirrhotic, porphyrins (Aziz, Watson) 26(1969)525
ornithine-ketoacid aminotransferase, in hyperornithinaemia and familial protein intolerance (Kekomäki, Räihä, Bickel) 23(1969)203
protein synthesis, collagen and non-collagen, in health and liver disease (Hirayama, Kimura, Irisa, Masuya) 21(1968)49
tissue, micro-assay of glucose-6-phosphatase (Öckerman) 17(1967)201
UDP-glucuronyl transferase, micro-assay (Wong) 26(1969)119
Luteal function
absence after hysterectomy (Adey, Jeffery, Duncan) 30(1970)544
Lymph
copper in (Trip, Que, Botterweg-Span, Mandema) 26(1969)371
Lymphoid cell proteins
natural and pathological (Mobarak, Brody) 30(1970)609,635
soluble and insoluble components, electrophoretic patterns (Mobarak, Brody) 30(1970)635
Lysine absorption
in small intestine (Abraham, Radomich, Jones) 22(1968)619
Lysolecithins in blood
in haemolytic anaemia of infants (Carton, Despeyroux, Douste-Blazy) 21(1968)79
Lysosomal damage and mitochondrial lesion
in rat kidney, obstructive jaundice (Emanuelli, Satta, Perpignano) 25(1969)169

M

Macroamylasaemia
role of polysaccharide (Take, Fridhandler, Berk) 27(1970)369
Macroglobulins
cold aggregation (Bobrzecka, Janicki, Konieczny) 26(1969)580
α-Macroglobulins
rabbit, inflammatory reaction (Lebreton de Vonne, Gutman, Mouray) 30(1970)603
in semen (Mroueh, Adham) 28(1970)259
serum, in aminonucleoside nephrosis, rat (Housley, Jones, Harvey) 21(1968)85
α_2-Macroglobulin
binding of trypsin, chymotrypsin, papain, cationic aspartate aminotransferase (Boyde, Pryme) 21(1968)9
competition between plasmin and thrombin for (Ganrot, Nilehn) 17(1967)511
insulin action (Keehan, Smith, Howard, Mehl, Beigelman) 16(1967)215
quantitative d., immunoelectrophoresis (Scolari, Picard, Heremans) 19(1968)25
Macroglobulinaemia
(Martin) 22(1968)15
in tropical splenomegaly and trypanosomiasis (Meiser, Huhnstock, Weicker, Charmot) 16(1967)1
Magnesium
d. in serum, red cells and urine (Bauditz) 17(1967)207
fluorimetric d. in biological material (Zepf) 20(1968)473
fluorimetric estimation with *o,o*-dihydroxyazobenzene, gluconate and glucogalactogluconate on (Oreopoulos, Soyannwo, McGeown) 20(1968)349
ionised, in plasma, measurement (Frizel, Malleson, Marks) 16(1967)45
urinary, chelatometric d. (Wünsch) 30(1970)157
Malignancies
active, phospholipids and cholesterol in plasma and erythrocyte membranes (Christian, Kang, Pool) 21(1968)289
Malonamide
protein d. (Hafkenscheid, Jansen) 30(1970)541
Mannitol as standard
d. of triglycerides (Kanter) 16(1967)177
Marfan's syndrome
collagen metabolism of skin (Laitinen, Uitto, Iivanainen, Hannuksela, Kivirikko) 21(1968)321
Marinelli beaker
modified, for counting radioactivity in liquid samples (Meijers, Dalessi) 22(1968)456
Mastocytosis
urinary sulphatase in (Clausen, Asboe-Hansen) 16(1967)131
Melanin
urinary melanogens, in Dubin–Johnson's disease (Sonnet, Steichen-Defalque, Brisbois) 24(1969)325
Melanogen
vitiligo (Seutter, Sutorius) 27(1970)357
Melanoma
malignant, melanin precursors in urine (Hinterberger, Freedman, Bartholomew) 18(1967)377
–, urinary dihydroxyphenylalanine oxidase (Richterich, Cantz, Dauwalder) 29(1970)295
urine, new metabolites in (Duchoň, Matouš) 16(1967)397
–, vanillactic acid in (Duchoň, Matouš, Procházková) 18(1967)318,487
Melatonin
exogenous, metabolism, schizophrenics (Jones, McGeer, Greiner) 26(1969)281
spectrofluorometry (Dreux) 23(1969)177
Melituria
a new type: sialuria (Montreuil, Biserte, Strecker, Spik, Fontaine, Farriaux) 21(1968)61
Membrane filtration
low density lipoproteins (Stone, Thorp, Mills, Dick) 30(1970)809
Mental changes
platelet serotonin, pellagrins (Krishnaswamy, Ramana Murthy) 27(1970)301
Mental disease
creatinine excretion (Chattaway, Hullin, Odds) 26(1969)567
onset, short circuit theory (Galzinga, Rizzoli) 30(1970)5
Mental retardation
and skeletal abnormalities, chemical and enzymatic studies (Clausen, Dyggve,

Melchior) 29(1970)197
Menthol
inhibition of 4-methyl-umbelliferone glucuroconjugation in human and rat liver (Hohenwallner) 28(1970)225
methaemoglobin formation (Hohenwallner, Berger) 18(1967)425
Meprobamate
colorimetric d., error caused by acetone (Kanter) 17(1967)147
Metabolic diseases
amino acids, chromatographic study (Samyn, Carton, Hooft) 28(1970)83
Metabolic errors
inborn, screening test, chromatography (Stuber) 24(1969)221
Metabolism
5-hydroxytryptamine, influence *p*-chloro-*N*-methamphetamine, electrophoresis, scintillation (Van Woudenberg, Wiegman, Van Praag, Korf) 27(1970)313
Metanephrine
d., modification of the Taniguchi method (Wilk, Gitlow, Bertani) 20(1968)147
and normetanephrine, urinary, column chromatographic separation and fluorometric estimation (Kahane, Vestergaard) 25(1969)453
–, –, separation and quantitation, gas–liquid chromatography (Bertani, Dziedzic, Clarke, Gitlow) 30(1970)227
urinary, fluorometric d. (Geissbühler) 30(1970)143
–, gas chromatography (Greer, Sprinkle, Williams) 21(1968)247
Methaemoglobin
blood, micro-m. (Hegesh, Gruener, Cohen, Bochkovsky, Shuval) 30(1970)679
formation by menthol (Hohenwallner, Berger) 18(1967)425
reduction, TPNH-linked, by methylene blue (Sass, Caruso, Axelrod) 24(1969)77
3-Methoxy-4-hydroxy-mandelic acid
extraction for calculation of free 3-methoxy-4-hydroxy-phenylglycol in urine (Sapira) 20(1968)139
in urine, quantitative d. (Wybenga, Pileggi) 16(1967)147
3-Methoxy-5-hydroxy phenylglycol
gas chromatographic estimation, transformation to vanillin methoxime trimethylsilyl ether (Kahane, Mowat, Vestergaard) 30(1970)683
Methoxy indoles
biochemical studies, methoxy-5-tryptamine, spectrofluorometry (Dreux) 30(1970)519
spectrofluorometry of melatonin (Dreux) 23(1969)177
5-Methoxytryptamine
and metabolites, column chromatography and spectrofluorimetry (Iskrić, Stančić, Kveder) 25(1969)435
spectrofluorometry (Dreux) 30(1970)619
3-Methoxytyramine
urinary, fluorometric d. (Geissbühler) 30(1970)143
–, –, quantitative (Käser, Thomke) 27(1970)203
–, gas chromatography (Greer, Sprinkle, Williams) 21(1968)247
Methyl esters of fatty acids
preparation (Fosbrooke, Tamir) 20(1968)517
Methylene blue
measurement of metabolic changes in stored blood (Sass, Caruso, Axelrod) 20(1968)105
TPNH-linked reduction of methemoglobin (Sass, Caruso, Axelrod) 24(1969)77
trans-3-Methyl-2-hexonic acid
sweat, schizophrenic patients, failure to detect (Perry, Melançon, Lesk, Hansen) 30(1970)721
ε-*N*-Methyllysine
in urine (Asatoor) 26(1969)147
Methylmalonic acid
gas chromatography (Sprinkle, Porter, Greer, Williams) 24(1969)476
metabolic precursors of, in vitamin B_{12} deficiency (Gompertz, Hywel Jones, Knowles) 18(1967)197
urinary, precursors, measurement (De Grazia, Fish, Pollycove, Ponnamperuma) 23(1969)279
–, thin-layer chromatography (Gutteridge, Wright) 27(1970)289
–, – and gas chromatography (Gompertz) 19(1968)477
Methylmalonyl CoA
abnormal substrate for δ-aminolevulinic acid synthetase (Gompertz) 25(1969)459
4-Methylumbelliferone glucuro-conjugation
bilirubin inhibition by liver, *in vitro* (Frezza, De Sandre, Perona, Corrocher) 21(1968)509
liver, inhibition, menthol and bilirubin (Hohenwallner) 28(1970)225
4-Methyl-umbelliferyl-β-glucosidase in plasma (Öckerman) 21(1968)279
4-Methyl-umbelliferyl-α-mannosidase
plasma, fluorimetric estimation (Öckerman) 23(1969)479
Microglobulinic myeloma

(Microglobulinic myeloma)
differential diagnosis, immunochemical analyses (Margni, Acerbo, Heer, Hajos) 28(1970)451
Millipore filtration
spectrophotometric d. of bilirubin in amniotic fluid (Conradie) 25(1969)205
Mitochondrial lesion and lysosomal damage
obstructive jaundice, rat kidney (Emanuelli, Satta, Perpignano) 25(1969)169
Mitochondrial oxidation
rat liver, effect of CCl_4 (Francavilla, Albano, Meduri, Panella) 30(1970)415
Mongolism, see Down's syndrome
Monoamine oxidase
in thyroid disease (Hidaka, Nagatsu, Nagasaka, Ishizuki) 23(1969)383
Monosaccharides
disaccharides, alditols, mixtures, d. as trimethylsilyl ether derivatives, gas–liquid chromatography (De Neef) 26(1969)485
Motor neurone disease
creatine phosphokinase in (Williams, Bruford) 27(1970)53
Mucopolysaccharides
acid, tissue, simple analysis (Mier, Wood) 24(1969)105
–, urinary, Hunter's syndrome, thin-layer gel filtration (Taniguchi) 30(1970)801
–, –, and tissue, rat, connective tissue proliferation (Koizumi, Mukuda, Nakamura, Abe) 26(1969)477
and lipids, in normal and hyperlipemic sera (Végh, Bihari-Varga) 16(1967)371
Mucopolysaccharidosis
chemical identification, in giant hydrocephalus (Kennedy, Sinnette, Familusi) 29(1970)37
enzyme patterns, from tissues and body fluids (Öckerman, Hultberg, Eriksson) 25(1969)97
screening (Pennock, Mott, Batstone) 27(1970)93
Mucosa
intestinal, normal and coeliac disease, dipeptidases, multiple forms (Dolly, Fottrell) 26(1969)555
jejunal, γ-glutamyl transpeptidase in (Greenberg, Wollaeger, Fleisher, Engstrom) 16(1967)79
Multiple sclerosis
serum lipoproteins, sex differences (Rieder, Peyer) 30(1970)305
serum protein values (Minchin Clarke, Freeman, Pryse-Phillips) 30(1970)65
Muscle
foetal and pathological, creatine kinase and aldolase isoenzymes in (Schapira, Dreyfus, Allard) 20(1968)439
glucose utilization during uraemia (Dzúrik, Valovičová) 30(1970)137
normal and diseased, free fatty acids in (Susheela) 22(1968)219
ribonuclease activity in, normal and dystrophic (Abdullah, Pennington) 20(1968)365
skeletal, lipid content, in myopathies (Kunze, Olthoff) 29(1970)455
Muscular dystrophy
diagnosis, serum creatine kinase, dilution effect (Spikesman, Brock) 26(1969)387
Duchenne, enzyme release from organs (Kleine) 29(1970)227
LDH isoenzymes, electrophoretic pattern (Kelly, Belorit, Copeland) 18(1967)483
progressive, absence of LDH_4 (Tsvetanova, Ognianov) 18(1967)87
–, fatty acid composition of lecithin from muscles in (Takagi, Muto, Takahashi, Nakao) 20(1968)41
recessive (Duchenne), X-linked, carrier state, biochemical identification (Thomson) 26(1969)207
Myeloma
immunoglobulins, neuraminidase on (Richard, Silberzahn, Bonnassieux, Colobert) 21(1968)479
microglobulinic, immunochemical analyses, differential diagnosis (Margni, Acerbo, Heer, Hajos) 28(1970)451
protein (Afonso) 21(1968)283
–, structure (Würz, Oeser, Knedel) 22(1968)458
pseudo-, defective synthesis of immunoglobulin heavy polypeptide chains (Śnigurowicz, Murawski, Kraj, Jóźwiak, Zupańska) 22(1968)287
serum, factor altering β-lipoproteins, identification (Spikes, Cohen, Djordjevich) 20(1968)413
Myelomatosis
IgA, low serum cholesterol (Seitanidis, Schulman, Hobbs) 29(1970)93
Myocardial infarction
lactate dehydrogenase isoenzymes, immunoglobulin A (Biewenga, Thijs) 27(1970)293
lipoprotein patterns (Mills, Taylaur, Wilkinson) 26(1969)67
Myocardial retention of free fatty acids
pharmaceutic action (Warembourg, Biserte, Bertrand, Sezille, Jaillard) 23(1969)387
[^{131}]Myoglobin
kinetic behaviour (Koskelo, Kekki, Wager)

17(1967)339
Myopathies
primary and secondary, lipid content of skeletal muscle (Kunze, Olthoff) 29(1970)455

N

Nalidixic acid
interference with estimation of 4-hydroxy-3-methoxymandelic acid, urine (Eelder) 19(1968)507
urinary steroids (Jeanjean, Rousseau, Harvengt) 26(1969)179
Naphthylamidases
serum, inhibition by atopic allergens (Berrens) 22(1968)239
β-Naphthylamides
of leucine and glutamic acid, urinary hydrolysing enzymes (Ono, Eto, Arakawa) 19(1968)257
Neoplastic disease
glycaemic changes, differential diagnosis (Mustea) 18(1967)477
malignant, serum haptoglobin turnover rate (Ohara, Watanabe, Wada) 19(1968)41
Neoplastic processes
diagnosis, serum aspartate aminotransferase activity changes (Mustea) 22(1968)201
differential diagnosis, changes of cholesterolaemia (Mustea) 20(1968)285
serum cholinesterase modifications, differential diagnosis (Mustea) 24(1969)453
Nephelometry
estimation of serum and plasma glyceride levels (Buckley, Deegan, Muirhead, Williams) 28(1970)133
low density lipoproteins (Stone, Thorp, Mills, Dick) 30(1970)809
pepsin, clinical tests (Gerring, Allen) 24(1969)437
Nephrosis
aminonucleoside, rats, α-macroglobulins in (Housley, Jones, Harvey) 21(1968)85
lipoprotein lipase (Yamada, Matsuda) 30(1970)787
Nephrotoxic antigens of glomerular basement membrane
immunochemical studies (Thoenes, Hammer) 18(1967)253
Neuraminidase
effect on mobility of alkaline phosphatases, disc electrophoresis (Smith, Perry, Lightstone) 25(1969)17
effect on myeloma IgA (Richard, Silberzahn, Bonnassieux, Colobert) 21(1968)479
Neuroblastoma
N-acetylnormetanephrine and *N*-acetylmetanephrine in urine (Borud, Gjessing) 27(1970)552
gas chromatography of some urinary amines (Greer, Sprinkle, Williams) 21(1968)247
urinary *N*-acetyltyramine, demonstration (Von Studnitz, Hanson) 16(1967)180
urinary glucosylgalactosylhydroxyllysine in (Shimizu, Labrosse) 22(1968)623
Neurological disorders
children, creatine kinase isoenzymes in serum (Cao, De Virgiliis, Lippi, Trabalza) 23(1969)475
Neuro-psychiatric diagnostic
polyacrylamide gel electrophoresis of CSF (Diessner, Schmidt) 25(1969)155
Newborn
capillary blood, K, Cl, Na, Ca, P and alkaline phosphatase in (Izquierdo, Ferrero, Romeo, Badía, Vigil) 30(1970)343
Nicotinamide
effect on tryptophan metabolites excretion, Hodgkin's disease (Muggeo, De Antoni, Allegri, Crepaldi, Costa) 30(1970)779
Nicotinic acid
effect on cholesterol metabolism (Miettinen) 20(1968)43
Nioxime
colorimetric d. of urinary urea (Siest) 18(1967)155
Nitrogen
urine, total, simple d. (Meijers, Rutten) 24(1969)308
p-Nitrophenyl phosphate
for alkaline phosphatase d. (Neumann, Van Vreedendaal) 17(1967)183
Nomogram
buffer line shift calculation, haemoglobin reduction at constant CO_2 pressure (Kelman) 22(1968)277
for evaluation of back-titration (Klingmüller, Nuglisch, Weyss) 22(1968)317
Noradrenalin
urinary, differential d. (Comoy, Bohuon) 30(1970)191
Normal electrolyte and urea values in Nigerians (McFarlane, Akinkugbe, Adejuwon, Oforofuo, Onayemi, Longe, Ojo, Reddy)

29(1970)273
Normal limits
procedure, total laboratory experience (Best, Mason, Barron, Shepherd) 28(1970)127
Normal ranges
simple estimation, routine laboratory data (Becktel) 28(1970)119
Normetadrenaline
urinary, in essential hypertension (Stott, Robinson) 16(1967)249
Normetapenhrine
d., Taniguchi method, modification (Wilk, Gitlow, Bertani) 20(1968)147
urinary, fluorometric d. (Geissbühler) 30(1970)143
—, gas chromatography (Greer, Sprinkle, Williams) 21(1968)247
Nothing dehydrogenase
source of, in normal serum (Mezey, Slater, Holt) 25(1969)11
unspecific staining of gel enzymograms caused by LDH isoenzymes (Falkenberg, Lehmann, Pfleiderer) 23(1969)265
5-Nucleotidase
and alkaline phosphatase isoenzymes, serum, diagnostic use (Connell, Dinwoodie) 30(1970)235
serum, levels in normal pregnancy (Seitanidis, Moss) 25(1969)185

O

Obesity
prolonged starvation, total hydroxyproline excretion (Smith) 20(1968)499
pseudocholinesterase in (Cucuianu, Popescu, Haragus) 22(1968)151
Oestriol
in pregnancy urine (Calseyde, Scholtis, Schmidt, Kuypers) 25(1969)345
–, and creatinine (Welshman, Armstrong, Bell) 26(1969)339
quantitative estimation, gas–liquid chromatography (Richardson) 29(1970)473
urinary, automated d. (Barnard, Logan) 29(1970)401
Oestrogens
chromatography, deleterious effect of iodine as a detecting reagent (Mirhom) 30(1970)347
reduction of plasma tyrosine, amino-transferase induction? (Rose, Cramp) 29(1970)49
Sephadex filtration, sodium chloride influence (Van Tilburg, Muller) 29(1970)5
total, in non-pregnancy urine, fluorimetry (Corns, James) 22(1968)469
–, in pregnancy urine, rapid estimation (Contractor, Jacoby) 28(1970)317
–, –, after tryptophan load (Hamfelt, Hahn) 25(1969)91
urinary, photometric assay following enzyme hydrolysis and gel filtration (Pieterse, Scholtis, Schmidt) 26(1969)111
Organ-specificity
alkaline phosphatases (Nagode, Koestner, Steinmeyer) 26(1969)45
–, purification and serum proteins (Nagode, Koestner, Steinmeyer) 26(1969)55
Ornithine
catabolism, in normals and hyperprolinaemia type II (Similä) 28(1970)457
Ornithine carbamyltransferase
rapid micro d. (Ceriotti, Gazzaniga) 16(1967)436
in serum of sheep and cattle (Healy) 22(1968)603
simplified measurement, serum (Konttinen) 21(1968)29
Ornithine-ketoacid aminotransferase
liver, in hyperornithinaemia and protein intolerance (Kekomäki, Räihä, Bickel) 23(1969)203
in skin and amniotic fluid (Shih, Schulman) 27(1970)73
Ornithine transcarbamylase in serum
simple d. (Konttinen) 18(1967)147
Orthophosphate
interference of pyrophosphate (Hruska) 22(1968)454
permeability, erythrocytes, in hypophosphatemic vitamin D-resistant hereditary rickets (Cartier, Leroux, Balsan, Royer) 29(1970)261
Osteoblastic activity
increased, serum screening test (Kerkhoff) 22(1968)231
Oxalate
urine (Giterson, Sloof, Schouten) 29(1970)342
–, factors influencing (Zarembski, Hodgkinson) 25(1969)1
Oxipurinol treatment
purine, pyrimidine, pyrazolopyrimidine excretion (Simmonds) 23(1969)353
2-Oxobutyric acid
condensation products, effect on LDH activity (Wilkinson, Jenkins, Tuey) 19(1968)397
17-Oxosteroid sulphates in plasma
d. (Kay, Warren) 18(1967)249
Oxygen pressure
effect on d. of CO_2 pressure, interpolation t. (Bonham, Sammons) 29(1970)507
Oxytocinase (cystine aminopeptidase) in blood
in goiter (Klimek, Małolepeszy) 22(1968)491

P

Paget's disease
  increased alkaline phosphatase in serum (Sussman) 27(1970)121
Pancreas
  diseases, alanine aminopeptidase isoenzymes as specific parameters, diagnosis (Beier, Beier, Haschen) 24(1969)405
Pancreatic enzyme
  elastolipoproteinase, purification and characterization (Loeven) 30(1970)165
Pancreatitis
  elastolytic activity in blood, d. (Rinderknecht, Geokas, Silverman, Haverback) 19(1968)89
Papain
  binding by α_2-macroglobulin (Boyde, Pryme) 21(1968)9
PAPS synthetic enzyme system
  in granulation tissue (Sasaki) 17(1967)215
Paralbuminuria
  paper electrophoretic diagnosis (Morales-Malva, Israel-Budnick, Sapag-Hagar) 17(1967)393
Paralysis
  periodic, hyperkalemic, familial (Hudson, Strickland, Wilensky) 17(1967)331
Paraproteins
  detection in agar gel electrophoresis (Hulsing-Hesseling, Cnossen-Groeneveld, Klein) 18(1967)93
Parathyroid
  adenoma, removal, in hyperparathyroidism (Kalima, Kivirikko, Laitinen, Uitto) 19(1968)443
  tumour, removal, changes of urinary hydroxyproline and plasma alkaline phosphatase (Smith) 23(1969)421
Pellagra
  pattern, collagen content and dermal amino acid (Vasantha) 27(1970)543
Penicillin(s)
  effect on renal enzyme excretion (Raab, Hohenegger) 20(1968)95
  and urinary steroids (Jeanjean, Rousseau, Harvengt) 25(1969)103
Pentose phosphate pathway metabolism in normal and G-6-PD-deficient red cells (Sturman) 18(1967)245
Pepsin
  gastric and urinary, immunochemical d., m. of Laurell (Hirsch-Marie) 24(1969)411
  nephelometric test, clinical (Gerring, Allen) 24(1969)437
Pepsinogen
  immunochemical d., m. of Laurell (Hirsch-Marie) 24(1969)411
Peptidase and transpeptidase activities in CSF d. (Swinnen) 17(1967)255
Peptide
  fraction extracted with biliary and neutral plasma lipids (Hauton, Laurent, Gerolami Santandrea, Greusard, Lafont, Tessier, Sarles) 17(1967)171
  hydroxyproline, in urine, burns (Szeinberg, Szeinberg, Cohen) 23(1969)97
  inhibitors, calcium phosphate precipitation, normal and stone-forming urines (Robertson, Hodgkinson) 25(1969)247
  urinary, hydroxyproline, fractionation (Borel, Caranjot, Jayle) 16(1967)409
  –, –, – (Hanson, Wiederanders) 25(1969)255
pH determination
  body fluids (Maas) 28(1970)373
Phenobarbital
  in plasma, quantitative estimation by GLC (Kupferberg) 29(1970)283
Phenobarbitone
  serum, micro-d., gas–liquid chromatography (Baylis, Fry, Marks) 30(1970)93
Phenol(s)
  serum and urine, normal, quantitative colorimetry, diazo reaction (Müting, Keller, Kraus) 27(1970)177
Phenolic acids
  serum, paper chromatography (Stott) 20(1968)181
  urinary, thin-layer chromatography (Ersser, Oakley, Seakins) 30(1970)243
Phenotyping of hyperlipoproteinemias
  paper electrophoresis (Winkelman, Ibbott) 26(1969)25
  –, – compared with cellulose acetate technique (Winkelman, Ibbott, Sobel, Wybenga) 26(1969)33
Phenyl acetate esterase activity
  index of liver damage (Takahashi, Aoyama, Ito, Yamamura) 18(1967)21
Phenylalanine

(Phenylalanine)
aromatic acids from urinary, phenylketonuria (Blau) 27(1970)5
in blood plasma, semi-quantitative d. by thin-layer chromatography (Meyer, Droll, Klingmüller) 18(1967)69
serum, chromatographic and fluorimetric d. (Berry) 20(1968)299
–, fluorimetry (Terlingen, Van Dreumel) 22(1968)643
p-Phenylenediamine
serum inorganic phosphorus d., reducing agent (Parekh, Jung) 27(1970)373
Phenylketonuria
aromatic acid excretion (Blau) 27(1970)5
heterozygosity for, automatic d. (Perry, Hansen, Tischler, Bunting) 18(1967)51
phenylpyruvate, endogenous, clearance (Zelniček, Podhradská) 25(1969)181
screening test for, by thin-layer chromatography (Meyer, Droll, Klingmüller) 18(1967)69
Phenylpyruvate
endogenous, clearance in phenylketonuria (Zelniček, Podhradská) 25(1969)179
Pheochromocytoma
gas chromatography of some urinary amines (Greer, Sprinkle, Williams) 21(1968)247
Phosphatase(s)
acid and alkaline, in hyperparathyroidism (Gründig, Czitober, Maruna) 30(1970)331
isoenzymes, urine, thin-layer, starch-gel electrophoresis (Maruna) 25(1969)133
Phosphate
automated analysis of samples with low P_i concentrations (Hirsch, Kupfer, Oreskes) 18(1967)322
esters in erythrocytes frozen in DMSO (Zachara, Domicz, Kańsky, Leyko) 18(1967)127
reabsorption, tubular, assessment (Bijvoet, Morgan, Fourman) 26(1969)15
urinary, high, in pseudogout, acute phase (Machtey, Lev, Fischl) 28(1970)507
Phosphatidyl choline
polyunsaturated, effect on lipid and seromucoid levels, atherosclerosis studies (Bihari-Varga, Végh, Lévai, Gerö) 22(1968)355
Phosphofructokinase activity
influence of growth hormone (Hohenwallner, Ludescher) 28(1970)255
Phosphohexose isomerase
colorimetric d., thiobarbituric acid reaction (German, Galli, Maison, Galli) 22(1968)551
Phospholipid(s)
blood, chromatography, quantitative (Broekhuyse) 23(1969)457
in CSF, fatty acid composition (Sastry, Stancer) 22(1968)301
classes, serum, quantitative d., thin-layer chromatography and P analysis (Williams, Kuchmak, Witter) 25(1969)447
plasma, and red cells, abnormal pattern, in obstructive jaundice with haemolysis (Boon, Broekhuyse, Schretlen, Van Munster) 23(1969)453
–, in liver cirrhosis and fatty liver (Kunz, Kosin) 27(1970)185
red cells, chromatography (Brockmann, Gercken) 23(1969)489
Phosphorus
d., improvement of Baginski's m. (Ichida, Hine) 23(1969)378
serum inorganic, *p*-phenylenediamine reducing agent (Parekh, Jung) 27(1970)373
Photohaemolysis
protoporphyrin-induced, in protoporphyria and normal red cells (Schothorst, Van Steveninck, Went, Suurmond) 28(1970)41
Photometric assay
oestrogens, in urine (Pieterse, Scholtis, Schmidt) 26(1969)111
Photometric estimation
lipase activity, micellar solubilized substrate (Seiffert) 28(1970)51
urinary pregnanediol following thin-layer chromatography (Abraham, Gütte, Hild, Taubert) 28(1970)341
Physiological fluids
normal, volatile fatty acids in (Perry, Hansen, Diamond, Bullis, Mok, Melançon) 29(1970)369
Phytanic acid
in tissue lipids, Refsum's disease (Skrbic, Cumings) 23(1969)17
Placenta
function, rapid enzymatic d. (Klimek, Małolepszy) 24(1969)349
normal, LDH (Ma, Lok) 25(1969)263
pyridoxal kinase in, gestation (Contractor, Shane) 25(1969)465
Placental alkaline phosphatase isoenzymes
distinction from intestinal (Fishman, Inglis, Ghosh) 19(1968)71
Placental villi
human, fatty acids from neutral lipids, phospholipids, and cholesterol esters, gas chromatography (Kleine) 17(1967)479
–, mature, lipid metabolism (Kleine)

17(1967)96
Plasma
actual bicarbonate in, titrimetric d. (Maas) 29(1970)567
adenosine deaminase, radiochromatography (Chivot, Depernet, Caen) 27(1970)241
adrenalin and noradrenalin, differential d., double isotope dilution (Siggers, Salter, Toseland) 30(1970)373
amino acids, free, bone tumours (Zender, Courboisier) 27(1970)259
–, quantitation, technical pitfalls in (Perry, Hansen) 25(1969)53
–, separation from blood absorbed on filter paper, thin-layer chromatography (Nützenadel, Lutz) 29(1970)151
angiotensinase, d. (Lubash, Peart) 17(1967)445
"antigen-free", preparation, immunosorbent, radioimmunoassay (Thorell) 22(1968)579
antithrombin, inactivation of thrombin by heparin (Porter, Porter, Shanberge) 17(1967)189
arginase, semi-automated d. (Zapf) 26(1969)547
bromsulphthalein, kinetics (Mikulecký) 21(1968)43
calcium, fall, rabbit, after i.v. heparin, mechanism (Goldsmith, Parry) 19(1968)429
–, and Mg, ion exchange strip measurement (Frizel, Malleson, Marks) 16(1967)45
–, measurement (Oreskes, Hirsch, Douglas, Kupfer) 21(1968)303
–, rapid semi-automatic estimation (Glatz, Rose) 21(1968)327
CO_2 dissociation constant (Rispens, Dellebarre, Eleveld, Helder, Zijlstra) 22(1968)627
catalase, inhibition (Tudhope) 25(1969)379
catecholamines, fluorimetry, normal epinephrine and norepinephrine levels (Griffiths, Leung, McDonald) 30(1970)395
ceruloplasmin oxidase, pH optimum, in animal species (Bingley, Dick) 25(1969)480
chemistry, immediate effects of blood donation (Flynn, Garcia-Webb-Sharp, Piper, Healy, Troop) 24(1969)51
cholesterol, continuous monitoring *in vivo* (Godse, Lyall, Stancer) 26(1969)89
–, sulphate and glucuronide in, estimation (Wade) 27(1970)109
cholinesterase isoenzymes (Juul) 19(1968)205
citrate, enzymatic d., without deproteinization (Zender) 24(1969)335
clot absorbance, and fibrin mass (Rosenfeld) 18(1967)1
11-corticosteroids d., simple fluorometric m. of Mattingly (Pichler) 24(1969)283
corticosterone, abnormally high values using acid fluorescence m. (Kraicer, Conrad, Bicknese) 23(1969)512
cortisol, rapid m., micro-columns (Dixon) 23(1969)374
diphenylhydantoin in, d. (Morselli) 28(1970)37
electrolyte and urea values, in health and disease (Owen, Campbell) 22(1968)611
enzymatic cleavage of 2-acetamido-1-(β'-L-aspartamido)-1,2-dideoxy-β-D-glucose, detection of aspartylglycosaminuria (Pollitt, Jenner) 25(1969)413
fatty acids, free, micro-colorimetry (Laurell, Tibbling) 16(1967)57
–, non-esterified, coulometry (Novák) 30(1970)439
–, –, effect of storage on (Broechoven, Parijs) 20(1968)530
–, –, post-heparin, composition (Warembourg, Biserte, Sezille, Jaillard, Bertrand) 18(1967)209
fibrinogen content and rouleaux formation in blood (Van Haeringen, Glasius) 29(1970)55
glycerides, nephelometry (Buckley, Deegan, Muirhead, Williams) 28(1970)133
glycerol turnover during hyperthyroidism (Tibbling, Cederquist, Lundquist) 25(1969)189
guanase, finger-tip blood d. (Al-Khalidi, Aftimos, Musharrafieh, Khury) 29(1970)381
haptoglobin, changes, physical strain (Hørder, Hørder) 30(1970)369
hydroxyaminobarbitone in, gas–liquid chromatography (Grove, Toseland) 29(1970)253
lecithin, d. as choline (Thaxton, Bowie) 21(1968)171
leukaemic, [^{14}C] phenylalanine incorporation (Collipp, Shimizu, Gilchrist) 19(1968)287
lipid concentrations and β-lipoprotein levels (Allard, Goulet) 20(1968)534
lipoprotein(s), quantitative estimation, agarose gel electrophoresis (Dyerberg, Hjørne) 28(1970)203
–, polyacrylamide electrophoresis (Dangerfield, Pratt) 30(1970)273
β-lipoproteins, heparin-treated patients, immunoelectrodiffusion (Tinterova, Ognianov) 26(1969)583

(Plasma)
magnesium, haemolytic crisis, favism (Spennati, Businco, Conca, Bottini) 27(1970)360
membranes, phospholipids and cholesterol in, in active malignancies (Chrostian, Kang, Poon) 21(1968)289
4-methyl-umbelliferyl-β-glucosidase in (Öckerman) 21(1968)279
4-methyl-umbelliferyl-α-mannosidase, fluorometry (Öckerman) 23(1969)479
neutral lipids, in a-betalipoproteinaemia (Barnard, Fosbrooke, Lloyd) 28(1970)417
noradrenalin and adrenalin, fluorimetric m. (Benzini, Brunori, Valori) 30(1970)587
normal, glucagon injection, fatty acid levels (Warembourg, Biserte, Jaillard, Sezille) 28(1970)103
–, influence of glucose on fatty acid composition in (Warembourg, Biserte, Sezille, Jaillard, Bertrand) 22(1968)349
–, non-esterified fatty acids in, adrenocorticotropic hormone on (Warembourg, Biserte, Sezille, Jaillard, Bertrand) 20(1968)269
17-oxosteroid sulphates in (Kay, Warren) 18(1967)249
phenylalanine in, semi-quantitative d. by thin-layer chromatography (Meyer, Droll, Klingmüller) 18(1967)69
phospholipids, in liver cirrhosis and fatty liver (Kunz, Kosin) 27(1970)185
postheparin, lipolytic activity (Biale, Shafrir) 23(1969)413
potassium levels (Pannall, Rossi) 30(1970)218
protein(s), changes, contraceptive steroid pills (Laurell, Kullander, Thorell) 25(1969)294
– electrophoresis, dye uptake by fractions, correction (Dyerberg, Hjørne) 30(1970)407
– –hemoglobin complexes, and haptoglobin, two-dimensional electrochromatography (Keler-Bačoka, Pučar) 23(1969)431
–, porphyrin binding (Koskelo, Toivonen, Rintola) 29(1970)559
renin activity, micro-d. (Arakawa, Minohara, Yamada, Uemura, Nakamura) 22(1968)309
renin in, radioimmunoassay for Angiotensin I (Hollemans, Van der Meer, Kloosterziel) 24(1969)353
serotonin, free, factors influencing (Genefke, Garel, Mandel) 20(1968)61
steroid sulfates (Jänne, Vihko, Sjövall, Sjövall) 23(1969)405
testosterone-like substances, simple m., competitive protein binding (Anderson) 29(1970)513
transferrin, binding of labelled indium (Hosain, McIntyre, Poulose, Stern, Wagner Jr.) 24(1969)69
trehalase, in diabetes mellitus (Eze, Price Evans) 28(1970)153
tryptophan, free, micro-estimation, spectrofluorometry (Wapnir, Stevenson) 26(1969)203
tyrosine, reduction by oral contraceptives and oestrogens, aminotransferase induction? (Rose, Cramp) 29(1970)49
uric acid, simple estimation (Lavery) 21(1968)415
zinc, direct d., atomic absorption spectroscopy (Dawson, Walker) 26(1969)465
Plasmin
activity, inhibition by α_2-macroglobulin (Ganrot) 16(1967)328
α_1-antitrypsin inhibitor (Gans, Tan) 17(1967)111
Plasminogen
immunochemical d. (Ganrot, Niléhn) 22(1968)335
free fibrinogen, preparation by immunochemical technique (Ohlsson) 25(1969)221
Plasmocytoma serum lipids
precipitation by heparin (Keler-Bačoka) 16(1967)365
Platelet(s)
albumins, relation to serum albumins (Ganguly) 23(1969)514
enzyme release during blood clotting, man and animals (Friedel, Mattenheimer) 30(1970)37
proteins (Ganguly, Moore) 17(1967)153
–, isolation and stability, proteolytic activity (Ganguly) 25(1969)371
serotonin, fluorimetric d. (Small, Holton) 27(1970)171
Polar lipids in biological fluids and organ biopsies thin-layer chromatography (Christensen Lou, Clausen) 18(1967)465
Polarography
uranium in biological material (Voloder) 24(1969)373
Polyarthritis
primary chronic, children, IgG determination with Rivanol (Krawczyńska) 25(1969)423
Polybrene
and antithrombin action of heparin (Porter, Porter, Shanberge) 19(1968)411
Polyethyleneglycol
precipitation of serum proteins (Chesebro,

Svehag) 20(1968)527
Polyuronide excretion after enzymic dissolution of disc chondromucoprotein or surgical stress
(Stern, Cosmas, Smith) 21(1968)181
Porphyria cutanea tarda
human (Nacht, San Martin de Viale, Grinstein) 27(1970)445
Porphyria hexachlorobenzene-induced
experimental (San Martin de Viale, Viale, Nacht, Grinstein) 28(1970)13
Porphyria variegata
biliary porphyrins, protein-bound (Belcher, Smith, Mahler) 25(1969)45
Porphyrins
bile, normal (Aziz, Watson) 26(1969)525
binding by plasma proteins, isotope study (Koskelo, Toivonen, Rintola) 29(1970)559
extraction from red cells, modification of Rimington's m. (Beard) 18(1967)151
liver, normal and cirrhotic (Aziz, Watson) 26(1969)525
protein-bound, bile, in porphyria variegata (Belcher, Smith, Mahler) 25(1969)45
Porter–Silber method
urinary cortisol, fluorimetric m., 17-OHCS (Clark, Rubin, Kales, Poland) 27(1970)364
Potassium
d., atomic absorption, perchloric acid interference (Rees, Hughes) 21(1968)515
ion concentration, d. serum, d. using a highly selective liquid–membrane electrode (Pioda, Simon, Bosshard, Curtius) 29(1970)289
Prealbumin(s)
and α_1-antitrypsin, serum, polymorphism (Fagerhol, Laurell) 16(1967)199
levels, sex and age variation (Stabilini, Vergani, Agostoni, Vanoni Agostoni) 20(1968)358
Precipitin lines in agar analysis
enhanced visualization (Lange) 18(1967)91
Pregnancy
balance of isooxytocinases in blood (Klimek) 20(1968)233
creatinine excretion (Chattaway, Hullin, Odds) 26(1969)567
d. of urinary oestriol (Goebelsmann) 23(1969)469
leukocyte alkaline phosphatase and placental phosphatase (Thilo, Diamant, Polishuk) 29(1970)395
normal, serum alkaline phosphatase and 5-nucleotidase levels (Seitanidis, Moss) 25(1969)185
oestriol and pregnanolone in urine (Calseyde, Scholtis, Schmidt, Kuypers) 25(1969)345
seromucoid, glycoprotein components of specific changes (Adams, Wacher) 21(1968)155
test, urinary, iodine, chemical nature (Schales) 26(1969)323
total urinary oestrogens (Brombacher, Gijzen, Verheesen) 20(1968)360
–, rapid estimation (Contractor, Jacoby) 28(1970)317
urine, 16-epi-oestriol-glucosiduronate in (Ghazali bin Abdul Rahman, Hähnel) 17(1967)59
–, late, oestriol and oestetrol levels, gas–liquid chromatography (Lee, Wood) 30(1970)223
–, oestriol and creatinine (Welshman, Armstrong, Bell) 26(1969)339
–, oestrogen, rapid d. (Nordström) 20(1968)239
Pregnanediol
in low-titre urine, gas chromatography (Van de Calseyde, Scholtis, Schmidt, Kuypers) 27(1970)139
urinary, rapid estimation (Levell, Cottam) 23(1969)231
–, thin-layer chromatography and photometry (Abraham, Gütte, Hild, Taubert) 28(1970)341
Pregnanetriol
in low-titre urine, gas chromatography (Van de Calseyde, Scholtis, Schmidt, Kuypers) 27(1970)139
and pregnanetriolone, influence on fluorimetric measurement of plasma cortisol (Rudd, Black) 20(1968)81
–, urinary, chromatography (Templ, Geyer) 16(1967)179
Pregnanolone
in pregnancy urine (Calseyde, Scholtis, Schmidt, Kuypers) 25(1969)345
Primidone
in plasma, quantitative estimation by GLC (Kupferberg) 29(1970)283
Progressive muscular dystrophy Erb
test of heart involvement (Kleine, Chlond) 20(1968)393
Proline
bonds, splitting by serum aminopeptidase (Hopsu-Havu, Jansén, Jarvinen) 28(1970)25
free, and collagen metabolites, urine of children (Danelatos-Athanassiadis, Constantsas, Agathopoulos, Matsaniotis) 23(1969)153
Properdin
quantitative estimation in serum,

(Properdin)
immunodiffusion (Pietruska, Drozd, Bordanikowa) 21(1968)139
Prostaglandins
in seminal fluid, d. (Bygdeman, Svanborg, Samuelsson) 26(1969)373
Protamine
and antithrombin action of heparin (Porter, Porter, Shanberge) 19(1968)411
Protease(s)
CSF, enzymatic and immunologic inhibitors (Bieth, Miesch, Métais) 24(1969)203
inhibitors, effusions, fractionation and properties (Bieth, Barth, Métais) 30(1970)621
Protein(s)
acute phase, in Burkitt lymphoma in Nigerians (McFarlane, Ngu, Udeozo, Osunkoya, Luzzato) 17(1967)325
Bence Jones, passage into intestinal lumen, rat (D'Abbado, Dammacco, Schena, Dalfino) 21(1968)437
in biological fluids, quantitative d. by immunodiffusion (López, Golder) 21(1968)517
-bound iodine, lack of seasonal variation (Nuttall) 28(1970)439
C-reactive, man and animals, chromatography on phosphorylated cellulose (Kiley, Coleman) 30(1970)483
–, serum, measurement (Kindmark) 26(1969)95
in cerebrospinal fluid, d. by immunodiffusion (Schuller, Tömpe, Lefèvre, Moreno) 30(1970)73
co-precipitation with ferric iron, in assay of serum iron (Ryall, Fielding) 28(1970)193
d., malonamide as standard substance (Hafkenscheid, Jansen) 30(1970)541
disease, monoclonal, immunoglobulin levels (Cwynarski) 19(1968)1
distribution in serum fractions (Pruden, Creason, Creason, Block) 20(1968)173
fixation by picric acid, agarose gel electrophoresis (Davidsen) 21(1968)205
gallbladder bile, with and without gallstones (Englert, Jr.) 29(1970)319
in human platelets (Ganguly, Moore) 17(1967)153
immunological identification in gel slabs (Dewar, Latner) 28(1970)149
intolerance, familial, ornithine–ketoacid aminotransferase in liver (Kekomäki, Räihä, Bickel) 23(1969)203
low molecular weight, in CSF and urine (Walravens, Laterre, Estas, Heremans) 18(1967)335
lymphoid cell, natural and pathological (Mobarak, Brody) 30(1970)609,635
molecular weight d., gel chromatography on Sepharose-6B (Lehmann) 28(1970)335
and mucoproteins, in duodenal fluid, cystic fibrosis (Knauff, Adams) 19(1968)19,245
origin of, tubular proteinuria (Flynn, Platt) 21(1968)377
plasma, electrophoresis, dye uptake by fractions, correction (Dyerberg, Hjørne) 30(1970)407
platelet, isolation and stability, proteolytic activity (Ganguly) 25(1969)371
quantitation, immunodiffusion, double-linear (Wieme, Veys) 27(1970)77
in seminal plasma (Rotbøl, Hemmingsen, Schmidt) 25(1969)147
serum, bilirubin binding (Cooke, Roberts) 26(1969)425
–, fractionation on cellulose acetate strips (Del Campo) 22(1968)475
–, normal 3,5,3′-L-tri-iodothyronine, ^{131}I-binding, analysis (Itoh, Miyai, Kimura, Abe, Kumahara) 30(1970)259
–, precipitation by polyethyleneglycol (Chesebro, Svehag) 20(1968)527
–, and urine, thermosoluble (Poortmans) 30(1970)671
–, see also Serum, proteins
sputum, behaviour after secretolysis (Götz, Fischer) 30(1970)53
synthesis, defective, α_1-antitrypsin deficiency (Kueppers, Fallat) 24(1969)401
–, liver, collagen and non-collagen, in health and liver disease (Hirayama, Kimura, Irisa, Masuya) 21(1968)49
urinary, in chronic renal disease (Maiorca, Scarpioni, Cambi, Carrara, Dall'Aglio) 16(1967)253
–, isoelectric focusing in polyacrylamide gel electrophoresis (Rotbøl) 29(1970)101
Protein-bound iodine
automatic determination (Knapp, Spitzy) 30(1970)119
Protein-bound Mg and Ca
serum, Sephadex G-25 estimation (Usher, Deegan) 29(1970)361
Proteinuria
ceruloplasmin excretion compared with other serum proteins (Trip, Arisz, Van der Hem, Mandema) 20(1968)479
pseudoglomerular, in chronic pyelonephritis (Bonomo, Schena) 23(1969)295
tubular (Walravens, Laterre, Heremans) 19(1968)107

—, origin of proteins excreted (Flynn, Platt) 21(1968)377
Proteolytic activity
generation, plasma clotting (Szczeklik) 27(1970)339
ultrasensitive d. (Rinderknecht, Geokas, Silverman, Haverback) 21(1968)197
Proteolytic enzymes
d. *in vitro*, immunochemical quantitation of fibrinogen fragments (Ohlsson) 26(1969)131
separation from gastric mucosa (Glass, Castro-Curel, Pamer) 16(1967)91
Protocollagen proline hydroxylase
synovial tissue, rheumatoid arthritis (Uitto, Lindy, Rokkanen, Vainio) 30(1970)741
Protoporphyria
protoporphyrin-induced photohaemolysis (Schothorst, Van Steveninck, Went, Suurmond) 28(1970)41
Pseudocholinesterase
in obesity and hyperlipaemia (Cucuianu, Popescu, Haragus) 22(1968)151
serum, in schizophrenia (Parveen, Rahman, Hassan) 30(1970)497
Pseudogout
acute phase, high urinary phosphate (Machtey, Lev, Fischl) 28(1970)507
Pulmonary tuberculosis
nucleotide content of erythrocytes in (Greger, Leyko) 20(1968)531
Purine(s)
pyrimidines, pyrazolopyrimidines, urinary, separation, two-dimensional, electrophoresis and chromatography (Simmonds) 23(1969)319
urinary, during treatment with allopurinol and oxipurinol (Simmonds) 23(1969)353
phosphoribosyl transferase, in red cells (Cartier, Hamet) 20(1968)205
Pyelonephritis
chronic, proteinuria, pseudoglomerular pattern (Bonomo, Schena) 23(1969)295
Pyridoxal kinase
in blood cells (Hamfelt) 16(1967)7
in placenta and foetus, gestation (Contractor, Shane) 25(1969)465
Pyridoxal phosphate
in blood cells (Hamfelt) 16(1967)19
plasma, in pregnancy, after tryptophan load (Hamfelt, Hahn) 25(1969)91
Pyridoxine deficiency
diagnosis by pyridoxal-5-phosphate stimulation of red cell GOT *in vitro* (Stanulović, Miletić, Stock) 17(1967)353
Pyrophosphatase
inorganic, urine (Wakid, Kutayli, Buri) 30(1970)527
Pyrophosphate
interference, d. of orthophosphate (Hruska) 22(1968)454
Pyruvate kinase
deficiency of red cells, haemolytic anaemia (Cartier, Najman, Leroux, Temkine) 22(1968)165
purification, red cells (Dubin, Bernard) 16(1967)63
Pyruvic acid
enzymatic assay (Hadjivassiliou, Rieder) 19(1968)357
LDH activity in, urea (Konttinen, Lindy) 16(1967)377
metabolic studies in uraemic acidosis (Campanacci, Guarnieri, Siliprandi, Fiaschi) 20(1968)341

Q

Quinidine d.
comparison, two m. (Härtel, Harjanne)
23(1969)289

Quinolinic acid
urinary, gas–liquid chromatography (Toseland)
25(1969)187

R

Radial diffusion
  immunoglobulin d., compared *vs.* immunoelectrophoresis (Zegers, Poen, Stoop, Ballieux) 22(1968)399
Radioactivity
  in liquid samples, measurement, modified Marinelli beaker (Meijers, Dalessi) 22(1968)456
Radiography
  hypaque, urinary tract, protein-bound iodine after (Raeburn, Semple, Simpson) 21(1968)485
Radioimmunoassay
  ACTH (Greenwood) 22(1968)77
  gonadotrophins (Butt, Lynch) 22(1968)79
  growth hormone (Greenwood) 22(1968)77
  immunosorbent, standards for "antigen-free" plasma (Thorell) 22(1968)579
Radioimmunoelectrophoretic analysis
  thyroxine-binding proteins in serum (Miyai, Itoh, Abe, Kumahara) 22(1968)341
Reagents
  stabilized, for glucose estimation (Middleton) 22(1968)433
Red cells
  glutathione reductase, and riboflavin nutritional status (Bamji) 26(1969)263
  haemolysates, oxidative metabolism of glucose, fructose, galactose (Sturman) 26(1969)135
  riboflavin, in anaemia (Cavill, Jacobs) 16(1967)343
  see also Erythrocytes
Refsum's disease
  phytanic acid in tissue lipids (Skrbic, Cumings) 23(1969)17
Remazolbrilliant Blue-hide
  d. of trypsin and chymotrypsin (Rinderknecht, Silverman, Geokas, Haverback) 28(1970)239
Renal allotransplantation
  β-alaninuria (Gras, Tuset, Caralps, Gil-Vernet, Magriña, Brulles, Conde) 20(1968)295
Renal anaemia
  cholinesterases
  red cell and plasma, haemodialysis treatment (Vincent, Moskovtchenko, Traeger) 28(1970)97
Renal arterial stenosis
  rabbit, LDH isozyme studies (Kobayashi, Kato, Maeda, Imai) 25(1969)59
Renal clearance
  normal, measurement, error, statistical study (Zender, Vuagnat, Falbriard) 20(1968)85
Renal concentrating capacity
  relation age in sickle cell disease and hemoglobin C disease (Statius van Eps, Schouten, ter Haar Romeny-Wachter, La Porte-Wijsman) 27(1970)501
Renal damage
  cholinesterase in rat serum (Raab) 24(1969)135
  detection, kidney and serum origin of alanine aminopeptidase in urine (Peters, Rehfeld, Schneider, Battke, Haschen) 24(1969)314
  experimental, isocitrate dehydrogenase in urine (Raab) 25(1969)21
  toxic, glutamate dehydrogenase in rat urine and serum (Raab) 24(1969)275
Renal disease
  excretion of glucosaminidase and galactosidase (Dance, Price, Cattell, Lansdell, Richards) 27(1970)87
Renal enzyme excretion
  after acetylsalicylic acid, rat (Raab) 22(1968)535
  high doses of penicillin, kanamycin and sulfonamides on (Raab, Hohenegger) 20(1968)95
Renal failure
  chronic, on intermittent dialysis plasma amino acid imbalance in patients (Young, Parsons) 27(1970)491
  conjugation of aromatic amines in (Young, Wootton) 22(1968)403
Renal filter selectivity
  immunoelectrophoretic evaluation (Afonso) 17(1967)239
Renal insufficiency
  chronic, acetoacetate and D-β-hydroxybutyrate concentrations (Levitt) 24(1969)13
  –, bound amino acids in serum (Burzyński) 25(1969)231
  –, *N*-substituted amino acids in serum (Czerniak) 28(1970)403
Renin
  activity, assay of Boucher, immunoassay with angiotensin I and II, converting enzyme

(Renin)
from lung tissue (Hollemans, Van der Meer, Kloosterziel) 23(1969)7
measurement in plasma, angiotensin standard, proposed (Hollemans) 27(1970)99
in plasma, micro-d. (Arakawa, Minohara, Yamada, Uemura, Nakamura) 22(1968)309
–, radioimmunoassay for angiotensin I (Hollemans, Van der Meer, Kloosterziel) 24(1969)353
Rh antigenicity
small molecular peptide in erythrocyte membrane (Weicker) 21(1968)513
Rheumatoid arthritis
blood serotonin levels (Crawford) 23(1969)139
chondroitin sulphate in synovial fluid (Seppälä, Kärkkäinen, Näntö) 16(1967)115
cortisol secretion rate (Pal) 29(1970)129
Riboflavin
nutritional status, and red cell glutathione reductase (Bamji) 26(1969)263
red cell, in anaemia (Cavill, Jacobs) 16(1967)343
Ribonuclease activity in muscle
normal and dystrophic (Abdullah, Pennington) 20(1968)365
Rickets
hereditary, hypophosphataemic, erythrocyte permeability to orthophosphate, glycolysis (Cartier, Leroux, Balsan, Royer) 29(1970)261
Rivanol
IgG d., primary chronic polyarthritis, children (Krawczyńska) 25(1969)423
serum transferrin and IgG d. (Sagan) 21(1968)225

S

Saliva
alkaline phosphatase (Cornish, Posen) 20(1968)387
"macro-amylase" in (Franzini, Bonini, Zappata) 23(1969)368
Sanfilippo syndrome
glycosaminoglycans and glycosaminoglycan sulphotransferase, brain (George, Bachhawat) 30(1970)317
Schizophrenia
metabolism of exogenous melatonin (Jones, McGeer, Greiner) 26(1969)281
trans-3-methyl-2-hexonic acid in sweat, failure to detect (Perry, Melançon, Lesk, Hansen) 30(1970)721
serum cholinesterase in (Parveen, Rahman, Hassan) 30(1970)497
Schlesinger test
modified, for urinary urobilirubin estimation (Kerkhoff, Peters) 21(1968)133
Scintillation counting
liquid, *p*-chloro-*N*-methamephetamine, human metabolism (Woudenberg, Wiegman, Van Praag, Korf) 27(1970)313
Scurvy
infants, tubular reabsorption of free amino acids (Brodehl, Kaas) 28(1970)409
Selenium
in blood and tissues (Dickson, Tomlinson) 16(1967)311
Semen
α-macroglobulin in (Mroueh, Adham) 28(1970)259
Seminal fluid
enzymatic cleavage of 2-acetamido-1-(β'-L-aspartamido)-1,2-dideoxy-β-D-glucose, detection of aspartylglycosaminuria (Pollitt, Jenner) 25(1969)413
prostaglandins in, d. (Bygdeman, Svanborg, Samuelsson) 26(1969)373
Seminal plasma
proteins and LDH isoenzymes in, fertility studies (Rotbøl, Hemmingsen, Schmidt) 25(1969)147
Sephadex gel filtration
alkaline phosphatase, high molecular weight, compared with starch gel electrophoresis (Jennings, Brocklehurst, Hirst) 30(1970)509
Serology in diagnosis (Grant) 22(1968)31
Seromucoid
rat and human, normal and pathological (Tobiška, Vermousek, Kočent) 29(1970)385
Serotonin
absorption by normal and "carcinoid" platelets (Crawford) 18(1967)297
blood levels, in rheumatoid arthritis (Crawford) 23(1969)139
free, diurnal variations in normal subjects (Genefke, Mandel) 19(1968)131
–, in plasma (Genefke, Garel, Mandel) 20(1968)61
platelet, fluorimetric d. (Small, Holton) 27(1970)171
–, pellagrins, mental changes (Krishnaswamy, Ramana Murthy) 27(1970)301
and related indoles, in normal urine (Arterberry, Conley) 17(1967)431
Serum
N-acetylneuraminic acid, in kwashiorkor (Ittyerah) 29(1970)145
actual bicarbonate in, titrimetric d. (Maas) 29(1970)567
adenosine deaminase, multi-enzyme patterns, diagnostic value in lung cancer (Nishihara, Akedo, Okada, Hattori) 30(1970)251
albumin, amino acid composition in kwashiorkor (Potgieter, Hines, Kench) 18(1967)107
–, measurement, HABA-dye technique (Arvan, Ritz) 26(1969)505
–, relation to platelet albumins (Ganguly) 23(1969)514
–, and total protein, calculated from N content (Watson) 16(1967)322
aldehyde, free and bound, quantitative estimation (Quash, Maharaj) 30(1970)13
alkaline phosphatase, electrophoretic mobility, modification by acylation (Moss, Thomas) 30(1970)835
–, estimation (It-Koon, Moss) 25(1969)117
–, increased, in Paget's disease (Sussman) 27(1970)121
– isoenzymes and 5-nucleotidase, diagnostic use (Connell, Dinwoodie) 30(1970)235
– and 5-nucleotidase levels, normal pregnancy

(Serum)
(Seitanidis, Moss) 25(1969)185
–, relationship to urinary hydroxyproline excretion in liver and bone diseases (Cerda, Toskes, Shopa, Wilkinson) 27(1970)437
amino acids, bound in chronic renal insufficiency (Burzyński) 25(1969)231
–, free, in chronic renal insufficiency (Czerniak, Burzyński) 24(1969)367
aminopeptidase, splitting of proline bonds, clinical variations (Hopsu-Havu, Jansén, Järvinen) 28(1970)25
β-aminopropionaldehyde, identification and origin (Quash, Taylor) 30(1970)17
α-amylase, automated d. (Rinderknecht, Marbach) 29(1970)107
–, rapid clinical d. (Ceska, Birath, Brown) 26(1969)437
angiotensinase activity in hypertension (Lubash, Hammel, Mearles) 18(1967)439
–, d. (Lubash, Peart) 17(1967)445
anti-lymphocyte (James) 22(1968)101
arginase, simple d. (Jergović, Žužić, Fišer-Herman, Štraus) 30(1970)765
arylsulfatase and β-glucuronidase, in kwashiorkor (Begum, Ittyerah) 28(1970)263
aspartate aminotransferase activity changes, differential diagnosis of neoplastic processes (Mustea) 22(1968)201
–, colorimetric assay (Doumas, Biggs) 23(1969)75
–, d. (Trinder, Kirkland) 16(1967)287
bile acids, conjugated, in liver diseases (Frosch, Wagener, Immich) 22(1968)294
bilirubin, neonatal, estimation (Hargreaves) 26(1969)331
–, total d., rapid m. (Kulhánek, Appelt) 20(1968)29
–, ultramicro d., "alkaline azobilirubin blue" reaction (Ichida, Nobuoka) 19(1968)249
binding of glucose-6-phosphate dehydrogenase to a component (Eng) 28(1970)365
blood, acetone and β-ketobutyric acid, gas chromatographic determination, simple (Van Stekelenburg, De Bruyn) 28(1970)233
bromsulphthalein, plasma (Fleck, Morrison) 30(1970)751
calcium, d. (Rudolph, Holler Jr., Ford) 18(1967)187
–, ionized, electrochemical d., normal values, total (Hattner, Johnson, Bernstein, Wachman, Brackman) 28(1970)67
–, separation and measurement (Robertson, Peacock) 20(1968)315
– and Mg d., atomic absorption spectrophotometry (Pybus) 23(1969)309
– –, unbound, gel filtration, limitations (Pruden, Creason, Block) 27(1970)19
calf, neonatal, immune globulin levels, estimation, turbidity test (McEwan, Fisher, Selman, Penhale) 27(1970)155
cancer, free amino acids in, glucose and tumoral metabolism (Bojan, Mustea, Preda) 23(1969)335
CO_2, automated d., screening test for acid–base state (Went, Whitehead) 26(1969)559
carnosinase d. (Van Munster, Trijbels, Van Heeswijk, Schut-Jansen, Moerkerk) 29(1970)243
cathepsin activity, clinical interpretation (Homolka, Sousek) 18(1967)33
cholesterol, Autoanalyser, improved precision (Fosbrooke, Pringle) 30(1970)47
–, coulometric d. (Troy, Purdy) 26(1969)155
–, free and esterified, thin-layer chromatography (Beukers, Veltkamp, Hooghwinkel) 25(1969)403
– levels, effect of storage (Grafnetter, Fodor, Teplý, Žaček) 16(1967)33
– – and β-lipoprotein, disagreement of Immunocrit d. (Warburton, Nixon) 18(1967)75
–, low IgA myelomatosis (Seitanidis, Schulman, Hobbs) 29(1970)93
– measurement, ethanol extraction and $FeCl–H_2SO_4$ (Franey, Amador) 21(1968)255
–, total, evaluation of m. (Drezga, Mikac-Dević) 26(1969)317
cholinesterase, inhibition by triethyl lead (Galzinga, Corsi, Saia, Rizzoli) 26(1969)391
–, rapid ultra-micro d., conductimetry (Rey, Hanss) 30(1970)207
–, rat, after renal damage (Raab) 24(1969)135
–, variants, differentiation by formaldehyde (Whittaker) 26(1969)141
copper, atomic absorption spectrophotometry (Ichida, Nobuoka) 24(1969)299
–, atomic absorption spectroscopy (Dawson, Ellis, Newton-John) 21(1968)33
–, micro-d. with 1,5-diphenylcarbazide (Mikac-Dević) 26(1969)127
– and transaminase in, infectious hepatitis (Bastos de Jorge) 20(1968)111
coulometric d. of uric acid urine (Troy, Purdy) 27(1970)401
creatine kinase, diagnosis of muscular dystrophy, dilution effect (Spikesman,

Brock) 26(1969)387
creatine phosphokinase, behaviour *in vitro* (Thomson) 23(1969)105
– and haemolysis (Hughes) 21(1968)287
–, in sheep with CNS diseases (Smith, Healy) 21(1968)295
deoxycytidylate deaminase, in diseases (Miller, Ressler) 26(1969)405
enzyme(s), activity, effect of insecticides (Bogusz) 19(1968)367
–, behaviour *in vitro* (Thomson) 23(1969)105
–, d. and normal ranges (Thomson) 21(1968)469
–, in familial hyperkalemic paralysis (Hudson, Strickland, Wilensky) 17(1967)331
EDTA in, simple d. (Blijenberg, Leijnse) 26(1969)577
fatty acids, free, in neuromuscular disease (Susheela) 22(1968)219
–, non-esterified, coulometry (Novák) 30(1970)439
foetal, and amniotic fluid antigens (Kleist, Buffe, Burtin) 20(1968)89
α-globulins, immunoelectrophoresis, Evans blue (Rabinovitz, Schen) 17(1967)499
glucose-6-phosphatase study (Foz) 17(1967)13
β-glucuronidase activity in diabetes mellitus, sex and age (Dubach, Jösch-Locher) 21(1968)453
glutamate dehydrogenase, kinetic measurement, oxamic acid and L-leucine (Persijn, Van der Slik, Timmer, Riethorst) 30(1970)377
glutamic oxalacetic transaminase, automatic d., error due to acetylacetic acid (Paysant, Nabet, Genetet, Faivre) 23(1969)507
–, colorimetric d. (Healy) 20(1968)165
–, –, ultramicrom. (Lippi, Guidi) 28(1970)431
glutamic-pyruvic transaminase d., colorimetric d., colorimetric ultramicrom. (Lippi, Guidi) 28(1970)431
γ-glutamyltranspeptidase, routine estimation (Naftalin, Sexton, Whitaker, Tracey) 26(1969)293
–, site of origin (Naftalin, Child, Morley, Smith) 26(1969)297
glycerides, nephelometry (Buckley, Deegan, Muirhead, Williams) 28(1970)133
glycoproteins, physical exercise (Haralambie) 26(1969)287
α_1-glycoproteins, isolation, simple batch m. (Lange) 18(1967)459
guanase, automatic d. (Nyssen, Dorche) 22(1968)363
haptoglobin, electrophoresis on plaster of Paris (Affonso) 22(1968)466
–, quantitative estimation, single radial immunodiffusion (Braun, Aly) 26(1969)588
–, haptoglobin, rapid d. (Bernier) 18(1967)309
–, turnover rate in neoplastic disease (Ohara, Watanabe, Wada) 19(1968)41
hepatic, anti-liver antibody in (Hirayama, Tominaga, Koga, Toda, Murai) 19(1968)37
human, vitamin B_{12}-binding capacity (Gullberg) 27(1970)251
hyaluronidase, in chronic liver damage (Nakamura, Iwabori, Koizumi) 27(1970)47
11-hydroxysteroids, fluorimetric d., correction of deviations, calculative (Usui, Kawamoto, Shimao) 30(1970)663
immunoglobulin levels, population study (Kalff) 28(1970)277
iodine, hormonal and exogenous, separation (Wiener, Backer) 20(1968)155
– -containing substances, chromatographic studies (Coenegracht, Postmes) 16(1967)432
–, inorganic, direct chemical d. (Mantzos, Malamos) 21(1968)501
–, labelled, simple d., Sephadex (Müller) 17(1967)21
iron, assay, co-precipitation of ferric iron and protein, reducing capacity of serum (Ryall, Fielding) 28(1970)193
–, d. (Mikac-Dević) 24(1969)293
–, –, with bathophenanthroline, without deproteinization (Bouda) 21(1968)159
–, –, Fe(II)-5-pyridyl benzodiazepin-2-ones (Klein, Lucas, Searcy) 26(1969)517
–, –, simple d. (Ichida, Osaka, Kojima) 22(1968)271
–, –; with Teepol (Colenbrander, Vink) 28(1970)175
–, – with terosite sulfonate (Zak, Baginski, Epstein, Weiner) 29(1970)77
–, values by atomic absorption and spectrophotometry, comparison (Tavenier, Hellendoorn) 23(1969)47
iron-binding capacity, total, d. with Teepol (Colenbrander, Vink) 28(1970)175
LDH isoenzymes, d., urea inhibition m. (Lubran, Jensen) 22(1968)125
LDH in leukemia (Lundh) 16(1967)305
leucine aminopeptidase, ultramicro fluorometric d. (Rockerbie, Rasmussen) 18(1967)182

(Serum)
leucyl- and cystinyl-naphthylamidhydrolase, viral hepatitis, children, corticotherapy (Drożdż) 28(1970)141
lipid(s), d., hypercholesterolemic and hypertriglyceridemic, preparation (Williams, Taylor, Kuchmak, Witter) 28(1970)247
–, fatty acid composition, in thyroid disease (Felt, Husek) 23(1969)331
–, fatty acid patterns, d. (Christophe, Matthijs) 16(1967)39
– and seromucoid levels, phosphatidyl choline on (Bihari-Varga, Végh, Lévai, Gerö) 22(1968)355
–, total, d. (Friedman) 19(1968)291
–, –, gravimetric d. (Friedman) 25(1969)175
– and mucopolysaccharides in normal and hyperlipemic sera (Végh, Bihari-Varga) 16(1967)371
and vitamin E (Rubinstein, Dietz, Srinavasan) 23(1969)1
lipoprotein, abnormal, in cholestasis (Picard, Veissière) 30(1970)149
– analyses, polyacrylamide disc gel and agarose gel electrophoresis (Wollenweber, Kahlke) 29(1970)411
–, in children with cancer (Barclay, Dargeon, Greene, Terebus-Kekish, Skipski) 24(1969)225
– distribution following heparin and ethyl-*p*-chlorophenoxyisobutyrate (Nichols, Strisower, Lindgren, Adamson, Coggiola) 20(1968)277
–, electrophoresis on cellulose acetate (Chin, Balkenhorn) 20(1968)305
– and glycoproteins, electrophoresis, normal ranges, technical and nomenclature problems (Peyer, Rieder) 30(1970)295
–, low-density, cholesterol in (Mills, Taylaur) 22(1968)251
–, sex differences, normals and multiple sclerosis patients (Rieder, Peyer) 30(1970)305
– and tocopherol levels, interrelation (Davies, Kelleher, Losowsky) 24(1969)431
lithium in, d. (Lehmann) 20(1968)523
–, spectroscopy (Blijenberg, Leijnse) 19(1968)97
macroglobulins, PAS-positive components, chromatographic and electrophoretic studies (Morales-Malva, Israel-Budnick, Sapag-Hagar, Vallega-Magasich) 18(1967)169
α-macroglobulins, in aminonucleoside nephrosis, rat (Housley, Jones, Harvey) 21(1968)85
α_2-macroglobulin-bound, proteolytic activity, inhibition by clot (Szczeklik) 25(1969)183
Mg, d. in (Bauditz) 17(1967)207
–, ultrafiltrable and protein-bound, in hyperlipidaemia (Müller, Pfordte) 30(1970)583
maximum bilirubin binding capacity, d. (Rutkowski) 17(1967)31
M-components, immuno-gel filtration plate (Snigurowicz) 22(1968)423
naphthylamidases, inhibition by atopic allergens (Berrens) 22(1968)239
N-substituted amino acids, renal insufficiency, chronic (Czerniak) 28(1970)403
normal, children, LDH in (Van der Heiden, Desplanque, Stoop, Wadman) 22(1968)409
–, nothing dehydrogenase in (Mezey, Slater, Holt) 25(1969)11
– and pathological, creatine kinase isoenzymes in (Menache, Rubinstein, Gaist, Marziuk) 19(1968)33
–, phenols, colorimetry, diazo reaction (Müting, Keller, Kraus) 27(1970)177
[^{131}I] triiodothyronine-binding, electrophoresis (Itoh, Miyai, Kimura, Abe, Kumahara) 30(1970)259
–, tryptic and α-chymotryptic activity (Bieth, Metais, Warter) 20(1968)69
ornithine carbamyltransferase, measurement (Konttinen) 21(1968)29
–, in sheep and cattle (Healy) 22(1968)603
–, simple d. (Konttinen) 18(1967)147
pathological, creatine phosphokinase isoenzymes (Goto, Katsuki) 30(1970)795
– enzyme patterns of esterase-active components (Götz, Scheiffarth, Victor) 21(1968)119
peptidase activity in hepatic disorders (Horký, Placer, Soušek) 16(1967)279
phenobarbitone and diphenylhydantoin, micro-d., gas–liquid chromatography (Baylis, Fry, Marks) 30(1970)93
phenolic acids, paper chromatography (Stott) 20(1968)181
phenylalanine, chromatographic and fluorimetric d. (Berry) 20(1968)299
–, fluorimetry (Terlingen, Van Dreumel) 22(1968)643
phospholipid constituents, quantitative d., thin-layer chromatography and P analysis (Williams, Kuchmak, Witter) 25(1969)447
phosphorus, anorganic, micro-d. (Štěpánová) 16(1967)330
pooled, dialysed, quality control (Teasdale, Beaumont, Parkes) 30(1970)535

potassium levels (Pannall, Rossi) 30(1970)218
prealbumins, and α_1-antitrypsin, polymorphism (Fagerhol, Laurell) 16(1967)199
properdin estimation in, immunodiffusion (Pietruska, Drozd, Bogdanikowa) 21(1968)139
properties of a cryoglobulin (Bobrzecka, Konieczny, Zak) 18(1967)117
protein(s), agar gel electrophoresis, evaluation, normal ranges, age-dependence (Rieder, Nusselt) 24(1969)159
–, in alcoholic cirrhosis (Agostoni, Vergani, Stabilini, Marasini) 26(1969)351
–, bilirubin binding to (Cooke, Roberts) 26(1969)425
–, C-reactive, quantitative measurement (Kindmark) 26(1969)95
– changes, acute phase reaction (Werner) 25(1969)299
–, disc electrophoresis, quantitation and specific detection (Felgenhauer) 27(1970)305
–, electrophoresis on plaster of Paris (Affonso, Afonso) 21(1968)315
–, enzymes and isoenzymes in fractions (Pruden, Creason, Creason, Block) 20(1968)173
–, fractionation on Cellogel RS strips (Del Campo) 22(1968)475
–, isoelectric focusing in acrylamide gels before electrophoresis (Dale, Latner) 24(1969)61
–, quantitative estimation by immunological methods (Rowe) 22(1968)43
–, –, comments (Jensen) 22(1968)47
–, renal clearance (Hardwicke) 22(1968)45
–, thermosoluble (Poortmans) 30(1970)671
–, thyroxine-binding, quantitative immunoelectrophoresis (Freeman, Pearson) 26(1969)365
–, unique, from carcinoma patients, and from embryonic and neonatal sera (Takahashi, Yachi, Anzai, Wada) 17(1967)5
– values, multiple sclerosis (Minchin Clarke, Freeman, Pryse-Phillips) 30(1970)65
protein-bound Mg and Ca, Sephadex G-25 estimation (Usher, Deegan) 29(1970)361
proteolytic enzyme activity in (Wagner, Duck) 18(1967)11
pseudocholinesterase, in schizophrenia (Parveen, Rahman, Hassan) 30(1970)497
rat inflammatory, isolation α_2-glycoprotein (Menninger, Esber, Arthur) 27(1970)385
reducing capacity, affecting assay of serum iron (Ryall, Fielding) 28(1970)193
sideraemia, rapid d. (Pré, Giraudet, Cornillot) 22(1968)429
soluble collagen in (Oh, Neff, Block) 21(1968)1
sulfobromophthalein, d. (Ott, Pirrwitz) 22(1968)439
tetracycline levels after different administration forms (Altmann, Beeuwkes, Brombacher, Buytendijk, Gijzen, Maesen) 20(1968)185
thyroid hormones and precursors, isolation (Schreiber, Ortner, Spitzy) 30(1970)129
thyroxine, free, influence of predialysis and radioactive contaminants (Herrmann, Krüskemper, Müller) 24(1969)457
–, (T_4), semiautomated m., without incineration (Keller, Weidler, Ammon) 29(1970)579
thyroxine-binding proteins, radioimmunoelectrophoretic analysis (Miyai, Itoh, Abe, Kumahara) 22(1968)431
transaminase, SGOT and SGPT, ultramicro, calibration (Lippi, Guidi, Pavan) 30(1970)845
transcobalamins, binding of vitamin B_{12}, heat effect (Gullberg) 29(1970)97
trehalase, assay and normal values (Van Handel) 29(1970)349
triglycerides, colorimetry (Fletcher) 22(1968)393
– fasting and postprandial, epidemiological surveys (Zweers, Yaron, Groen) 19(1968)267
–, fluorometric d. of Kessler and Lederer (Claude, Corre, Levallois) 19(1968)231
–, ultramicro fluorimetric d. (Gödicke, Gerike) 30(1970)727
trypsin-like activity (Szczeklik) 23(1969)219
vanilmandelic acid in, ^{14}C estimation t. (O'Gorman) 19(1968)485
vitamin A estimation, microfluorometric (Selvaraj, Paramasivam, Susheela) 27(1970)165
vitamin B_{12}, radioassay (Tibbling) 23(1969)209
–, radioisotope assay (Jacobs, Zondag) 24(1969)93
zinc, normal values, two photometric m. (Stojanovski-Bubanj, Keler-Bačoka) 25(1969)478
Sialoglycopeptide
normal urine, acetylneuraminic acid in (Carrion, Bourrillon, Cabezas) 26(1969)481
–, sialic acid-rich (Carrion, Bourrillon,

(Sialoglycopeptide)
Cabezas) 25(1969)351
Sialuria
a type of melituria (Montreuil, Biserte, Strecker, Spik, Fontaine, Farriaux) 21(1968)61
Sickle cell anaemia
influence of red cell transfusions on hyposthenuria and renal haemodynamics (Statius van Eps, Schouten, La Porte-Wijsman, Struyker-Boudier) 17(1967)449
Sickle cell disease
immunoglobulin levels (Caggiano, Holden) 21(1968)265
Sickle cell haemoglobin studies
in homozygotes and heterozygotes (Wrightstone, Huisman, Van der Sar) 22(1968)593
Sideremia
serum, rapid d. (Pré, Giraudet, Cornillot) 22(1968)429
Skeletal abnormalities
and mental retardation, chemical and enzymatic studies (Clausen, Dyggve, Melchior) 29(1970)197
Skeletal muscle of normal and dystrophic rats
sulphydryl groups in (Hooton, Watts) 16(1967)173
Skin
collagen metabolism, in Marfan's syndrome (Laitinen, Uitto, Iivanainen, Hannuksela, Kivirikko) 21(1968)321
L-histidine ammonia-lyase and urocanic acid in, measurement (Whitfield, Shepherd) 29(1970)181
labile collagen in, kwashiorkor (Vasantha) 26(1969)277
ornithine-ketoacid transaminase in (Shih, Schulman) 27(1970)73
Slot's method
improved, creatinine d. (Grafnetter, Janošová, Červinková) 17(1967)493
Sodium
d., atomic absorption, perchloric acid interference (Rees, Hughes) 21(1968)515
chloride, influence on gel filtration of oestrogens (Van Tilburg, Muller) 29(1970)5
potassium, in biological fluids, interference in flame photometric measurement (Knauff) 20(1968)135
Spectrofluorimetry
and column chromatography, tryptamines (Iskrić, Stančić, Kveder) 25(1969)435
direct, of Kober chromogens (Škramovský, Haeberle) 22(1968)161
5-methoxytryptamine (Dreux) 30(1970)519
micro-estimation of free tryptophan in plasma (Wapnir, Stevenson) 26(1969)203
Spectrophometric d.
of blood oxygen saturation (Mook, Van Assendelft, Zijlstra) 26(1969)170
of HbO_2, HbCO and Hb in blood, CO-Oximeter studies (Maas, Hamelink, De Leeuw) 29(1970)303
of serum iron, compared with atomic absorption (Tavenier, Hellendoorn) 23(1969)47
of sulphhaemoglobin and methaemoglobin in blood (Nichol, Morell) 22(1968)157
of zinc, in serum and urine (Mikac-Dević) 23(1969)499
Spectrophotometric study
bilirubin interference, Huang reaction for cholesterol (Zak, Weiner, Welsh) 30(1970)697
Spectrophotometry
atomic absorption, measurement of haemoglobin-iron (Van Assendelft, Zijlstra, Buursma, Van Kampen, Hoek) 22(1968)281
bile salts, after chromatographic separation (Turnberg, Anthony-Mote) 24(1969)253
bilirubin in amniotic fluid, Millipore filtration (Conradie) 25(1969)205
Spectrophotometry
u.v., control serum for assay of GOT and GPT (Ebeling, Meijers, Spijkers) 27(1970)214
Spectroscopy
atomic absorption, direct d. of zinc in blood, plasma, urine (Dawson, Walker) 26(1969)465
– and flame emission, lithium d. in serum (Blijenberg, Leijnse) 19(1968)97
emission and atomic absorption, biological problems (Vallee) 25(1969)307
infrared, of aqueous solutions, micro-d. of proteins (Beyermann) 18(1967)143
Splenomegaly
macroglobulinaemia in (Meiser, Huhnstock, Weicker, Charmot) 16(1967)1
Sprue
tropical, dissaccharidase levels in jejunal biopsy specimens (Swaminathan, Mathan, Baker, Radhakrishnan) 30(1970)707
Sputum
glycoproteins in (Havez, Deminatti, Roussel, Degand, Randoux, Biserte) 17(1967)463
proteins, behaviour after secretolysis (Götz, Fischer) 30(1970)53
Statistical analysis
normal ranges for 17 blood constituents

(Roberts) 16(1967)69
Steroid(s)
estimation, urinary tetrahydrocortisol and tetrahydrocortisone (Green, Hallaways, Blacker) 20(1968)189
excretion, children gonadal dysgenesis (Gupta, Zimprich) 27(1970)281
–, faecal, in hyperlipidaemic patients, during weight reduction (Miettinen) 19(1968)341
extraction, urine (Shackleton, Sjövall, Wisén) 27(1970)354
neutral, urinary, in adults and infants (Shackleton, Charro-Salgado, Mitchell) 21(1968)105
–protein binding, competitive adsorption (Heyns, Van Baelen, De Moor) 18(1967)361
spectrum, urinary, gas chromatography (Van Kampen, Hoek) 16(1967)442
urinary, children, lipodystrophy (Gupta) 26(1969)357
–, gas chromatographic spectra (Hoek, Van Kampen) 19(1968)371
–, –, testicular tumours (Frensdorf, Van Kampen, Hoek) 28(1970)77
–, gas chromatography of reduction products (Leach, Hammond) 21(1968)23
–, modification of Bush and Willoughby m. (Boyce, Jenner) 23(1969)23
–, nalidixic acid (Jeanjean, Rousseau, Harvengt) 26(1969)179
–, and penicillins (Jeanjean, Rousseau, Harvengt) 25(1969)103
– phenolic, extraction (Usui) 24(1969)467
Steroid sulphates
neutral, quantitative d. (Jänne) 29(1970)529
in plasma (Jänne, Vihko, Sjövall, Sjövall) 23(1969)405
Sterols from biological substances
chromatography, atherosclerosis research (Claude) 17(1967)371
Streptomycin
renal effects, rat (Raab) 29(1970)451
Sucrose synthesis
in vivo (Rosenfeld, Gorodezki, Zarubina) 24(1969)469
Sugar uptake in peroral biopsy specimens
simple d. (Semenza, Bircher, Mülhaupt, Koide, Pfenninger, Marthaler, Gmünder, Haemmerli) 25(1969)213
Sulfate
urinary, in kwashiorkor (Ittyerah) 25(1969)365
Sulfite oxidase deficiency
screening, bed-side test (Kutter, Humbel) 24(1969)211
Sulfonamides
effect on renal enzyme excretion (Raab, Hohenegger) 20(1968)95
estimation of γ-glutamyltranspeptidase activity (Dimov) 21(1968)427
Sulfobromophthalein
serum, d. (Ott, Pirrwitz) 22(1968)439
Sulfur
elementary, sulfhaemoglobin formation (Frendo) 24(1969)1
urinary, and whole-body catabolism, effect of burns, age, protein restriction (Jackson) 22(1968)443
Surgical operations
minor, lipoprotein lipase activity, before and after (Ham, Slack) 25(1969)417
Surgical stress
polyuronide excretion after (Stern, Cosmas, Smith) 21(1968)181
Sulphaemoglobin formation
role of elementary sulphur and erythrocyte glutathione (Frendo) 24(1969)1
Sulphatase activity
urinary, in mastocytosis (Clausen, Asboe-Hansen) 16(1967)131
Sulphydryl groups in rat skeletal muscle
normal and dystrophic (Hooton, Watts) 16(1967)173
Synovial fluid
aminotripeptidase in, estimation (Markovič, Hüttl) 16(1967)105
chondroitin sulphate in, rheumatoid arthritis (Seppälä, Lehtonen, Kärkkäinen, Näntö) 16(1967)115
degradation, by L-ascorbic acid, effect of inhibitors (Caygill, Ali) 26(1969)395
– by hyaluronidase, serum and testicular, effect of inhibitors (Caygill, Ali) 26(1969)395
separation of hyaluronic acid, agarose gels (How, Long) 23(1969)251
Synovial tissue
increased protocollagen proline hydroxylase, rheumatoid arthritis (Uitto, Lindy, Rokkanen, Vainio, Heinola) 30(1970)741

T

Tamm–Horsfall mucoprotein
viscosity, in cystic fibrosis (Stevenson) 23(1969)441
Tay–Sachs brains
amino acid composition gray matter ganglioside-peptides of normal human (Palo, Saifer) 27(1970)481
Tay–Sachs disease
carriers, identification, acrylamide gel electrophoresis (Friedland, Schneck, Saifer, Pourfar, Volk) 28(1970)397
free amino acids in brain matter (Palo, Saifer) 22(1968)327
Teepol
serum iron and total iron-binding capacity d. (Colenbrander, Vink) 28(1970)175
Terosite sulfonate
serum iron d. (Zak, Baginski, Epstein, Weiner) 29(1970)77
Testicular glucose-6-phosphate dehydrogenase
inhibition by dehydroepiandrosterone and its sulfoconjugates (Menzel, Oertel) 29(1970)195
Testosterone
plasma binding, Norit extraction, normal men and women with polycystic ovary syndrome (Southren, Olivo, Gordon, Tochimoto) 30(1970)538
like substances, plasma, simple m., competitive protein binding (Anderson) 29(1970)513
urinary (Moxham, Nabarro) 22(1968)385
–, in Down's syndrome (Peters, Culley) 25(1969)199
Tetracycline
serum levels after (Altmann, Beeuwkes, Brombacher, Buytendijk, Gijzen, Maesen) 20(1968)185
Tetrahydrocortisol
urinary, estimation (Green, Hallaways, Blacker) 20(1968)189
Tetrahydrocortisone
urinary, estimation (Green, Hallaways, Blacker) 20(1968)189
Tetrazolium salt staining method
glutamate dehydrogenase, identification (Pashev) 30(1970)25
Thalassaemia
ascorbic acid malabsorption (Liakakos, Matsaniotis, Karpouzas, Morphis, Agathopoulos) 26(1969)197
Thiobarbituric acid-reacting chromogen
in red cells (Stocks, Dormandy) 27(1970)117
Thiobarbituric acid reagent
colorimetric d. of phosphohexose isomerase (German, Galli, Maison, Galli) 22(1968)551
Thioflavine T
interaction with water-soluble amyloid fibrils (Soppitt, Pennock) 26(1969)165
Thioglycollate
dissociation of iron–transferrin (Fielding, Ryall) 28(1970)423
Thrombin
α_1-antitrypsin inhibitor (Gans, Tan) 17(1967)111
Thyroid
disease, alkaline phosphatase levels in (Cassar, Joseph) 23(1969)33
–, diagnosis (Rall) 25(1969)339
–, fatty acids in serum lipids (Felt, Husek) 23(1969)331
–, monoamine oxidase activity in (Hidaka, Nagatsu, Nagasaka, Ishizuki) 23(1969)383
disorders, diagnosis, significance of urinary hydroxyproline (Uitto, Laitinen, Lamberg Kivirikko) 22(1968)583
function, simple screening test (Jacobs, Zondag) 20(1968)113
glands, monoamine oxidase, thyroid disease (Hidaka, Nagatsu, Nagasaka, Ishizuki) 23(1969)383
hormones, isolation, blood serum, precursors (Schreiber, Ortner, Spitzy) 30(1970)129
Thyroidal iodinated compounds
in nodular goitre (Levis, Koutras, Vagenakis, Messaris, Miras, Malamos) 20(1968)127
Thyrotoxicosis
enzyme activity in blood and red cells (Konttinen, Viherkoski) 22(1968)145
Thyroxine-binding proteins in serum
radioimmunoelectrophoretic analysis (Miyai, Itoh, Abe, Kumahara) 22(1968)341
Thyroxine
free, serum, predialysis and radioactive contaminants (Herrmann, Krüskemper, Müller) 24(1969)457
role in biosynthesis of transcortin (Guidollet

Louisot) 27(1970)133
(T_4) serum semiautomated m. without incineration (Keller, Weidler, Ammon) 29(1970)579
Tissue
acid mucopolysaccharides, simple analysis (Mier, Wood) 24(1969)105
amino acids, simple screening (Adriaenssens, Vanheule, Karcher, Mardens) 18(1967)351
diphenylhydantoin in, d. (Morselli) 28(1970)37
extracts, inhibition of catalase (Tudhope) 25(1969)379
glycogen, micro estimation, rapid enzymic m. (Huijng) 30(1970)567
LDH isoenzymes, estimation on cellulose acetate (Stagg, Whyley) 19(1968)139
lipids, screening test (Adriaenssens, Vanheule, Karcher, Mardens) 23(1969)449
proteins, iron binding (McLennan, Parker Lewis) 18(1967)371
Tocopherol
and lipoprotein levels, serum (Davies, Kelleher, Losowsky) 24(1969)431
o-Toluidine
blood glucose d. (Ceriotti, De Nadai Frank) 24(1969)311
Toxicological analysis
5-H-dibenzo-azepines, biological fluids (Lemontey, Meunier, Lafargue) 30(1970)713
TPNH dehydrogenase
(reduced NAD(P) oxidoreductase), role in human erythrocytes (Sass) 21(1968)101
Trace elements
in human hair, atomic absorption spectroscopy (Harrison, Yurachek, Benson) 23(1969)83
Trace metals
in brain and hair, atomic absorption spectrophotometry (Backer) 24(1969)233
Tracers
labelled, glomerular filtration rate d. (Marlow, Sheppard) 28(1970)479
–, inulin, measurements, physiological (Marlow, Sheppard) 28(1970)469
Transaminases
serum, in infecious hepatitis (Bastos de Jorge) 20(1968)111
Transcobalamin(s)
binding to Sephadex G-200 (Hom) 18(1967)315
serum, vitamin B_{12} binding, heat effect (Gullberg) 29(1970)97
Transcortin
activity, and age, diabetes mellitus (De Moor, Bouillon, Van Mieghem) 30(1970)627
–, normal adults, variation (De Moor, Stein, Claes, De Baene, Joossens) 30(1970)311
biosynthesis, role of 3′,5′-adenosine monophosphate in cellular synthesis (Guidollet, Oziol, Louisot) 30(1970)689
–, role of thyroxine in cell mechanism (Guidollet, Louisot) 27(1970)133
–, steroid fixation in rat liver cells (Guidollet, Louisot) 23(1969)121
rapid estimation on biogels (Golikov) 26(1969)41
Transferrin
plasma, binding of trace amounts of $^{113m}In^{3+}$ (Hosain, McIntyre, Poulose, Stern, Wagner Jr.) 24(1969)69
serum, d. with Rivanol (Sagan) 21(1968)225
Transfusions
red cell, influence on hyposthenuria and renal haemodynamics in sickle cell anaemia (Statius van Eps, Schouten, La Porte-Wijsman, Struyker-Boudier) 17(1967)449
Transpeptidase and peptidase activity in CSF
d. (Swinnen) 17(1967)255
Transplantation
cadaveric (Peart) 22(1968)91
problems (Salaman) 22(1968)115
Trehalase
plasma, in diabetes mellitus (Eze, Price Evans) 28(1970)153
Tricarboxylic acid
gas chromatography (Ishitoya, Itoh, Osawa, Hashimoto, Iwanaya) 27(1970)233
Triethyl lead, inhibitory effect on serum cholinesterase (Galzinga, Corsi, Saia, Rizzoli) 26(1969)391
Triglycerides
d., mannitol as standard (Kanter) 16(1967)177
medium-chain, in faecal lipids, d. (Friedner, Moberg) 18(1967)345
serum, colorimetry (Fletcher) 22(1968)393
–, ultramicro fluorimetric d. (Gödicke, Gerike) 30(1970)727
2,4,6-Trinitrobenzenesulphonic acid
isonicotinic acid hydrazide in whole blood (Dymond, Russell) 27(1970)513
Trypanosomiasis
macroglobulinaemia in (Meiser, Huhnstock, Weicker, Charmot) 16(1967)1
Trypsin
binding by α_2-macroglobulin (Boyde, Pryme) 21(1968)9
-binding proteins, in colostrum (Counitchansky, Berthillier, Got) 26(1969)223
chymotrypsin, complex with IgA, colostrum

(Trypsin)
(Counitchansky, Berthillier, Got) 30(1970)83
–, d. with Remazolbrilliant Blue-hide (Rinderknecht, Silverman, Geokas, Haverback) 28(1970)239
enzyme, susceptibility of various kinds of elastin (Loeven) 27(1970)521
like activity of serum, electrophoretic separation (Szczeklik) 23(1969)219
and trypsin inhibitors, in pathological effusions (Bieth, Metais, Warter) 22(1968)639
Tryptamine
metabolites, biological material, separation and quantitation (Iskrić, Stančić, Kveder) 25(1969)435
urinary (DeQuattro, Sjoerdsma) 16(1967)227
Tryptic and α-chymotryptic activity
normal serum (Bieth, Metais, Warter) 20(1968)69
Tryptophan
estimation in plasma and urine, chromatography and fluorescence (Gibbs, Saunders, Sweeney) 17(1967)317
free, in plasma, spectrofluorometric micro-estimation (Wapnir, Stevenson) 26(1969)203
load test, pregnancy, pyridoxal phosphate in plasma after (Hamfelt, Hahn) 25(1969)91
–, –, total urinary oestrogen after (Hamfelt, Hahn) 25(1969)91
–, –, xanthurenic acid in urine after (Hamfelt, Hahn) 25(1969)91
metabolism, in low-birth-weight newborns (Ziegler, Berger) 28(1970)369
–, sex, age and breast cancer (Rose) 18(1967)221
metabolites estimation (Cavill) 18(1967)285
–, excretion, cortisol on (Genefke, Halter, Dreux) 24(1969)239
–, urinary, nicotinamide on, Hodgkin's disease (Muggeo, De Antoni, Allegri, Crepaldi, Costa) 30(1970)779
–, in normal urine (Benassi, Veronese, De Antoni) 17(1967)383
Tumours
bone, plasma, free amino acids (Zender, Courboisier) 27(1970)259
female genital tract, LDH isoenzymes (Stagg, Whyley) 22(1968)521
testicular, gas-chromatographic spectra, urinary steroids (Frensdorf, Van Kampen, Hoek) 28(1970)77
tissue catecholamines, in neuroblastoma, ganglioneuroma, phaeochromocytoma (Hinterberger, Bartholomew) 23(1969)169
Turbidity test
estimation of immune globulins in neonatal calf serum (McEwan, Fisher, Selman, Penhale) 27(1970)155
Tyramine
urinary (DeQuattro, Sjoerdsma) 16(1967)227
–, origin of (Asatoor) 22(1968)223
p-Tyramine
urinary, in hypertyrosinaemia (Bremer, Jaenicke, Leupold) 23(1969)244
Tyrosinaemia
hereditary, excretion of δ-aminolevulinic acid (Gentz, Johansson, Lindblad, Lindstedt, Zetterström) 23(1969)257
estimation, paper chromatography (Coward, Smith) 17(1967)399
plasma, reduction by oral contraceptives and oestrogens (Rose, Cramp) 29(1970)49
Tyrosine aminotransferase induction
and reduction of plasma tyrosine by oral contraceptives and oestrogens (Rose, Cramp) 29(1970)49

U

Ultracentrifugation
analytical, low density lipoproteins (Stone, Thorp, Mills, Dick) 30(1970)809
Umbilical cord blood
ATP: creatine phosphotransferase in (Griffiths) 20(1968)465
Uraemia
chronic, hydroxyproline in (Dubovský, Dubovská, Pacovský, Hrba) 19(1968)387
glucose utilization in muscle (Dzúrik, Valovičová) 30(1970)137
protein loss, chronic renal disease (Maiorca, Scarpioni Cambi, Carrara, Dall'Aglio) 16(1967)253
retention of pseudouridine and 4-amido-5-imidazole carboxamide (Asatoor) 20(1968)407
Uraemic acidosis
metabolic studies of plasma acids (Campanacci, Guarnieri, Siliprandi, Fiaschi) 20(1968)341
Uranium
in biological material, polarographic d. (Voloder) 24(1969)373
Uranyl nitrate intoxication
experimental, rat, xanthine oxidase in blood, liver, kidney (Bastide, Bastide) 25(1969)127
Urea
clearance and glomerular filtration rate (Brulles, Gras, Magriña, Torres, Caralps) 24(1969)261
d. in blood, diacetylmonoxime m. (Bohuon, Delarue, Comoy) 18(1967)417
– of LDH isoenzymes (Emery, Moores, Hodson) 19(1968)159
– in protein-containing biological media, diacetylmonoxime (Siest, Vigneron) 20(1968)373
formation, from labelled ammonia, in argininosuccinic aciduria (Crane, Gay, Jenner) 24(1969)445
inhibition, estimation of LDH isoenzymes (Welshman, Rixon) 19(1968)121
–LDH, clinical test, pyruvate concentrations (Lindy, Konttinen) 17(1967)223
selective inhibitor of tissue alkaline phosphatases (Bahr, Wilkinson) 17(1967)367
–urease system, inhibition of tissue alkaline phosphatase (Metz, Pinsky, Wilkinson) 30(1970)325
urinary, colorimetric d. with nioxime (Siest) 18(1967)155
Uric acid
in blood and urine (Wells) 22(1968)379
plasma, simple estimation (Lavery) 21(1968)415
in serum and urine (Troy, Purdy) 27(1970)401
Uridine diphosphate glucuronyl transferase
bilirubin, in liver biopsy specimens, d. (Black, Billing, Heirwegh) 29(1970)27
hepatic, microassay (Wong) 26(1969)119
Uridine diphosphate sugars
formation from [^{32}P] hexose phosphates, in red cells (Sawicka, Chojnacki) 23(1969)463
Urinary acids
measurement, tetrahydrofolic acid–enzyme system (Casey, Wells) 19(1968)165
Urinary acidification
in children (Matsuda, Takeda, Shida) 20(1968)37
Urine
N-acetylneuraminic acid, in kwashiorkor (Ittyerah) 29(1970)145
N-acetylnormetanephrine and *N*-acetylmetanephrine, neuroblastoma (Borud, Gjessing) 27(1970)552
N-acetyltyramine, in neuroblastoma (Von Studnitz, Hanson) 16(1967)180
acid mucopolysaccharides, Hunter's syndrome, thin-layer gel filtration (Taniguchi) 30(1970)801
–, urine and tissue, connective tissue proliferation, rat (Koizumi, Mukuda, Nakamura, Abe) 26(1969)477
alanine aminopeptidase, De Toni–Debré–Fanconi syndrome (Peters, Schneider, Unger, Fukala, Gerlach, Böhme, Haltrich, Haschen) 29(1970)576
α-amino acids, rapid d. (Wells) 25(1969)27
amino N, measurement with 1-fluoro-2,4-dinitrobenzene (Goodwin) 21(1968)231
p-aminophenyl glucuronide derivatives, chromatography and colorimetry (Lower, Jr., Murphy, Bryan) 29(1970)421

(Urine)
ammonia, automatic d., Logsdon's m. (Dieu) 28(1970)209
α-amylase, rapid clinical d. (Ceska, Birath, Brown) 26(1969)437
bilirubin pigments in, d. (Weber, Sindram) 18(1967)169
calcium, crystals, measurement (Robertson) 26(1969)105
–, d. (Rudolph, Holler, Jr., Ford) 18(1967)187
– estimation, resin exchange m. (Chen, Dotti) 18(1967)453
– and Mg determination, atomic absorption spectrophotometry (Pybus) 23(1969)309
calcium phosphate precipitation, peptide inhibitors, in normal and stone-forming men (Robertson, Hambleton, Hodgkinson) 25(1969)247
catecholamines, abnormal, thin-layer chromatography (Gutteridge) 21(1968)211
–, collagen diseases, children (Matsaniotis, Danelatos-Athanassiadis, Agathopoulos, Charokopos, Constantsas) 22(1968)195
– metabolites, separate d. (Sapira) 20(1968)139
–, in neuroblastoma, ganglioneuroma, phaeochromocytoma (Hinterberger, Bartholomew) 23(1969)169
chondroitin sulfates, in normals and connective tissue disease, enzymatic studies (Murata, Ishikawa, Oshima) 28(1970)213
copper, atomic absorption spectroscopy (Dawson, Ellis, Newton-John) 21(1968)33
–, micro-d. with 1,5-diphenylcarbazide (Mikac-Dević) 26(1969)127
corticosteroids, fractionation, thin-layer chromatography photometric evaluation (Abraham, Gütte, Hild) 27(1970)395
cortisol, free and 20-dihydrocortisol, fluorometry (Usui, Kawamoto) 30(1970)595
coulometric d. uric acid in serum (Troy, Purdy) 27(1970)401
creatinine, constancy of 24-h excretion (Scott, Hurley) 21(1968)411
–, relative constancy of output (Paterson) 18(1967)57
dihydroxyphenylalanine oxidase, in malignant melanoma (Richterich, Cantz, Dauwalder) 29(1970)295
6,8-dihydroxypurine, gout, allopurinol treatment (Simmonds, Sneddon) 30(1970)421
disulfides, reduction with Na and K borohydrides (Bir, Crawhall, Mauldin) 30(1970)183
dopamine, rapid fluorometric d. (Oberman, Chayen, Herzberg) 29(1970)391
enzyme activities, alterations in water and ion excretion levels (Hohenegger, Raab) 28(1970)61
enzyme patterns in healthy subjects (Werner, Heilbron, Maruhn, Atoba) 29(1970)437
EDTA in, simple d. (Blijenberg, Leijnse) 26(1969)577
fluoride, direct d., fluoride electrode (Tušl) 27(1970)216
folic acid, absorption and load tests, fluorometric d. (Hla-Pe, Aung-Than-Batu) 24(1969)381
formiminoglutamic acid, ascorbic deficiency, infants (Fondu, Mandelbaum, Dubois) 28(1970)111
glucose, abnormal, failure of detection (Naganna, Rajamma, Vasudeva) 17(1967)219
–, d., fluorometric m. (Scherstén, Tibbling) 18(1967)383
–, trace amounts, d. (Soler, Adams) 30(1970)289
glucosidases, detection of kidney damage (Dance, Price, Robinson, Sterling) 24(1969)189
α-glucosidases in (Franzini, Bonini) 17(1967)505
glucosylgalactosylhydroxylysine, in neuroblastoma (Shimizu, Labrosse) 22(1968)623
α_1-glycoprotein isolation, simple batch method (Lange) 18(1967)459
glycosaminoglycans, acidic, in disease, d. (Wessler) 16(1967)235
– *vs.* creatinine as parameter (Di Ferrante, Lipscomb) 30(1970)69
hexosamine, in acetylator phenotypes (White, Price Evans) 18(1967)161
high phosphate, in pseudogout, acute phase (Machtey, Lev, Fischl) 28(1970)507
homovanillic acid in, fluorometric d. (Geissbühler) 26(1969)231
–, and vanilmandelic acid, gas chromatography (Sprinkle, Porter, Greer, Williams) 25(1969)409
hydrolysed, fluorometric d. of normetanephrine, metanephrine, 3-methoxytyramine (Geissbühler) 30(1970)143
hydroxyaminobarbitone in, gas–liquid chromatography (Grove, Toseland) 29(1970)253

3-hydroxyanthranilic acid, free and conjugated, enzymatic estimation (Schievelbein, Buchfink) 18(1967)291
5-hydroxyindoleacetic acid in, fluorimetric d. (Korf, Valkenburgh-Sikkema) 26(1969)301
4-hydroxy-3-methoxymandelic acid, automated quantitative d. (Gutteridge) 28(1970)311
HMMA in normal, fasting subjects and in colitis (Goodman, Olenczak, Hiatt) 16(1967)245
HMPG, gas–liquid chromatography and electron capture detection (Wilk, Gitlow, Clarke, Paley) 16(1967)403
hydroxyproline, d. (Dupont) 18(1967)59
–, – (Koevoet, Baars) 25(1969)39
–, diagnosis of thyroid disorders (Uitto, Laitinen, Lamberg, Kivirikko) 22(1968)583
–, leprosy (Cherian, Karat, Radhakrishnan) 25(1969)395
–, liver and bone diseases (Cerda, Toskes, Shopa, Wilkinson) 27(1970)437
–, in normal Japanese children (Yamamoto, Matsuda) 22(1968)648
–, in premature infants (Smith, Dehan, Reynolds) 21(1968)491
–, total, in primary hyperparathyroidism (Smith) 18(1967)47
5-hydroxytryptamine in, d. (Korf) 23(1969)483
indole melanogens, thin-layer chromatography (Badinand, Pasquier, Vallon, Guilluy, Milon) 25(1969)357
indole metabolites, in vitiliginous patients (Chakravorty, Chaudhuri) 22(1968)298
indoxyl sulphate in, estimation (Rylance) 26(1969)99
isocitrate dehydrogenase, renal damage, rat (Raab) 25(1969)21
ketone bodies, estimation (Göschke) 28(1970)359
17-ketosteroids, colorimetric estimation, comparison of m. (Georges, Politzer) 18(1967)447
LDH, and glomerulonephritis (Mojzis, Ninger) 27(1970)145
Mg d. in (Bauditz) 17(1967)207
–, chelatometric d. (Wünsch) 30(1970)157
melanin precursors in, malignant melanoma (Hinterberger, Freedman, Bartholomew) 18(1967)377
metanephrine and normetanephrine, column chromatographic separation and fluorometric estimation (Kahane, Vestergaard) 25(1969)453
3-methoxy-5-hydroxy phenylglycol, gas chromatographic estimation (Kahane, Mowat, Vestergaard) 30(1970)683
3-methoxytyramine, fluorimetric d., quantitative (Käser, Thomke) 27(1970)203
ε-*N*-methyllysine in (Asatoor) 26(1969)147
methylmalonic acid, precursors, measurement (De Grazia, Fish, Pollycove, Ponnamperuma) 23(1969)279
–, thin-layer and gas chromatographic measurement (Gompertz) 19(1968)477
mono- and disaccharides in, gas–liquid chromatography (Bhatti, Clamp) 22(1968)563
mucopolysaccharides, composition (Spranger, Todt, Wiedemann) 17(1967)138
neutral steroids, in adults and infants (Shackleton, Charro-Salgado, Mitchell) 21(1968)105
newborns, normal children and in collagen disease, free proline and collagen metabolites in (Danelatos-Athanassiadis, Constantsas, Agathopoulos, Matsaniotis) 23(1969)153
• nitrogen, total, rapid d. (Meijers, Rutten) 24(1969)308
non-pregnancy, oestrogens in, fluorimetry (Corns, James) 22(1968)469
normal, bilirubin-like material in (Fevery, Jansen, Meuwissen, Heirwegh) 21(1968)401
–, phenols, colorimetry, quantitative, diazo reaction (Müting, Keller, Kraus) 27(1970)177
–, protein and LDH isoenzyme pattern, gel disc electrophoresis (Hemmingsen, Skov) 19(1968)81
–, sialic acid-rich glycopeptide in (Carrion, Bourrillon, Cabezas) 25(1969)351
–, sialoglycopeptide, acetylneuraminic acid in (Carrion, Bourrillon, Cabezas) 26(1969)481
–, and stone-forming, Ca and Mg salts, gel filtration behaviour (Zarembski, Hodgkinson) 24(1969)139
normetadrenaline, in essential hypertension (Stott, Robinson) 16(1967)249
normetanephrine and metanephrine, gas–liquid chromatographic separation and quantitation (Bertani, Dziedzic, Clarke, Gitlow) 30(1970)227
oestriol, automated d. (Barnard, Logan) 29(1970)401
–, pregnancy, reliable d. (Goebelsmann) 23(1969)469

(Urine)
oestrogens, photometric assay (Pieterse, Scholtis, Schmidt) 26(1969)111
oxalate (Giterson, Slooff, Schouten) 29(1970)342
–, factors influencing (Zarembski, Hodgkinson) 25(1969)1
oxosteroids, estimation (Chambers, Dos Reis Valle, Fotherby) 17(1967)135
O-conjugates of 5-hydroxytryptamine, d. (Korf, Sebens) 27(1970)149
peptides, hydroxyproline-containing, fractionation by gel filtration (Hanson, Wiederanders) 25(1969)255
peptide hydroxyproline, burns (Jackson, Elliot) 23(1969)97
pH, vanillic acid excretion (Price) 26(1969)413
phenolic acids and alcohols in, gas chromatographic measurement (Karoum, Ruthven, Sandler) 20(1968)427
–, thin-layer chromatography (Ersser, Oakley, Seakins) 30(1970)243
phenolic and indolic metabolites, gas-chromatographic measurement (Karoum, Anah, Ruthven, Sandler) 24(1969)341
phosphatase isoenzymes, thin-layer, starch-gel electrophoresis (Maruna) 25(1969)133
porphyrin excretion (San Martin de Viale, Viale, Nacht, Grinstein) 28(1970)13
pregnancy, oestriol in (Kreutzer, Meulendijk) 22(1968)481
–, – and creatinine (Welshman, Armstrong, Bell) 26(1969)339
–, – and oestetrol levels, gas–liquid chromatography (Lee, Wood) 30(1970)221
–. – and pregnanolone in (Calseyde, Scholtis, Schmidt, Kuypers) 25(1969)345
–, pregnancy, oestrogen d. (Nordström) 20(1968)239
– test, iodine, chemical nature (Schales) 26(1969)323
–, total oestrogens in, rapid estimation (Contractor, Jacoby) 28(1970)317
pregnanediol, rapid estimation (Levell, Cottam) 23(1969)231
– and pregnanetriol, gas chromatography (Van de Calseyde, Scholtis, Schmidt, Kuypers) 27(1970)139
–, thin-layer chromatography and photometry (Abraham, Gütte, Hild, Taubert) 28(1970)341
preservation for ammonia d., direct m. (Gips, Reitsema, Wibbens-Alberts) 29(1970)501
protein(s), in chronic renal disease (Maiorca, Scarpioni, Cambi, Carrara, Dall'Aglio) 16(1967)253
–, gel electrophoresis (Rotbøl) 29(1970)101
–, gel filtration (Davis, Flynn, Platt) 21(1968)357
–, Kreutzer's, identification as amylase (Walravens, Estas) 18(1967)82
–, low molecular weight (Walravens, Laterre, Estas, Heremans) 18(1967)335
–, thermosoluble (Poortmans) 30(1970)671
purines, pyrimidines, pyrazolopyrimidines, separation, electrophoresis and chromatography (Simmonds) 23(1969)319
–, –, –, treatment with allopurinol or oxipurinol (Simmonds) 23(1969)353
pyrophosphatase, inorganic (Wakid, Kutayli, Buri) 30(1970)527
quinolinic acid d., gas–liquid chromatography (Toseland) 25(1969)187
rat, hippuric acid, quantitative d., thin-layer chromatography (Teuchy, Van Sumere) 25(1969)79
sediment, polar lipids in (Wherrett) 16(1967)135
sheep, 5-hydroxyindolylacetic acid in (Bartlet, Gilbert) 30(1970)559
steroids, children, lipodystrophy (Gupta) 26(1969)357
–, gas-chromatographic spectra, testicular tumours (Frensdorf, Van Kampen, Hoek) 28(1970)77
–, individual, modified Bush and Willoughby method (Boyce, Jenner) 23(1969)23
–, nalidixic acid (Jeanjean, Rousseau, Harvengt) 26(1969)179
–, and penicillins (Jeanjean, Rousseau, Harvengt) 25(1969)103
steroid sulfates, neutral quantitative d. (Léric, Kaplan, Broun) 29(1970)529
sugars, rapid test, thin-layer chromatography (Petek, Eberhard) 21(1968)293
sulfatase, in mastocytosis (Clausen, Asboe-Hansen) 16(1967)131
sulfate, in kwashiorkor (Ittyerah) 25(1969)365
sulfur, and whole-body catabolism, burns, age, protein restriction (Jackson) 22(1968)443
testosterone (Moxham, Nabarro) 22(1968)385
–, in Down's syndrome (Peters, Culley) 25(1969)199
tetrahydrocortisol and tetrahydrocortisone estimation (Green, Hallaways, Blacker) 20(1968)189
tryptophan metabolites, d. (Benassi, Veronese, De Antoni) 17(1967)383
–, nicotinamide on, Hodgkin's disease (Muggeo

(De Antoni, Allegri, Crepaldi, Costa) 30(1970)779
tyramine, formation in tissues and by intestinal microorganisms (Asatoor) 22(1968)223
– and tryptamine (DeQuattro, Sjoerdsma) 16(1967)227
uric acid in (Wells) 22(1968)379
urobilin estimation in, Schlesinger test, modified (Kerkhoff, Peters) 21(1968)133
vanilmandelic acid, d. of Pisano *et al.*, clofibrate on (Sacre, Walker) 30(1970)215
–, quantitative d. (Wybenga, Pileggi) 16(1967)147
vanillylmandelic acid, gas chromatography (Kahane, Mowatt, Vestergaard) 26(1969)307
vitamin B_6 in, estimation (Contractor, Shane) 21(1968)71
volume from weight, automatic d. (Young) 25(1969)429
zinc, direct d., atomic absorption spectroscopy (Dawson, Walker) 26(1969)465
Urobilin
urinary, estimation by a modified Schlesinger test (Kerkhoff, Peters) 21(1968)133
Urobilinogen
faecal, and bilirubin production, normal and pathologically increased (Bloomer, Berk, Howe, Waggoner, Berlin) 29(1970)463
Urocanase
serum, diagnosis of liver disorders (Abramov, Neufeld, Chayen) 23(1969)305
Urocanic acid
skin, measurement (Whitfield, Shepherd) 29(1970)181
urinary, measurement (Casey, Wells) 19(1968)165
Urokinase
standard and urinary, comparison (Marsh, Vere) 16(1967)389
Uroproteins
chromatographic patterns of (Wetter, Hertenstein) 19(1968)421
Uterectomy
and irradiation, α_1-acid glycoproteins, constancy of type (Yoshizaki, Hunziker, Schmid) 23(1969)147

V

Vanillactic acid
in melanoma urine (Duchoň, Matouš, Procházková) 18(1967)318,487
Vanillic acid excretion and urinary pH (Price) 26(1969)413
Vanillin
dietary, VMA method of Pisano *et al.* (Green, Walker) 29(1970)189
Vanilmandelic acid
estimation in serum (O'Gorman) 23(1969)247
in serum and urine, ^{14}C estimation (O'Gorman) 19(1968)485
urinary, gas chromatography (Sprinkle, Porter, Greer, Williams) 25(1969)409
Vanillylmandelic acid
urinary, gas chromatography after transformation to vanillin methoxime trimethylsilyl ether (Kahane, Mowatt, Vestergaard) 26(1969)307
Vertebral disc chondromucoprotein
enzymic dissolution, polyuronide excretion (Stern, Cosmas, Smith) 21(1968)181
Vicia faba on red cells
G-6-PD-deficient subjects, haemolytic anaemia (Bottini, Lucarelli, Spennati, Businco, Palmarino) 30(1970)831
Virus hepatitis
mice, enzyme indicators of development (Fassati, Štěpán, Schön, Hacker) 26(1969)497
Vitamin A
on cholinesterase, children, protein malnutrition (Begum, Prathapkumar) 26(1969)343
serum, microfluorometric estimation (Selvaraj, Paramasivam Susheela) 27(1970)165
Vitamin B_6
compounds, in blood and urine (Contractor, Shane) 21(1968)71
deficiency, diagnosis, based on erythrocyte GOT stimulation *in vitro* (Stanulović, Miletić, Stock) 17(1967)353
Vitamin B_{12}
binders, separation from gastric mucosa (Glass, Castro-Curel, Pamer) 16(1967)91
binding capacity, human serum (Gullberg) 27(1970)251
binding to serum transcobalamins, heat effect (Gullberg) 29(1970)97
deficiency, histidine α-deaminase in stratum corneum (Satwekar, Radhakrishnan, Baker) 20(1968)53
–, metabolic precursors of methylmalonic acid in (Gompertz, Hywel Jones, Knowles) 18(1967)197
d., radioisotope dilution and ultrafiltration (Friedner, Josephson, Levin) 24(1969)171
in serum, radioassay (Tibbling) 23(1969)209
–, radioisotope assay (Jacobs, Zondag) 24(1969)93
Vitamin E
and serum lipids (Rubinstein, Dietz, Srinavasan) 23(1969)1
Vitiligo
melanogen (Seutter, Sutorius) 27(1970)357
urinary indole metabolites in (Chakravorty, Chaudhuri) 22(1968)298

W

White cells
diagnostic material for lipid storage diseases (Snyder, Brady) 25(1969)331
Widmark's ethanol d.
applied for photometric evaluation of back-titrations (Klingmüller, Nuglisch, Weyss) 22(1968)317
Wilms' tumour
urinary *p*-hydroxyphenyllactic acid in (Greer, Hutcheson, Williams) 22(1968)460
Wolman's disease
lipid synthesis by red cell preparations (Sloviter, Janic, Naiman) 20(1968)423

X

Xanthine and hypoxanthine in biological fluids
d. (Simmonds, Wilson) 16(1967)155
Xanthine oxidase
blood, in uranyl nitrate intoxication, experimental, rat (Bastide, Bastide) 25(1969)127
kidney, in uranyl nitrate intoxication, experimental, rat (Bastide, Bastide) 25(1969)127
liver, in uranyl nitrate intoxication, experimental, rat (Bastide, Bastide) 25(1969)127
Xanthurenic acid
estimation (Cavill) 18(1967)285
urine, pregnancy, after tryptophan load (Hamfelt, Hahn) 25(1969)91

Z

Zinc
d., atomic absorption (Girard) 20(1968)243
–, – spectroscopy, direct, blood, plasma, urine (Dawson, Walker) 26(1969)465
non-precipitable γ_G-globulin fraction (Badin, Trensz, Rousselet) 19(1968)11
serum, comparison of two photometric m., normal values (Stojanovski-Bubanj, Keler-Bačoka) 25(1969)478
– and urine, spectrophotometric d. (Mikac-Dević) 23(1969)499
Zone electrophoresis
a multi-sample applicator (Kohn) 18(1967)65

CHEMICO-BIOLOGICAL INTERACTIONS

An international journal devoted to studies of the mechanisms by which exogenous chemicals produce changes in biological systems

MANAGING EDITOR G. P. WARWICK (London)
ASSOCIATE MANAGING EDITORS:
E. FARBER (Philadelphia, Pa.) and B. KETTERER (London)

Papers dealing with the effects produced by chemicals foreign to the organism being studied, and which by molecular interactions, or incorporation, produce changes in biological structure and function.
Biological systems dealt with include not only mammals, but also plants, unicellular organisms, viruses and systems derived from these.

FORTHCOMING ARTICLES:

Oxidation and protein binding of aromatic animes by rat liver microsomes
B. Beije, T. Hultin, Stockholm, Sweden

A novel mechanism for the inhibition of DNA synthesis following methylation: the effect of *N*-methyl-*N*-nitrosourea on HeLa cells
J. E. Plant, J. J. Roberts, London, Great Britain

Extension of the pre-DNA synthetic phase of the cell cycle as a consequence of DNA alkylation in Chinese hamster cells: a possible mechanism of DNA repair
J. E. Plant, J. J. Roberts, London, Great Britain

The effect of aflatoxin B_1,aflatoxin B_2 and sterigmatocystin on nuclear deoxyribonucleases from rat and mouse livers
M. J. Pitout, H. A. McGee, J. C. Schabort, Pretoria, South Africa

Comparison of the immunosuppressive properties of two related dimethanesulfonates
S. Vadlamudi, V. S. Waravdekar, A. Goldin, Bethesda, Md.

The differential interaction of aflatoxin B_2 with deoxyribonucleic acids from different sources and with purines and purine nucleosides
J. C. Schabort, Pretoria, South Africa

The conversion of pyrrolizidine alkaloids to *N*-oxides and to dihydropyrrolizine derivatives by rat liver microsomes *in vitro*
A. R. Mattocks, I. N. H. White, Carshalton, Great Britain

Cellular interactions of phorbol myristate acetate in tumor promotion
A. Sivak, B. L. van Duuren, New York, N.Y.

Functional interactions between aldolase and chlorpromazine
M. J. Seghatchian, A. F. Winder, London, Great Britain

Quantitative relationships between the electronic structure and biological activity of some analogues of orotic acid
J. J. Kaneti, E. V. Golovinsky, Sofia, Bulgaria

Macromolecular synthesis in *E. coli*, isolated mitochondria, and L5178Y cells in the presence of hydroxyurea or formamidoxime
H. B. Bosmann, Rochester, N.Y.

ATPase activity in fish tissue homogenates and inhibitory effect of DDT and related compounds
L. K. Cutkomp, H. H. Yap, E. Y. Cheng, R. B. Koch, St. Paul, Minn.

Interaction of the carcinogen *N*-acetoxy-*N*-2-acetylaminofluorene with polyadenyllic acid: dependence of reactivity on conformation
E. Kriek, J. Reitsema, Amsterdam, The Netherlands

Subscription price for 1971: Vol. 3, 6 issues, Dfl. 90.00 + Dfl. 9.00 postage or US$25.00 + US$2.50 postage.

Subscription orders may be sent to Elsevier Publishing Company, Journal Division, P.O. Box 211, Amsterdam, The Netherlands.

Specimen copies available on request.

Elsevier

Journal Division - P.O. Box 211,
Amsterdam - The Netherlands

390Eb

Comprehensive Biochemistry

edited by

MARCEL FLORKIN, *Professor of Biochemistry, University of Liège (Belgium) and*

ELMER H. STOTZ, *Professor of Biochemistry, University of Rochester, School of Medicine and Dentistry, Rochester, N.Y. (U.S.A.)*

Section I

PHYSICO-CHEMICAL AND ORGANIC ASPECTS OF BIOCHEMISTRY

This section is intended neither as a textbook of organic nor of physical chemistry, but rather as a collection of chapters which seem generally pertinent in the interpretation of biochemical techniques and in the understanding of the chemistry of biological compounds and reaction mechanisms.

Vol. 1. Atomic and Molecular Structure
Vol. 2. Organic and Physical Chemistry
Vol. 3. Methods for the Study of Molecules
Vol. 4. Separation Methods

Section II

CHEMISTRY OF BIOLOGICAL COMPOUNDS

Deals with the organic and physical chemistry of the major organic constituents of living material. This section includes a sound treatment of the important biological high polymers—their shape and physical properties. A number of substances peculiar to plants, certain isoprenoids, flavonoids, tannins, lignins, and plant hormones, often omitted from textbooks of biochemistry, are also covered.

Vol. 5. Carbohydrates
Vol. 6. Lipids—Amino Acids and Related Compounds
Vol. 7. Proteins (Part 1)
Vol. 8. Proteins (Part 2) und Nucleic Acids
Vol. 9. Pyrrole Pigments; Isoprenoid Compounds; Phenolic Plant Constituents
Vol. 10. Sterols, Bile Acids and Steroids
Vol. 11. Water-Soluble Vitamins, Hormones, Antibiotics

Section III

BIOCHEMICAL REACTION MECHANISMS

Section III is devoted primarily to Enzymes, focusing attention on the chemistry and function of the coenzymes. Other chapters treat thermodynamic and kinetic aspects of enzyme catalysis, hydrolytic enzymes displaying "active center" characteristics, and chelation and stereochemical considerations in enzyme catalysis. Much attention is given to biological oxidation mechanisms.

Vol. 12. Enzymes—General Considerations
Vol. 13. Enzyme Nomenclature (2nd revised edition)
Vol. 14. Biological Oxidations
Vol. 15. Group-Transfer Reactions
Vol. 16. Hydrolytic Reactions; Cobamide and Biotin Coenzymes

Subscribers who place a standing order for the whole series will be entitled to an overall 20% discount. Detailed brochure available on request.

Elsevier

Book Division, P.O. BOX 3489,
Amsterdam – The Netherlands

Section IV

METABOLISM

This section concerns itself with the degradative and biosynthetic pathways of carbohydrates, lipids, amino acids, porphyrins, purines, pyrimidines, etc., with special emphasis on experimental data as evidence for the metabolic schemes now admitted. Not only mammalian metabolism, but also the related metabolism in other organisms is treated. Special sections are devoted to the metabolism of special organs in the mammal and highly characteristic variations of metabolism occurring in non-mammals. Abnormal cellular metabolism and the resulting disease states are discussed in detail.

Vol. 17. Carbohydrate Metabolism
Vol. 18. Lipid Metabolism
Vol. 18S. Pyruvate and Fatty Acid Metabolism
Vol. 19. Metabolism of Amino Acids, Proteins, Purines, and Pyrimidines
Vol. 20. Metabolism of Cyclic Compounds
Vol. 21. Metabolism of Vitamins and Trace Elements

Section V

CHEMICAL BIOLOGY

Section V is devoted to a number of topics which, at an earlier state of development, were primarily descriptive and included in the field of biology, but which have been rapidly brought to study at the molecular level. Besides the chapters often grouped under 'molecular biology', Section V also deals with modern aspects of bioenergetics, immunochemistry, photobiology, and a consideration of the molecular phenomena that underlie the evolution of organisms.

Vol. 22. Bioenergetics
Vol. 23. Cytochemistry
Vol. 24. Biological Information Transfer. Immunochemistry
Vol. 25. Regulatory Functions, Membrane Phenomena
Vol. 26A. Extracellular and Supporting Structures
Vol. 26B. Extracellular and Supporting Structures (continued)
Vol. 26C. Extracellular and Supporting Structures (continued)
Vol. 27. Photobiology, Ionizing Radiations
Vol. 28. Morphogenesis, Differentiation and Development
Vol. 29. Comparative Biochemistry. Molecular Evolution

Further volumes in the series not related to Sections

Vol. 30. History of Biochemistry
Vol. 30A. (part I). Protobiochemistry
Vol. 30A. (part II). From Protobiochemistry to Biochemistry
Vol. 30B. The Unravelling of Metabolic Pathways
Vol. 30C. The Molecular Basis of Biological and Physiological Concepts
Vol. 31. General Index